



March 5, 2024

**WARM WEATHER ADVISORY LIFTED**  
**This notice applies to all customers**

**Effective Gas Day March 6, Timely Cycle the Warm Weather Advisory is lifted. DTE will not be restricting interruptible storage injections and interruptible balancing injections.**

**SYSTEM WIDE:**

If nominated volumes exceed available system capacity at any location during this time period, capacity allocations will follow the category priorities outlined in the DTE Gas Company FERC Operating Statement Section 11.4; Capacity Allocation which follows Section E2.2 of the DTE Gas Rate Book.

**IT RESTRICTION:**

Due to projected warm weather forecasts, expected operational conditions, and nomination levels, beginning Gas Day March 2<sup>nd</sup>, Timely Cycle, DTE Gas is restricting interruptible storage injections and interruptible balancing injections to **zero**. It is estimated that this restriction will be in place until further notice. DTE Gas will notify customers as soon as the restriction can be lifted.

Delivery points affected are:

- DTE GAS COMPANY STORAGE INJ (MAP #9036)
- IBS INJ (MAP #9501)

DTE requests that customers and gas suppliers proactively watch for updated operational notices on DTE's eNominator system, Gas Noms Webpage, and direct emails during this critical period.

Please contact your gas account manager with any questions.

For scheduling questions, please contact Gas Nominations at 1-833-383-6667 or [dte\\_gasscheduling@dteenergy.com](mailto:dte_gasscheduling@dteenergy.com)