



2023 Annual Groundwater Monitoring Report

**Belle River Power Plant Diversion
Basin
4505 King Road
China Township, Michigan**

January 2024

Prepared For:

DTE Electric Company

Prepared By:

TRC
1540 Eisenhower Place
Ann Arbor, Michigan 48108

A handwritten signature in blue ink that reads "Vincent E. Buening".

Vincent E. Buening, C.P.G.
Senior Project Manager

A handwritten signature in blue ink that reads "David B. McKenzie".

David B. McKenzie, P.E.
Senior Project Engineer

A handwritten signature in blue ink that reads "Sarah B. Holmstrom".

Sarah B. Holmstrom, P.G.
Senior Hydrogeologist

TABLE OF CONTENTS

Executive Summary	iii
1.0 Introduction.....	1
1.1 Program Summary	1
1.2 Site Overview	2
1.3 Geology/Hydrogeology	2
2.0 Groundwater Monitoring	3
2.1 Monitoring Well Network.....	3
2.2 Semiannual Groundwater Monitoring.....	3
2.2.1 Data Summary	3
2.2.2 Data Quality Review.....	4
2.2.3 Groundwater Flow Rate and Direction.....	4
3.0 Statistical Evaluation.....	5
3.1 Establishing Background Limits	5
3.2 Data Comparison to Background Limits – First 2023 Semiannual Event (April 2023)	5
3.3 Data Comparison to Background Limits – Second 2023 Semiannual Event (October 2023)	6
3.4 Verification Resampling for the Second Semiannual Event	6
4.0 Additional Aquifer Characterization and Closure Activities	7
4.1 Additional Uppermost Aquifer Characterization Study	7
4.2 Closure Activities	7
4.2.1 Establishing Groundwater Protection Standards	8
4.2.2 Data Comparison to Groundwater Protection Standards	8
5.0 Conclusions and Recommendations	9
6.0 Groundwater Monitoring Report Certification	10
7.0 References	11

TABLES

Table 1	Summary of Groundwater Elevation Data – April and October 2023
Table 2	Summary of Field Data – April to December 2023
Table 3	Comparison of Appendix III Parameter Results to Background Limits – April 2023
Table 4	Comparison of Appendix III Parameter Results to Background Limits – October and December 2023
Table 5	Comparison of Appendix VI Parameter Results to Groundwater Protection Standards – October and December 2023

FIGURES

Figure 1	Site Location Map
Figure 2	Site Plan
Figure 3	Diversion Basin Groundwater Potentiometric Surface Map – April 2023
Figure 4	Diversion basin Groundwater Potentiometric Surface Map – October 2023

APPENDICES

Appendix A	April 2023 Aquifer Characterization Study
Appendix B	Laboratory Analytical Reports
Appendix C	Data Quality Reviews
Appendix D	Groundwater Protection Standards Calculation and Comparison

Executive Summary

On April 17, 2015, the United States Environmental Protection Agency (USEPA) published the final rule for the regulation and management of Coal Combustion Residuals (CCR) under the Resource Conservation and Recovery Act (RCRA) (the CCR Rule), as amended, which applies to the DTE Electric Company (DTE Electric) Belle River Power Plant (BRPP) Diversion Basin (DB) CCR unit. Pursuant to the CCR Rule, no later than January 31, 2018, and annually thereafter, the owner or operator of a CCR unit must prepare an annual groundwater monitoring and corrective action report for the CCR unit documenting the status of groundwater monitoring and corrective action for the preceding year in accordance with §257.90(e). On behalf of DTE Electric, TRC Engineers Michigan, Inc., the engineering entity of TRC, has prepared this Annual Groundwater Monitoring Report for calendar year 2023 activities at the BRPP DB CCR unit.

The BRPP DB was operating under the detection monitoring program at the start of the 2023 annual reporting period and remained in the detection monitoring program through the end of the 2023 annual reporting period. The semiannual detection monitoring events for 2023 were completed in April and October 2023 and included sampling and analyzing groundwater within the groundwater monitoring system for the indicator parameters listed in Appendix III to the CCR Rule. As part of the statistical evaluation, the data collected during detection monitoring events are evaluated to identify statistically significant increases (SSIs) in Appendix III parameters to determine if concentrations in groundwater exceed background levels.

From December 2022 to April 2023 DTE Electric performed an additional uppermost aquifer characterization as detailed in the April 2023 *Additional Uppermost Aquifer Characterization Study Belle River Power Plant Diversion Basin CCR Unit, 4505 King Road, China Township, Michigan* (Aquifer Characterization Study) prepared by TRC (TRC, April 2023). A copy of the Aquifer Characterization Study is included in Appendix A. The Aquifer Characterization Study presents an analysis of geochemical, stable isotopic, and tritium data collected in December 2022 along with pre-existing data from the BRPP DB CCR unit that confirms the uppermost aquifer is not in hydraulic communication with the CCR unit and further demonstrates that the uppermost aquifer groundwater is unaffected by the CCR unit water.

In addition, DTE Electric is pursuing closure by removal for the BRPP DB CCR unit while remaining in detection monitoring. The CCR removal from the DB was initiated in May 2023 and completed by July 2023 as documented in the September 15, 2023 *Certification of CCR Removal in Preparation of Closure of the Belle River Diversion Basin* (Burns & McDonnell, September 2023) and the DB was repurposed into a non-CCR wastewater basin.

Subsequent to the CCR removal, the first of two closure groundwater sampling events for Appendix IV parameters was also conducted at the BRPP DB monitoring network in October 2023. Although the DB has remained in detection monitoring, this Appendix IV groundwater data was collected to demonstrate that the Groundwater Protection Standards (GWPS) are met subsequent to the closure of the BRPP DB CCR unit by removal in accordance with 40 CFR 257.102(c).

All the monitoring data that have been collected and evaluated under §257.90 through §257.98 in 2023 are presented in this report. No SSIs over prediction limits or post-CCR removal GWPS exceedances were recorded for the Appendix III and Appendix IV constituents in the compliance wells during the 2023 monitoring period. A potential SSI outside prediction limits was noted for fluoride in one monitoring well in the October 2023 monitoring event. This potential SSI was not statistically significant (i.e. verification resampling did not confirm the exceedances). Therefore, detection and closure monitoring will continue at the BRPP DB CCR unit in accordance with §257.94 and §257.102(c) until closure has been demonstrated through two consecutive events with groundwater monitoring concentrations below the GWPSs.

1.0 Introduction

1.1 Program Summary

On April 17, 2015, the United States Environmental Protection Agency (USEPA) published the final rule for the regulation and management of Coal Combustion Residuals (CCR) under the Resource Conservation and Recovery Act (RCRA) (the CCR Rule), as amended, which applies to the DTE Electric Company (DTE Electric) Belle River Power Plant (BRPP) Diversion Basin (DB). Pursuant to the CCR Rule, no later than January 31, 2018, and annually thereafter, the owner or operator of a CCR unit must prepare an annual groundwater monitoring and corrective action report for the CCR unit documenting the status of groundwater monitoring and corrective action for the preceding year in accordance with §257.90(e). On behalf of DTE Electric, TRC Engineers Michigan, Inc., the engineering entity of TRC, has prepared this Annual Groundwater Monitoring Report for calendar year 2023 activities at the BRPP DB CCR unit (2023 Annual Report).

This 2023 Annual Report presents the monitoring results and the statistical evaluation of the detection monitoring parameters (Appendix III to Part 257 of the CCR Rule) for the April and October 2023 semiannual groundwater monitoring events for the BRPP DB CCR unit. Detection monitoring continued to be performed in accordance with the *CCR Groundwater Monitoring and Quality Assurance Project Plan – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin* (QAPP) (TRC, July 2016; revised August 2017) and statistically evaluated per the *Groundwater Statistical Evaluation Plan – Belle River Power Plant Coal Combustion Residual Diversion Basin* (Stats Plan) (TRC, October 2017). As part of the statistical evaluation, the data collected during detection monitoring events are evaluated to identify SSIs of detection monitoring parameters compared to background levels.

Additional site characterization was completed in late 2020 and 2021 with soil hydraulic conductivity testing extending into December 2022, which included additional soil borings, cone penetrometer testing (CPT), soil sample collection for additional clay-rich soil laboratory hydraulic conductivity testing, and additional slug testing (to measure the hydraulic conductivity of the uppermost aquifer in wells not previously tested) in support of the Alternative Liner Demonstration (ALD) that was submitted to EPA on April 10, 2023 (Geosyntec, 2023). The ALD concludes that there is no reasonable probability that water from the DB will cause releases to groundwater throughout the active life of the CCR unit at concentrations that will exceed the groundwater protection standard at the waste boundary.

From December 2022 to April 2023 DTE Electric performed an additional uppermost aquifer characterization as detailed in the April 2023 *Additional Uppermost Aquifer Characterization Study, Belle River Power Plant Diversion Basin CCR Unit, 4505 King Road, China Township, Michigan* (Aquifer Characterization Study) prepared by TRC (TRC, April 2023). The Aquifer Characterization Study presents an analysis of geochemical, stable isotopic, and tritium data collected in December 2022 along with pre-existing data from the BRPP DB CCR unit that confirms the uppermost aquifer is not in hydraulic communication with the CCR unit and further demonstrates that the uppermost aquifer groundwater is unaffected by the CCR unit water.

In addition, DTE Electric is pursuing closure by removal for the BRPP DB CCR unit while remaining in detection monitoring. Initiation of closure of the DB was driven by DTE Electric's plan to comply with the CCR Rule, as amended as discussed in Section 4.2 of this report.

1.2 Site Overview

The BRPP is located in Section 13, Township 4 North, Range 16 East, at 4505 King Road, China Township in St. Clair County, Michigan. The BRPP was constructed in the early 1980s with plant operations beginning in 1984. Prior to Detroit Edison Company's operations commencing in the 1980s, the BRPP property was generally wooded and farmland. The property has been used continuously as a coal fired power plant since Detroit Edison Company (now DTE Electric) began power plant operations at BRPP in 1984 and is generally constructed over a natural clay-rich soil base. Prior to July 2023, the DB was an incised CCR surface impoundment located east of the BRPP that had been in use by the BRPP since it began operation. During its operation, the DB had collected CCR bottom ash that was periodically cleaned out and either sold for beneficial reuse or disposed of at the Range Road Landfill (RRLF). The DB was converted into a non-CCR impoundment following CCR removal in July 2023 as discussed in Section 4.2 of this report.

1.3 Geology/Hydrogeology

The BRPP DB CCR unit is located approximately one mile west of the St. Clair River. The BRPP DB CCR unit is underlain by more than 130 feet of glacially deposited unconsolidated sediments, with the lower confining Bedford Shale generally encountered from 135 to 145 feet below ground surface (bgs). In general, the BRPP DB CCR unit is underlain by 115 to 130 feet of laterally extensive low hydraulic conductivity silty clay-rich deposits (TRC, 2017 and Geosyntec, 2023). The silty clay-rich till is then underlain by two to seven feet of silt between the till and the underlying shale bedrock (not an aquifer) confining unit. Groundwater was encountered within this silt at the shale bedrock interface representing a potential confined uppermost aquifer underlying the BRPP DB CCR unit.

Due to the relatively small footprint of the DB, the low vertical and horizontal groundwater flow velocity and radial flow potential outward from the CCR unit, and the fact that the uppermost saturated unit being monitored is isolated by a laterally contiguous silty-clay unit which significantly impedes vertical groundwater flow thus preventing the monitored saturated zone (identified as the potential uppermost aquifer) from potentially being affected by CCR, monitoring of the BRPP DB CCR unit using intrawell statistical methods is appropriate. As such, an intrawell statistical approach is being used during detection monitoring as discussed in the Stats Plan.

2.0 Groundwater Monitoring

2.1 Monitoring Well Network

A groundwater monitoring system has been established for the BRPP DB CCR unit as detailed in the *Groundwater Monitoring System Summary Report – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin Coal Combustion Residual Units* (GWMS Report) (TRC, October 2017). The detection monitoring well network for the DB CCR unit currently consists of six monitoring wells that are screened in the uppermost aquifer. Monitoring wells MW-16-05 through MW-16-08, MW-16-10, and MW-16-11A are generally located around the east and west perimeter of the DB and provide data on both background and downgradient groundwater quality that has not been affected by the CCR unit (total of six background/downgradient monitoring wells). The monitoring well locations are shown on Figure 2.

2.2 Semiannual Groundwater Monitoring

The semiannual monitoring parameters for the detection groundwater monitoring program were selected per the CCR Rule's Appendix III to Part 257 – Constituents for Detection Monitoring. The Appendix III indicator parameters consist of boron, calcium, chloride, fluoride, pH (field reading), sulfate, and total dissolved solids (TDS) that were analyzed in accordance with the sampling and analysis plan included within the QAPP. In addition to pH, the collected field parameters included dissolved oxygen, oxidation reduction potential, specific conductivity, temperature, and turbidity.

2.2.1 Data Summary

The first semiannual detection monitoring event for 2023 was performed from April 26 to 27, 2023 by TRC personnel and samples were analyzed by Eurofins Environment Testing America (Eurofins) in accordance with the QAPP. Static water elevation data were collected at all six monitoring well locations. Groundwater samples were collected from the six detection monitoring wells for the Appendix III indicator parameters and field parameters. A summary of the groundwater data collected during the April 2023 event is provided on Table 1 (static groundwater elevation data), Table 2 (field data), and Table 3 (analytical results).

The second semiannual detection monitoring event for 2023 was performed during October 9 to 10, 2023 by TRC personnel and samples were analyzed by Eurofins in accordance with the QAPP. Static water elevation data were collected at all six monitoring well locations. Groundwater samples were collected from the six detection monitoring wells for the Appendix III indicator parameters and field parameters. A summary of the groundwater data collected during the October 2023 event is provided on Table 1 (static groundwater elevation data), Table 2 (field data), and Table 4 (analytical results). The laboratory analytical reports are included in Appendix B.

2.2.2 Data Quality Review

Data from each round were evaluated for completeness, overall quality and usability, method-specified sample holding times, precision and accuracy, and potential sample contamination. The data were found to be complete and usable for the purposes of the CCR monitoring program. Data quality reviews are summarized in Appendix C.

2.2.3 Groundwater Flow Rate and Direction

The general flow rate and direction from both groundwater monitoring events are similar to that identified in previous monitoring rounds and continues to demonstrate that the compliance wells are appropriately positioned to detect the presence of Appendix III parameters that could potentially migrate from the BRPP DB CCR unit. Groundwater elevation data collected during the April and October 2023 sampling events show that groundwater within the uppermost aquifer generally flows to the west-northwest across the BRPP DB, consistent with previous events. Groundwater potentiometric surface elevations measured during the April and October 2023 sampling events are provided on Table 1 and were used to construct the groundwater potentiometric surface maps shown on Figures 3 and 4, respectively.

The average hydraulic gradient throughout the BRPP DB during both of the 2023 semiannual events is estimated at approximately 0.003 feet/feet, resulting in an estimated average groundwater flow velocity of approximately 0.0015 feet/day or 0.55 feet/year using the average hydraulic conductivity of 0.2 ft/day (TRC, 2017 and Geosyntec, 2023) and an assumed effective porosity of 0.4.

As presented in the GWMS Report, ALD, and Aquifer Characterization Study, there is a horizontally expansive clay with substantial vertical thickness that isolates the uppermost aquifer from the BRPP DB CCR unit. The general flow direction in the uppermost aquifer is similar to that identified in previous monitoring rounds and continues to demonstrate that the compliance wells are appropriately positioned to detect the presence of Appendix III parameters that could potentially migrate from the BRPP DB CCR unit.

3.0 Statistical Evaluation

3.1 Establishing Background Limits

As discussed in the Stats Plan, intrawell statistical methods for the DB CCR unit were selected based on the geology and hydrogeology at the site (primarily the presence of clay/hydraulic barrier, the relatively small footprint of the DB, combined with low vertical and horizontal groundwater flow velocity), in addition to other supporting lines of evidence that the aquifer is unaffected by the CCR unit that have been further demonstrated in the ALD and Aquifer Characterization Study. An intrawell statistical approach requires that each downgradient well doubles as a background and compliance well, where data from each individual well during a detection monitoring event is compared to a statistical limit developed using the background dataset from that same well.

Per the Stats Plan, background limits were established for the Appendix III indicator parameters following the collection of at least eight background monitoring events using data collected from each of the six established detection monitoring wells (MW-16-05 through MW-16-08, MW-16-10, and MW-16-11/11A). The initial statistical evaluation of the background data is presented in the 2017 Annual Report. The Appendix III background limits developed for each monitoring well will be used throughout the detection monitoring period to determine whether groundwater has been impacted from the BRPP DB CCR unit by comparing concentrations in the detection monitoring wells to their respective background limits for each Appendix III indicator parameter.

Consistent with the Stats Plan and the *USEPA's Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance* (Unified Guidance, USEPA, 2009), prediction limits are periodically updated to reflect the additional data and additional temporal variability observed over time. The Appendix III prediction limits at BRPP DB were updated per the Stats Plan and Unified Guidance in December 2021 to incorporate additional data collected since 2017 as presented in the December 15, 2021 Technical Memorandum, *Prediction Limit Update – DTE Electric Company, Belle River Power Plant Diversion Basin* (included as Appendix C in the *2021 Annual Groundwater Monitoring Report – DTE Electric Company, Belle River Power Plant Diversion Basin Coal Combustion Residual Unit*, TRC, January 2022).

3.2 Data Comparison to Background Limits – First 2023 Semiannual Event (April 2023)

The concentrations of the indicator parameters in each of the detection monitoring wells (MW-16-05 through MW-16-08, MW-16-10, and MW-16-11A) were compared to their respective statistical background limits calculated from the background data collected from each individual well (i.e., monitoring data from MW-16-05 is compared to the background limit developed using the background dataset from MW-16-05, and so forth).

The comparisons of the April 2023 monitoring event data to background limits are presented in Table 3. The statistical evaluation of the April 2023 Appendix III indicator parameters showed no exceedances compared to background for any of the Appendix III indicator parameters.

3.3 Data Comparison to Background Limits – Second 2023 Semiannual Event (October 2023)

The concentrations of the indicator parameters in each of the detection monitoring wells (MW 16-05 through MW-16-08, MW-16-10, and MW-16-11A) were compared to their respective statistical background limits calculated from the background data collected from each individual well (i.e., monitoring data from MW-16-05 is compared to the background limit developed using the background dataset from MW-16-05, and so forth).

The comparisons of the October 2023 monitoring event data to background limits are presented in Table 4. The statistical evaluation of the October 2023 Appendix III indicator parameters shows potential SSIs over background for:

- Fluoride at MW-16-07

There were no exceedances compared to background for boron, calcium, chloride, pH, sulfate, or total dissolved solids.

3.4 Verification Resampling for the Second Semiannual Event

Verification resampling is recommended per the Stats Plan and the Unified Guidance to achieve performance standards as specified by §257.93(g) in the CCR Rule. Per the Stats Plan, if there is an exceedance of a prediction limit for one or more of the parameters, the well(s) of concern will be resampled within 30 days of the completion of the initial statistical analysis. Only constituents that initially exceed their statistical limit (i.e., have no previously recorded SSIs) will be analyzed for verification purposes. As such, verification resampling for the October 2023 event was conducted on December 6, 2023, by TRC personnel. Groundwater samples were collected for fluoride at MW-16-07, in accordance with the QAPP. A summary of the analytical results collected during the resampling event is provided on Table 4. The associated data quality review is included in Appendix C.

The verification results for fluoride at MW-16-07 are below the prediction limit, consequently the initial potential SSI for fluoride during the October 2023 detection monitoring event are not confirmed. Therefore, in accordance with the Stats Plan and the Unified Guidance, the initial exceedance is not statistically significant, and no SSI will be recorded for fluoride for the October 2023 detection monitoring event.

4.0 Additional Aquifer Characterization and Closure Activities

4.1 Additional Uppermost Aquifer Characterization Study

From December 2022 to April 2023 DTE Electric had an additional uppermost aquifer characterization performed as described in the April 2023 Additional Characterization Study (TRC, April 2023) prepared by TRC. From December 14 to 16, 2022 TRC collected groundwater samples from the BRPP DB groundwater monitoring well network (MW-16-05 through MW-16-08, MW-16-10 and MW-16-11A), a water sample from the DB and a surface water sample from the St. Clair River.

These samples were analyzed for:

- Calcium (Ca), magnesium (Mg), sodium (Na), potassium (K), sulfate (SO_4), chloride (Cl), HCO_3 and alkalinity (bicarbonate (HCO_3), carbonate (CO_3) and total alkalinity), boron (B), lithium (Li) and strontium (Sr);
- Stable isotopes $\delta^{11}\text{B}$, $\delta^{87}\text{Sr}$ and $\delta^7\text{Li}$, $\delta^2\text{H}$, $\delta^{18}\text{O}$ and;
- Tritium.

The geochemical, stable isotopic and tritium data collected in December 2022 along with pre-existing data collected from the BRPP DB CCR unit was evaluated and confirmed that the uppermost aquifer is not in hydraulic communication with the CCR unit water with the following multiple lines of evidence:

- The geochemical composition of the uppermost aquifer groundwater is statistically distinct from the CCR unit water;
- The source of lithium, boron, strontium, hydrogen, and oxygen in the uppermost aquifer groundwater is from upgradient groundwater and, as demonstrated by the stable isotope data is distinct from the CCR unit water; and
- Age dating with tritium validates that the uppermost aquifer groundwater is not hydraulically connected to the CCR unit.

These multiple lines of evidence come together in an additive fashion to further validate the conceptual site model established in the ALD (Geosyntec, April 2023) and previous studies, which holds that the contiguous glacially compacted natural clay-rich soil beneath the DB serves as a natural confining hydraulic barrier isolating the underlying uppermost aquifer from the CCR unit and maintains that the uppermost aquifer groundwater is unaffected by the CCR unit water (TRC, April 2023).

4.2 Closure Activities

DTE Electric is in the process of pursuing closure for the BRPP DB CCR unit while remaining in detection monitoring. On May 18, 2023, DTE Electric provided a *Notification of Intent to Close the Belle River Power Plant Diversion Basin* (DTE Electric, May 18 2023) by removal in accordance with an Michigan Department of Environment, Great Lakes and Energy (EGLE) approved *Belle River Power Plant Diversion Basin Closure Plan* (Burns & McDonnell, May 2023, (Revised September 2023)). The CCR removal from the DB was initiated in May 2023 and completed by July 2023 as documented in the September 15, 2023 *Certification of CCR*

Removal in Preparation of Closure of the Belle River Diversion Basin (Burns & McDonnell, September 2023) and the DB was repurposed into a non-CCR wastewater basin.

Subsequent to the CCR removal, the first of two closure groundwater sampling events for Appendix IV parameters was also conducted at the BRPP DB monitoring network in October 2023. Although the DB remains in detection monitoring, this Appendix IV groundwater data was collected to demonstrate that the Groundwater Protection Standards (GWPS) are met subsequent to the closure of the BRPP DB CCR unit by removal in accordance with 40 CFR 257.102(c).

4.2.1 Establishing Groundwater Protection Standards

Although the BRPP DB has remained in detection monitoring per § 257.94 throughout its operation, the closure must demonstrate that groundwater concentrations do not exceed the Appendix IV constituent GWPS established under §257.95(h) after the closure of the CCR impoundment pursuant to 257.102(c). TRC calculated background statistical limits and developed GWPS for the Appendix IV parameters for the BRPP DB CCR unit in accordance with §257.95(h) as presented in Appendix D.

4.2.2 Data Comparison to Groundwater Protection Standards

The Appendix IV groundwater data were compared to the calculated GWPSs for each individual well (i.e., monitoring data from MW-16-05 is compared to the GWPS developed using the background dataset from MW-16-05, and so forth). As shown in Appendix D, and Table 5, the first closure event Appendix IV groundwater results were all below their respective GWPSs.

5.0 Conclusions and Recommendations

No SSIs over prediction limits or post-CCR removal GWPS exceedances were recorded for the Appendix III and Appendix IV constituents in the compliance wells during the 2023 monitoring period. Therefore, detection and closure monitoring will continue at the BRPP DB CCR unit in accordance with §257.94 and §257.102(c) until closure has been demonstrated through two consecutive events with groundwater monitoring concentrations below the GWPSs. As discussed above and in the GWMS Report as well as the ALD and Aquifer Characterization Study, with the laterally contiguous clay with substantial vertical thickness that isolates the uppermost aquifer from the BRPP DB CCR unit there is no reasonable probability for the uppermost aquifer to be affected by CCR from BRPP operations.

No corrective actions were performed in 2023. The next semiannual monitoring event is scheduled for the second calendar quarter of 2024. If the Appendix IV constituents are below their respective GWPSs the second calendar quarter 2024 will be the final closure monitoring event and a final annual groundwater monitoring report will be submitted and a notification of closure report will be completed documenting compliance with §257.102(c).


6.0 Groundwater Monitoring Report Certification

The U.S. EPA's Disposal of Coal Combustion Residuals from Electric Utilities Final Rule Title 40 CFR Part 257 §257.90(e) requires that the owner or operator of an existing CCR unit prepare an annual groundwater monitoring and corrective action report.

**Annual Groundwater Monitoring Report Certification
Belle River Power Plant Diversion Basin
China Township, Michigan**

CERTIFICATION

I hereby certify that the annual groundwater monitoring and corrective action report presented within this document for the BRPP DB CCR unit has been prepared to meet the requirements of Title 40 CFR §257.90(e) of the Federal CCR Rule. This document is accurate and has been prepared in accordance with good engineering practices, including the consideration of applicable industry standards, and with the requirements of Title 40 CFR §257.90(e).

Name: David B. McKenzie, P.E.	Expiration Date: December 17, 2025	
Company: TRC Engineers Michigan, Inc.	Date: January 31, 2024	

7.0 References

- Burns & McDonnell. May 2023 (Revised September 2023). Diversion Basin Closure Plan, DTE Belle River Power Plant. May 18, 2023 (Revised September 15, 2023).
- Burns & McDonnell. September 2023. Certification of CCR Removal in Preparation of Closure of the Belle River Diversion Basin. September 15, 2023
- DTE Electric Company. May 18, 2023. Notification of Intent to Close the Belle River Power Plant Diversion Basin.
- Geosyntec Consultants (Geosyntec). April 2023. Alternative Liner Demonstration Diversion Basin, DTE Electric Company Belle River Power Plant, China Township, Michigan
- TRC. July 2016; Revised March and August 2017. CCR Groundwater Monitoring and Quality Assurance Project Plan – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. October 2017. Groundwater Monitoring System Summary Report – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin Coal Combustion Residual Units, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. October 2017. Groundwater Statistical Evaluation Plan – DTE Electric Company Belle River Power Plant Coal Combustion Residual Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2022. 2021 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. April 2023. Additional Uppermost Aquifer Characterization Study, Belle River Power Plant Diversion Basin CCR Unit, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- USEPA. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA facilities, Unified Guidance. Office of Conservation and Recovery. EPA 530/R-09-007.
- USEPA. April 2015. 40 CFR Parts 257 and 261. Hazardous and Solid Waste Management System: Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule. 80 Federal Register 74 (April 17, 2015), pp. 21301-21501 (80 FR 21301).
- USEPA. July 2018. 40 CFR Part 257. Hazardous and Solid Waste Management System: Disposal of Coal Combustion Residuals from Electric Utilities; Amendments to the National Minimum Criteria (Phase One, Part One); Final Rule. 83 Federal Register 146 (July 30, 2018), pp. 36435-36456 (83 FR 36435).

USEPA. April 2018. Barnes Johnson (Office of Resource Conservation and Recovery) to James Roewer (c/o Edison Electric Institute) and Douglas Green, Margaret Fawal (Venable LLP). Re: Coal Combustion Residuals Rule Groundwater Monitoring Requirements. April 30, 2018. United States Environmental Protection Agency, Washington, D.C. 20460. Office of Solid Waste and Emergency Response, now the Office of Land and Emergency Management.

Tables

Table 1
 Summary of Groundwater Elevation Data – April and October 2023
 Belle River Power Plant Diversion Basin – RCRA CCR Monitoring Program
 China Township, Michigan

Well ID	MW-16-05		MW-16-06		MW-16-07		MW-16-08		MW-16-10		MW-16-11A	
Date Installed	3/4/2016		3/11/2016		3/9/2016		3/10/2016		6/6/2016		5/12/2017	
TOC Elevation	590.82		593.21		592.58		591.88		592.26		591.66	
Geologic Unit of Screened Interval	Clayey Silt/Shale Interface		Silt/Shale Interface		Silt/Shale Interface		Silt/Shale Interface		Gravelly Silt and Silty Clay		Silt and Silty Clay	
Screened Interval Elevation	449.3 to 444.3		455.0 to 450.0		456.9 to 451.9		456.3 to 451.3		444.3 to 439.3		452.5 to 447.5	
Unit	ft BTOC	ft	ft BTOC	ft	ft BTOC	ft	ft BTOC	ft	ft BTOC	ft	ft BTOC	ft
Measurement Date	Depth to Water	GW Elevation	Depth to Water	GW Elevation	Depth to Water	GW Elevation	Depth to Water	GW Elevation	Depth to Water	GW Elevation	Depth to Water	GW Elevation
04/26/2023	16.84	573.98	17.60	575.61	16.68	575.90	15.56	576.32	17.80	574.46	16.85	574.81
10/09/2023	16.78	574.04	17.76	575.45	16.89	575.69	15.74	576.14	17.81	574.45	16.91	574.75

Notes:

Elevations are reported in feet relative to the North American Vertical Datum of 1988.
 ft BTOC - feet Below top of casing

Table 2
 Summary of Field Data – April to December 2023
 Belle River Power Plant Diversion Basin – RCRA CCR Monitoring Program
 China Township, Michigan

Sample Location	Sample Date	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	pH (SU)	Specific Conductivity (umhos/cm)	Temperature (°C)	Turbidity (NTU)
MW-16-05	4/27/2023	1.32	-284.8	8.1	4,227	12.3	15.2
	10/10/2023	1.29	-210.1	7.9	3,199	12.0	9.81
MW-16-06	4/27/2023	1.22	-281.7	8.1	4,464	11.9	5.53
	10/10/2023	1.31	-172.2	7.9	3,479	11.9	2.85
	12/6/2023 ⁽¹⁾	1.42	-12.5	7.8	3,538	10.8	1.25
MW-16-07	4/27/2023	1.31	-262.1	7.9	4,785	11.9	32.7
	10/10/2023	1.30	-226.4	7.8	3,656	11.5	11.7
	12/6/2023 ⁽¹⁾	1.38	-164.9	7.8	3,753	10.8	34.7
MW-16-08	4/27/2023	1.28	-32.2	8.1	4,852	11.0	41.1
	10/10/2023	1.59	-59.9	8.0	3,942	12.1	7.44
MW-16-10	4/27/2023	1.54	45.8	8.1	4,278	11.2	49.8
	10/10/2023	2.37	-112.6	7.7	3,428	12.2	31.3
MW-16-11A	4/27/2023	1.31	28.5	8.0	4,472	11.1	23.1
	10/10/2023	1.33	-77.7	8.0	3,581	11.7	28.4

Notes:

mg/L -Milligrams per Liter.

mV - Millivolts.

SU - Standard Units.

umhos/cm - Micromhos per centimeter.

°C - Degrees Celsius.

NTU - Nephelometric Turbidity Unit

(1) Results shown for verification sampling performed on 12/6/2023.

Table 3
 Comparison of Appendix III Parameter Results to Background Limits – April 2023
 Belle River Power Plant Diversion Basin – RCRA Monitoring Program
 China Township, Michigan

Sample Location:		MW-16-05		MW-16-06		MW-16-07		MW-16-08		MW-16-10		MW-16-11A	
Sample Date:		4/27/2023	PL	4/27/2023	PL	4/27/2023	PL	4/27/2023	PL	4/27/2023	PL	4/27/2023	PL
Constituent	Unit	Data		Data		Data		Data		Data		Data	
Appendix III													
Boron	ug/L	1,800	1,900	1,800	2,100	1,800	2,100	1,800	2,200	1,800	2,200	1,800	2,000
Calcium	ug/L	33,000	69,000	35,000	43,000	47,000	91,000	46,000	88,000	25,000	35,000	35,000	66,000
Chloride	mg/L	1,500	1,600	1,700	1,700	1,700	1,800	1,900	2,000	1,500	1,700	1,700	1,800
Fluoride	mg/L	1.0	1.3	1.0	1.3	1.0	1.2	0.99	1.3	0.91	1.4	0.83	1.2
pH, Field	su	8.1	7.9 - 8.5	8.1	7.7 - 8.3	7.9	7.8 - 8.3	8.1	7.6 - 8.3	8.1	7.6 - 8.5	8.0	7.7 - 8.4
Sulfate	mg/L	< 5.0	35	< 5.0	12	30	94	< 5.0	23	47	150	< 5.0	20
Total Dissolved Solids	mg/L	2,500	2,700	2,700	3,000	2,900	3,200	3,000	3,300	2,600	3,100	2,800	3,100

Notes:

ug/L - micrograms per liter.

mg/L - milligrams per liter.

SU - standard units; pH is a field parameter.

All metals were analyzed as total unless otherwise specified.

Bold font indicates an exceedance of the Prediction Limit (PL).

Table 4
 Comparison of Appendix III Parameter Results to Background Limits – October and December 2023
 Belle River Power Plant Diversion Basin – RCRA CCR Monitoring Program
 China Township, Michigan

Sample Location:		MW-16-05		MW-16-06		MW-16-07			MW-16-08		MW-16-10		MW-16-11A	
Sample Date:		10/10/2023	PL	10/10/2023	PL	10/10/2023	12/6/2023 ⁽¹⁾	PL	10/10/2023	PL	10/10/2023	PL	10/10/2023	PL
Constituent	Unit	Data		Data		Data			Data		Data		Data	
Appendix III														
Boron	ug/L	1,700	1,900	1,900	2,100	1,800	--	2,100	1,800	2,200	1,900	2,200	1,800	2,000
Calcium	ug/L	34,000	69,000	40,000	43,000	43,000	--	91,000	42,000	88,000	23,000	35,000	35,000	66,000
Chloride	mg/L	1,500	1,600	1,600	1,700	1,800	--	1,800	2,000	2,000	1,600	1,700	1,800	1,800
Fluoride	mg/L	1.2	1.3	1.2	1.3	1.3	0.94	1.2	1.2	1.3	1.1	1.4	1.1	1.2
pH, Field	su	7.9	7.9 - 8.5	7.9	7.7 - 8.3	7.8	--	7.8 - 8.3	8.0	7.6 - 8.3	7.7	7.6 - 8.5	8.0	7.7 - 8.4
Sulfate	mg/L	4.8	35	6.0	12	31	--	94	< 2	23	40	150	< 2	20
Total Dissolved Solids	mg/L	2,400	2,700	2,600	3,000	2,800	--	3,200	2,900	3,300	2,500	3,100	2,700	3,100

Notes:
 ug/L - micrograms per liter.
 mg/L - milligrams per liter.
 SU - standard units; pH is a field parameter.
 All metals were analyzed as total unless otherwise specified.
Bold font indicates an exceedance of the Prediction Limit (PL).
 (1) Results shown for verification sampling performed on 12/6/2023.

Table 5
 Comparison of Appendix IV Parameter Results to Groundwater Protection Standards - October and December 2023
 Belle River Power Plant Diversion Basin- RCRA CCR Monitoring Program
 China Township, Michigan

Constituent	Unit	Intrawell													
		MW-16-05		MW-16-06			MW-16-07		MW-16-08		MW-16-10		MW-16-11A		
		GWPS	10/10/2023	GWPS	10/10/2023	12/6/2023 ⁽¹⁾	GWPS	10/10/2023	GWPS	10/10/2023	GWPS	10/10/2023	GWPS	10/10/2023	
Antimony	ug/L	6.0	< 2	6.0	< 2	--	6.0	< 2	6.0	< 2	6.0	< 2	6.0	< 2	
Arsenic	ug/L	14	< 5	10	< 5	--	19	< 5	30	< 5	11	< 5	24	< 5	
Barium	ug/L	2,000	260	2,000	280	--	2,000	230	2,000	310	2,000	85	2,000	260	
Beryllium	ug/L	4.0	< 1	4.0	< 1	--	4.0	< 1	4.0	< 1	4.0	< 1	4.0	< 1	
Cadmium	ug/L	5.0	< 1	5.0	< 1	--	5.0	< 1	5.0	< 1	5.0	< 1	5.0	< 1	
Chromium	ug/L	100	< 5	100	< 5	--	100	< 5	100	< 5	100	< 5	100	< 5	
Cobalt	ug/L	21	1.1	6.0	< 1	--	13	1.9	22	1.1	17	< 1	7.1	< 1	
Fluoride	mg/L	4.0	1.2	4.0	1.2	--	4.0	1.3	4.0	1.2	4.0	1.1	4.0	1.1	
Lead	ug/L	23	1.0	15	< 1	--	15	1.8	22	< 1	35	< 1	15	< 1	
Lithium	ug/L	67	55	55	56	52	92	60	110	67	120	75	150	61	
Mercury	ug/L	2.0	< 0.2	2.0	< 0.2	--	2.0	< 0.2	2.0	< 0.2	2.0	< 0.2	2.0	< 0.2	
Molybdenum	ug/L	100	12	100	15	--	100	10	100	17	100	11	100	12	
Radium-226/228	pCi/L	5.49	2.39	5.00	2.03	--	5.80	2.11	7.57	2.52	5.0	1.75	5.0	1.80	
Selenium	ug/L	50	< 5	50	< 5	--	50	< 5	50	< 5	50	< 5	50	< 5	
Thallium	ug/L	2.0	< 1	2.0	< 1	--	2.3	< 1	2.0	< 1	2.0	< 1	2.0	< 1	

UTL - Upper Tolerance Limit (95%) of the background data set.

GWPS - Groundwater Protection Standard. Appendix IV GWPS is the higher of the MCL/RSL and UTL.

ug/L = micrograms per liter

mg/L = milligrams per liter

pCi/L = picocuries per liter


-- = Not analyzed

(1) Results shown for verification sampling performed on 12/6/2023.

Bold font indicates an exceedance of the GWPS.

RESULT Shading and bold font indicates a confirmed exceedance of the GWPS.

Figures



BASE MAP FROM USGS 7.5 MINUTE TOPOGRAPHIC QUADRANGLE SERIES.



1540 Eisenhower Place
Ann Arbor, MI 48108-3284
Phone: 734.971.7080
www.trccompanies.com

PROJECT:

**DTE ELECTRIC COMPANY
BELLE RIVER POWER PLANT
4505 KING ROAD
CHINA TOWNSHIP, MICHIGAN**

TITLE:

SITE LOCATION MAP

DRAWN BY:

A. FOJTIK

CHECKED BY:

J. KRENZ

APPROVED BY:

V. BUENING

DATE:

JANUARY 2024

PROJ. NO.:

518728.0003




FILE:

518728-0003_SLM.mxd

FIGURE 1





LEGEND

-  SOIL BORING
-  MONITORING WELL
-  DECOMMISSIONED MONITORING WELL

NOTES

1. BASE MAP IMAGERY FROM ESRI WORLD IMAGERY, (03/2022).
2. WELL LOCATIONS SURVEYED IN MARCH, APRIL, JUNE 2016, AND JUNE 2017 BY BMJ ENGINEERS & SURVEYORS, INC.



PROJECT:		DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE: SITE PLAN			
DRAWN BY:	A. FOJTIK	PROJ NO.:	518728.0003
CHECKED BY:	J. KRENZ	FIGURE 2	
APPROVED BY:	V. BUENING		
DATE:	JANUARY 2024		
		1540 Eisenhower Place Ann Arbor, MI 48108-3284 Phone: 734.971.7080 www.trccompanies.com	
FILE NO.:		518728-0003-002.mxd	




LEGEND

- SOIL BORING
- MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- (575.47) GROUNDWATER ELEVATION (FT NAVD 88)
- (NU) NOT USED AS IS ANOMALOUS ELEVATION
- GROUNDWATER ELEVATION CONTOUR (0.5-FT INTERVAL, DASHED WHERE INFERRED)

NOTES

1. BASE MAP IMAGERY FROM GOOGLE EARTH PRO, (3/24/2019).
2. WELL LOCATIONS SURVEYED IN MARCH, APRIL, AND JUNE 2016 BY BMJ ENGINEERS AND SURVEYORS. INC.
3. NO SAND OR GRAVEL UNIT PRESENT ABOVE BEDROCK IN THIS LOCATION.
4. GROUNDWATER ELEVATIONS DISPLAYED IN FEET RELATIVE TO NORTH AMERICAN VERTICAL DATUM OF 1988.



Monitoring Well Screen Information			
Monitoring Well ID	Screen Interval Lithology	Screen Interval Depth (ft BGS)	Screen Interval Elevation (ft NAVD 88)
MW-16-05	Clayey Silt to Shale bedrock	139.0 - 144.0	449.3 - 444.3
MW-16-06	Silt to Shale bedrock	135.0 - 140.0	455.0 - 450.0
MW-16-07	Silt to Shale bedrock	133.0 - 138.0	456.9 - 451.9
MW-16-08	Silt to Shale bedrock	133.0 - 138.0	456.3 - 451.3
MW-16-10	Gravelly Silt to Silty Clay	145.0 - 150.0	444.3 - 439.3
MW-16-11	Clay and Sandy Clay	137.0 - 142.0	452.0 - 447.0
MW-16-11A	Silt to Shale bedrock	137.0 - 142.0	452.5 - 447.5

PROJECT:		DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT DIVERSION BASIN 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE:		DIVERSION BASIN GROUNDWATER POTENTIOMETRIC SURFACE MAP APRIL 2023	
DRAWN BY:	A. FOJTIK	PROJ. NO.:	518728.0003
CHECKED BY:	J. KRENZ	FIGURE 3	
APPROVED BY:	V. BUENING		
DATE:	JULY 2023		
		1540 Eisenhower Place Ann Arbor, MI 48108-3284 Phone: 734.971.7080 www.trccompanies.com	
FILE NO.:	518728-0003-003b.mxd		




LEGEND

- SOIL BORING
- MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- (575.47) GROUNDWATER ELEVATION (FT NAVD 88)
- (NU) NOT USED AS IS ANOMALOUS ELEVATION
- GROUNDWATER ELEVATION CONTOUR (0.5-FT INTERVAL, DASHED WHERE INFERRED)

NOTES

1. BASE MAP IMAGERY FROM ESRI WORLD IMAGERY, (03/2022).
2. WELL LOCATIONS SURVEYED IN MARCH, APRIL, AND JUNE 2016 BY BMJ ENGINEERS AND SURVEYORS. INC.
3. NO SAND OR GRAVEL UNIT PRESENT ABOVE BEDROCK IN THIS LOCATION.
4. GROUNDWATER ELEVATIONS DISPLAYED IN FEET RELATIVE TO NORTH AMERICAN VERTICAL DATUM OF 1988.



Monitoring Well Screen Information			
Monitoring Well ID	Screen Interval Lithology	Screen Interval Depth (ft BGS)	Screen Interval Elevation (ft NAVD 88)
MW-16-05	Clayey Silt to Shale bedrock	139.0 - 144.0	449.3 - 444.3
MW-16-06	Silt to Shale bedrock	135.0 - 140.0	455.0 - 450.0
MW-16-07	Silt to Shale bedrock	133.0 - 138.0	456.9 - 451.9
MW-16-08	Silt to Shale bedrock	133.0 - 138.0	456.3 - 451.3
MW-16-10	Gravelly Silt to Silty Clay	145.0 - 150.0	444.3 - 439.3
MW-16-11	Clay and Sandy Clay	137.0 - 142.0	452.0 - 447.0
MW-16-11A	Silt to Shale bedrock	137.0 - 142.0	452.5 - 447.5

PROJECT:		DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT DIVERSION BASIN 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE:		DIVERSION BASIN GROUNDWATER POTENTIOMETRIC SURFACE MAP OCTOBER 2023	
DRAWN BY:	A. FOJTIK	PROJ. NO.:	518728.0003
CHECKED BY:	J. KRENZ	FIGURE 4	
APPROVED BY:	V. BUENING		
DATE:	JANUARY 2024		
		1540 Eisenhower Place Ann Arbor, MI 48108-3284 Phone: 734.971.7080 www.trccompanies.com	
FILE NO.:		518728-0003-004.mxd	

Appendix A

April 2023 Aquifer Characterization Study



Additional Uppermost Aquifer Characterization Study

**Belle River Power Plant Diversion
Basin CCR Unit, 4505 King Road,
China Township, Michigan**

April 2023

A handwritten signature in blue ink that reads "Clint Miller".

Clint Miller, PhD., PG.
Senior Project Geochemist

A handwritten signature in blue ink that reads "Vincent E. Buening".

Vincent Buening, C.P.G.
Senior Project Manager

Prepared For:

DTE Electric Company

Prepared By:

TRC
1540 Eisenhower Pl.
Ann Arbor, MI 48108

A handwritten signature in blue ink that reads "Alexander Eklund".

Alexander Eklund
Data Scientist

TABLE OF CONTENTS

1.0	Introduction.....	1
1.1	Purpose and Objectives	1
1.2	Site Overview and Operational History	2
1.3	Geology/Hydrogeology.....	2
2.0	Additional Data Collection.....	3
2.1	Groundwater Sample Collection	3
2.2	Diversion Basin Water Sample Collection.....	3
2.3	Surface Water Sample Collection	3
2.4	Laboratory Analysis.....	3
3.0	Geochemical and Isotopic Data Analysis	4
3.1	Geochemistry	4
	3.1.1 <i>General Chemistry</i>	4
	3.1.2 <i>Ionic Speciation and Mineral Saturation</i>	5
3.2	Stable Isotopes	8
	3.2.1 <i>Lithium ($\delta^7\text{Li}$) and Boron ($\delta^{11}\text{B}$)</i>	9
	3.2.2 <i>Strontium ($^{87}\text{Sr}/^{86}\text{Sr}$)</i>	10
	3.2.3 <i>Hydrogen ($\delta^2\text{H}$) and Oxygen ($\delta^{18}\text{O}$)</i>	11
3.3	Age Dating with Tritium Isotopes	12
4.0	Statistical Analysis.....	15
4.1	Principal Component Analysis	15
4.2	Linear Discriminant Analysis	16
5.0	Findings and Conclusions.....	18
5.1	Geochemistry	18
5.2	Stable Isotopes	18
5.3	Age Dating with Tritium Isotopes	19
5.4	Statistical Analysis	19
5.5	Final Assessment.....	20
6.0	References	21

TABLES IN TEXT

Table 4	Summary of Water Chemistry Results	5
Table 5	Calculated Average Geochemical Parameters.....	6

TABLES ATTACHED

Table 1	Summary of Field Data – December 2022
Table 2	Summary of Analytical Results – December 2020 to December 2022
Table 3	Summary of Stable Isotope Results – December 2022
Table 6	Summary Calculated Mineral Saturation – December 2022

FIGURES

Figure 1	Site Location Map
Figure 2	Monitoring Well Network and Site Plan
Figure 3	Offsite Surface Water Sample Locations
Figure 4	Groundwater Potentiometric Elevation Summary – October 2022
Figure 5	Piper Diagram – December 2022
Figure 6	Summary of Calcium and Sulfate Saturation with Chloride and Sulfate Concentrations
Figure 7	Molybdenum and Barium with Boron Concentrations
Figure 8	Summary of Lithium and Boron Isotopic and Concentration Results
Figure 9	Summary of Strontium and Boron Isotopic and Concentration Results
Figure 10	Summary of Hydrogen and Oxygen Isotopic Results with Carbonate
Figure 11	Tritium Data and Age Model
Figure 12	BRPP DB PCA Biplot
Figure 13	BRPP DB PCA Scree Plot
Figure 14	BRPP LDA Origin
Figure 15	BRPP Density of LDA Scores
Figure 16	BRPP LDA ANOVA

APPENDICES

Appendix A	December 2022 Laboratory Data
------------	-------------------------------

1.0 Introduction

1.1 Purpose and Objectives

The objective of this report is to document TRC's Additional Aquifer Characterization Study performed at the Belle River Power Plant Diversion Basin CCR unit (BRPP DB CCR unit) (hereinafter "the CCR unit"), which is located at the Belle River Power Plant, China Township, Michigan. This study was performed to determine if additional data, collected in December 2022, provide further lines of evidence to substantiate that groundwater in the uppermost aquifer remains unimpacted by CCR operations. This additional uppermost aquifer characterization study is complementary to the preliminary alternative liner demonstration (ALD) prepared in accordance with 40 CFR §257.71 (d) that was submitted to the United States Environmental Protection Agency (EPA) on November 30, 2021 (Geosyntec, November 2021), and the previous studies (TRC, 2017, Bechtel, 1976) performed to establish the groundwater monitoring program developed pursuant to 40 CFR §257.91.

Previous studies performed at the site including the ALD have demonstrated and verified that the site is underlain by a thick laterally- continuous clay-rich deposit which meets the requirements of an alternate liner per 40 CFR §257.71 (d). The site characterization and groundwater data collected to-date from the CCR unit indicate that the natural underlying clay hydraulically separates the CCR unit from the uppermost aquifer and that groundwater quality is not affected by the CCR unit or any associated management activities. The data and analysis presented within the preliminary ALD further confirms the pre-existing site conceptual model, and through rigorous field testing and site-specific flow and transport modeling demonstrates the effectiveness of the clay. The preliminary ALD demonstrates that there is no reasonable probability that water from the CCR unit will result in a release to the uppermost aquifer throughout the CCR units active life, nor will data exceed the groundwater protection standard at the waste boundaries over the projected active life and post closure of the CCR unit.

This additional characterization study included the collection of additional groundwater samples during December 2022, along with further analyses of existing data to further characterize the uppermost aquifer. Water samples were collected from the CCR unit groundwater monitoring well network, the DB water, and a surface water sample was collected from the St. Clair River. Laboratory analysis performed during December 2022 included additional geochemical indicators, stable isotopes, and radiometric isotopes. Stable isotopes do not decay, but preferentially fractionate under physical, chemical and or environmental conditions. Radiometric isotopes are unstable and do decay; decay is at a constant rate, and therefore can be useful for age-dating different water sources. Additionally, data collected as part of monitoring under the state program (2020 to 2022) and the federal CCR program (2015-2022) were used as described and presented within this report.

In summary, the data collected in this assessment confirms that the uppermost aquifer is not in communication with the CCR unit water, groundwater geochemistry in the uppermost aquifer is reflective of the geogenic natural environmental conditions and is therefore unaffected by the CCR unit. Each of the multiple lines of evidence presented in this report independently supports this conclusion as discussed below.

1.2 Site Overview and Operational History

The BRPP is located in Section 13, Township 4 North, Range 16 East, at 4505 King Road, China Township in St. Clair County, Michigan (Figure 1). The BRPP was constructed in the early 1980s with plant operations beginning in 1984. Prior to Detroit Edison Company's operations commencing in the 1980s, the BRPP property was generally wooded and farmland. The property has been used continuously as a coal fired power plant since Detroit Edison Company (now DTE Electric) began power plant operations at BRPP in 1984 and is generally constructed over a natural clay-rich soil base. The DB has been in use by the BRPP since it began operation and has collected CCR bottom ash that is periodically cleaned out and either sold for beneficial reuse or disposed of at the Range Road Landfill (RRLF).

The DB is an incised CCR surface impoundment located east of the BRPP. Water flows into the DB from the North and South BABs through a network of pipes and ditches. The DB discharges to the St. Clair River with other site wastewater in accordance with a National Pollution Discharge Elimination System (NPDES) permit.

1.3 Geology/Hydrogeology

The geologic and hydrogeologic conditions at the CCR unit have been extensively studied and these studies (including TRC, 2017, Bechtel, 1976 and Geosyntec 2020), provide specific details on the hydrogeology and geology in the region, and at the BRPP. A brief discussion is provided below.

The BRPP DB CCR unit is located approximately one mile west of the St. Clair River. The BRPP DB CCR unit is underlain by more than 130 feet of unconsolidated sediments, with the lower confining Bedford Shale generally encountered from 135 to 145 feet below ground surface (bgs). In general, the BRPP DB is underlain by 115 to 130 feet of laterally extensive low hydraulic conductivity silty clay-rich deposits (TRC, 2017 and Geosyntec, 2021). The silty clay-rich till was then underlain by two to seven feet of silt between the till and the underlying shale bedrock (not an aquifer) confining unit. Groundwater was encountered within this silt at the shale bedrock interface representing a confined uppermost aquifer underlying the BRPP DB CCR unit and monitoring wells MW-16-05 through MW-16-08, MW-16-10 and MW-16-11A are screened within this uppermost aquifer. Within the uppermost aquifer the groundwater is artesian with the potentiometric surface elevation being well above the bottom of the overlying confining clay unit.

The average hydraulic gradient throughout the BRPP DB within the uppermost aquifer during both of the 2022 semiannual events (TRC, January 2023) is estimated at approximately 0.003 feet/feet, resulting in an estimated average groundwater flow velocity of approximately 0.001 feet/day or 0.4 feet/year to the west-northwest using the average hydraulic conductivity of 0.13 ft/day (TRC, 2017 and Geosyntec, 2021) and an assumed effective porosity of 0.4 (TRC, January 2023) (Figure 4).

2.0 Additional Data Collection

The additional groundwater, basin water and surface water sample collection was performed from December 14 to 16, 2022 in to provide data to support additional characterization of the uppermost aquifer at the CCR unit. These samples were collected in general accordance with the *CCR Groundwater Monitoring and Quality Assurance Project Plan – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin (QAPP)* (TRC, July 2016; revised March and August 2017).

2.1 Groundwater Sample Collection

Groundwater samples were collected from the six wells within the CCR unit uppermost aquifer monitoring well network (MW-16-05 through MW-16-08, MW-16-10 and MW-11A) (Figure 2).

2.2 Diversion Basin Water Sample Collection

A water sample was collected from the Diversion Basin (DB) (Figure 2).

2.3 Surface Water Sample Collection

A surface water sample (SC-01) was collected from the St. Clair River from the approximate location shown on Figure 3.

2.4 Laboratory Analysis

The aforementioned samples were submitted to the laboratories listed below for analysis of the following parameters to support the additional aquifer characterization:

- Eurofins Environment Testing for analysis of calcium (Ca), magnesium (Mg), sodium (Na), potassium (K), sulfate (SO₄), chloride (Cl), HCO₃ and alkalinity (bicarbonate (HCO₃), carbonate (CO₃) and total alkalinity), boron (B), lithium (Li) and strontium (Sr);
- ALS Scandinavia for analysis of $\delta^{11}\text{B}$, $\delta^{87}\text{Sr}$ and $\delta^7\text{Li}$;
- Waterloo Environmental Isotope Laboratory for analysis of $\delta^2\text{H}$ and $\delta^{18}\text{O}$; and
- Miami Tritium Laboratory for analysis of tritium.

Note: the δ notation is explained in Section 3. The December 2022 water data are summarized in Tables 1 through 3 and the December 2022 laboratory data for these water samples are provided in Appendix A.

3.0 Geochemical and Isotopic Data Analysis

3.1 Geochemistry

In order to provide a comprehensive evaluation of the data collected in December 2022, all of the existing Appendix III and Appendix IV data from groundwater samples collected from 2016 through 2022, as provided in the 2017 to 2022 Annual Reports (TRC, January 2018 through January 2023) were also included in the evaluation. These parameters included boron, calcium, chloride, fluoride, pH, sulfate, total dissolved solids, antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, lead, lithium, mercury, molybdenum, selenium, thallium, and radium 226/228 combined. Additionally, concentrations of magnesium, potassium, sodium, strontium, and total organic carbon (TOC), as well as field measured parameters including oxidation-reduction potential (ORP), dissolved oxygen (DO), specific conductivity (SC), temperature, and turbidity were analyzed/measured and utilized in this evaluation. The December 2022 field data are summarized in Table 1, and data for samples collected from the CCR unit water (2020 to 2022) and groundwater data collected from the uppermost aquifer monitoring wells (December 2022) are summarized in Table 2.

Analyte concentrations were compared to their historical values to verify consistency with past data (when possible). Samples collected from the DBs water were compared to groundwater samples collected from the uppermost aquifer (MW-16-5, MW-16-6, MW-16-7, MW-16-8, MW-16-10, and MW-16-11A). In addition, a surface water sample for analysis was collected from the St. Clair River (SC-01). The purpose of the St. Clair River sample was to provide analytical data independent of either the CCR unit water or the uppermost aquifer groundwater. This data serves to augment the conceptual site model (CSM) by providing background information of other water types in the area, particularly the source of some of the stable isotopes.

3.1.1 General Chemistry

Data show that the December 2022 sampling results are consistent with historical data, and the results were within typical ranges of previously analyzed samples. The uppermost aquifer groundwater, DB unit water, and St. Clair River sample geochemistries are broadly differentiated from each other in virtually every analysis. Figure 5 provides a Piper Diagram which plots the concentrations into groups or facies commonly recognized for comparison of major ions. The St. Clair River surface water sample plots in the calcium-bicarbonate while the uppermost aquifer groundwater is tightly packed in the sodium-chloride group. The CCR unit water falls into the sodium sulfate facies and is distinctively different from the uppermost aquifer groundwater.

Sulfate concentrations within the uppermost aquifer groundwater ranged from below the laboratory reporting limit (RL) of 2.0 milligrams per liter (mg/L) to 60 mg/L, and the St. Clair River sample was 15 mg/L. The CCR unit water sulfate concentration was 1,100 mg/L (Figure 6). Chloride concentrations in the uppermost aquifer groundwater ranged from 1,400 mg/L to 1,800 mg/L, while the St. Clair River concentration was 9.6 mg/L, and the CCR unit water was only 46 mg/L. Bicarbonate concentrations in the uppermost aquifer groundwater ranged from 170 mg/L to 230 mg/L, but the CCR unit water concentration was only 120 mg/L. Conversely, the carbonate ion concentration in the uppermost aquifer groundwater and the St. Clair River

sample was below the laboratory RL of 5 mg/L, but the CCR unit water concentration was 27 mg/L. Fluoride concentrations in the uppermost aquifer groundwater ranged from 1.1 mg/L to 1.2 mg/L, but the CCR unit water concentration was only 0.26 mg/L.

Sodium concentrations in the uppermost aquifer groundwater ranged from 870 mg/L to 1,100 mg/L, and the CCR unit water concentration was 460 mg/L. The CCR unit water potassium concentration (13 mg/L) was higher than the uppermost aquifer groundwater (average 4.5 mg/L). Similarly, the lithium concentration in the CCR unit water (0.083 mg/L) was approximately 42% higher than the uppermost aquifer groundwater (0.054 mg/L). Calcium, magnesium, and barium were, on average 103%, 31%, and 27% more concentrated in the CCR unit water (110 mg/L, 15 mg/L and 0.29 mg/L mg/L, respectively) than in the uppermost aquifer groundwater (35 mg/L, 11 mg/L, and 0.22 mg/L, respectively); Figure 7). Boron concentration in the CCR unit water (7.3 mg/L) was, on average four times higher than uppermost aquifer groundwater (1.8 mg/L).

Groundwater in the uppermost aquifer was slightly alkaline (pH 8.1 standard units (SU)), while the CCR unit water was more alkaline (pH 8.9 SU) and the uppermost aquifer groundwater ORP was negative (-219 to -64 millivolts [mV]) while the CCR unit water ORP was only -13 mV. Table 4 below provides a summary of the data, which is discussed more fully in Section 3.1.2.

Table 4 - Summary of Water Chemistry Results

Parameter	Units	Aquifer Avg	CCR unit	St. Clair River
Na ⁺ + K ⁺ + Li ⁺	mg/L	1,006	473	7
Ca ²⁺ + Mg ²⁺ + Ba ²⁺	mg/L	46.6	125.3	33
B ³⁺	mg/L	1.8	7.3	<0.1
HCO ₃ ⁻ + CO ₃ ²⁻ + SO ₄ ²⁻ + Cl ⁻ + F ⁻	mg/L	1,832	1,293	106
pH	SU	8.1	8.9	8.3
Eh	mV	-137	-13	5.9

3.1.2 Ionic Speciation and Mineral Saturation

Using the measured data, the dominant dissolved species of each measured element was determined. Typically, the basis species were also the dominant ionic form. Due to the pH difference between the uppermost aquifer groundwater and the CCR unit water, dominant species were shifted because of the larger quantity of hydroxide ions in the CCR unit water (e.g., bicarbonate to carbonate and boric acid to borate). The dominant calcium and magnesium species were Ca²⁺ and Mg²⁺ in the uppermost aquifer groundwater and St. Clair River, but additional masses of CaCO₃ and MgCO₃ in the CCR unit water. SO₄⁻, Cl⁻, and F⁻ were the dominant anions in all groups. HCO₃⁻ was the primary species in the uppermost aquifer groundwater, but the CCR unit water had equal contribution of CO₃²⁻ due to the pH.

Geochemical parameters for the CCR unit water and the uppermost aquifer groundwater were calculated from the measured data using Geochemist's Workbench® (GW). The average of the chemical parameters for each water are presented below in Table 5.

Table 5 - Calculated Average Geochemical Parameters

Parameter	Units	CCR Unit Water	Uppermost Aquifer Average
f O ₂ (g)	fugacity	1.12E-54	3.65E-61
pe	pe	-0.22	-2.43
Ionic strength	molal	0.036	0.049
Chlorinity	molal	0.001	0.046
Hardness	Micrograms/Kilogram (as CaCO ₃)	336	134
Hardness (carbonate)	Micrograms/Kilogram (as CaCO ₃)	127	130
Hardness (non-carbonate)	Micrograms/Kilogram (as CaCO ₃)	209	4
Carbonate alkalinity	Micrograms/Kilogram (as CaCO ₃)	127	155
Charge imbalance	equivalents/kg	0.0003	-0.0027
Charge imbalance error	percentage	0.59	-0.03
Eh (O ₂ (aq)/H ₂ O)	Volts	-0.013	-0.137

Fugacity is a thermodynamic parameter that can be used to differentiate water masses based on their geochemical properties. Fugacity is a measure of the escaping tendency of a gas or volatile substance from a liquid or solid phase, and it is commonly used to describe the behavior of gases and other volatile substances in aqueous environments. A very low fugacity, as observed in each of these waters, means that a gas or volatile substance is not readily escaping from a liquid or solid phase. Both pe and Eh can be used to describe water masses based on their oxidative or reducing potential. The pe and Eh values correspond to slightly reducing conditions, meaning although both waters are near 0, they have a slight tendency to donate electrons to other species. In other words, there is a small excess of electron donors (such as ferrous iron) compared to electron acceptors (such as oxygen) in the system.

Ionic strength is a measure of the concentration of charged ions (e.g., Na⁺, Cl⁻, Mg²⁺, etc.) in a solution. Chlorinity is a measure of the concentration of chloride ions (Cl⁻) in a solution and is often used as a proxy for salinity. The CCR unit water and uppermost aquifer groundwater differ significantly in their ionic strength and chlorinity values. The CCR water has a lower chlorinity and a higher ionic strength compared to the uppermost aquifer groundwater, which has a higher

chlorinity and a lower ionic strength. The higher ionic strength of the CCR water indicates that there is a higher concentration of ions in the water, which could be due to the presence of dissolved salts, acids, or bases, or other dissolved ionic species.

Carbonate and non-carbonate hardness are two measures of water hardness that can be used to differentiate water masses based on their composition. Carbonate hardness, also known as temporary hardness, is caused by the presence of dissolved bicarbonate and carbonate ions in the water. These ions are derived from the dissolution of calcium and magnesium carbonates in the rock formations through which the water has passed. Non-carbonate hardness, also known as permanent hardness, is caused by the presence of dissolved calcium and magnesium ions in the water that are not associated with carbonate or bicarbonate ions. This type of hardness is typically caused by the dissolution of calcium and magnesium sulfates or chlorides in the water. The differences in carbonate and noncarbonate hardness between the CCR unit water and the uppermost aquifer groundwater are significant. The CCR water is significantly harder than the uppermost aquifer groundwater. Additionally, the CCR unit water has a much higher noncarbonate hardness. The CCR water has a lower carbonate hardness and a higher noncarbonate hardness compared to the uppermost aquifer groundwater.

Mineral saturation indices of 102 mineral phases were also calculated using GW. Log(Q/K) mineral saturation data is typically used to determine the saturation state of minerals. Q represents the activity of a particular mineral species, while K represents the equilibrium constant for the mineral reaction in question. The logarithm of the ratio of Q to K is taken to calculate log(Q/K), which provides an indication of the saturation state of the mineral. If log(Q/K) is positive, it indicates that the mineral is oversaturated and may precipitate out of solution. If log(Q/K) is negative, it indicates that the mineral is undersaturated and may dissolve into solution. If log(Q/K) is zero, it indicates that the mineral is in a state of equilibrium. The saturation results are provided in Table 6.

Based on the calculations presented in Table 6, the St. Clair River sample was undersaturated with respect to all minerals except witherite (BaCO_3) and several oxides. The CCR unit water was oversaturated with respect to the following minerals:

- Carbonates
 - Calcite – CaCO_3
 - Dolomite – $\text{CaMg}(\text{CO}_3)_2$
 - Strontianite – SrCO_3
 - Witherite – BaCO_3
- Sulfates
 - Barite – BaSO_4
 - Jarosite-K/Na – $\text{KFe}_3(\text{SO}_4)_2(\text{OH})_6/\text{NaFe}_3(\text{SO}_4)_2(\text{OH})_6$
- Oxides
 - Ferrite-Ca/Mg – $\text{Ca}(\text{FeO}_2)_2/\text{MgFe}_2\text{O}_4$
 - Goethite – $\alpha\text{-FeO}(\text{OH})$

- Hematite – Fe_2O_3

Additionally, anhydrite (CaSO_4), aragonite (CaCO_3), celestite (SrSO_4), gypsum ($\text{CaSO}_4 \cdot \text{H}_2\text{O}$), magnesite (MgCO_3), and monohydrocalcite ($\text{CaCO}_3 \cdot \text{H}_2\text{O}$) were near equilibrium in the CCR unit water. The uppermost aquifer groundwater was only over saturated with respect to the following minerals:

- Carbonates
 - Dolomite – $\text{CaMg}(\text{CO}_3)_2$
 - Strontianite – SrCO_3
 - Witherite – BaCO_3
- Oxides
 - Ferrite-Ca/Mg – $\text{Ca}(\text{FeO}_2)_2/\text{MgFe}_2\text{O}_4$
 - Goethite – $\alpha\text{-FeO}(\text{OH})$
 - Hematite – Fe_2O_3

Additionally, calcite and aragonite (CaCO_3), barite (BaSO_4), fluorite (CaF_2), magnesite (MgCO_3), and monohydrocalcite ($\text{CaCO}_3 \cdot \text{H}_2\text{O}$) were near equilibrium. In general, minerals with boron, chloride, fluoride, lithium, potassium, and sodium were undersaturated and minerals with calcium and magnesium were oversaturated in both waters. Oxides were oversaturated or near equilibrium in all samples. Carbonates were oversaturated in the CCR unit water, and near equilibrium in the uppermost aquifer groundwater. Sulfate minerals were oversaturated in the CCR unit water but were undersaturated in the uppermost aquifer groundwater. This is also presented in Figure 6, which provides the concentration of calcium plus magnesium as a function of concentration of dissolved sulfate.

Based on these results calcium, magnesium, strontium, and dissolved inorganic carbon (DIC) may be precipitating out of the uppermost aquifer groundwater, however this effect is likely minor given the saturation indices. Sulfate is expected to dissolve out of the uppermost aquifer material into the groundwater due to the substantial combined undersaturation of sulfate minerals (-3.7 average).

Although the carbonates are oversaturated in the CCR unit water, they may not be precipitating due to the pH. In alkaline conditions, carbonates can dissolve due to the formation of bicarbonate ions in solution. Note that calcium plus magnesium concentration as a function of the concentration of dissolved bicarbonate is provided in Figure 10 (discussed below).

3.2 Stable Isotopes

While concentration, speciation, and saturation data provide useful geochemical information to characterize water types, and can be particularly useful to determine if one body of water is in hydraulic connection with another, stable isotope analyses can provide unique “signatures” to differentiate and source waters. In order to build on the information presented above in Section 3.1, several isotopic evaluations were performed. For this study, lithium, boron strontium, hydrogen and oxygen isotopic data were used to determine the sources of various analytes and

to build a CSM of the hydrogeologic and geochemical conditions. The stable isotope water data collected in December 2022 is summarized in Table 3.

Isotopes are commonly expressed with the delta notation (δ). The delta notation is a common way to express the relative abundance of isotopes in a sample, relative to a standard reference material. It is used to express the differences in the isotopic composition of a sample relative to the reference material, in parts per thousand (per mil or ‰). The delta notation is defined as:

$$\delta = \left(\frac{R_{Sample}}{R_{Standard}} - 1 \right) 1,000$$

Where R is typically the rare isotope abundance divided by the abundant isotope abundance.

3.2.1 Lithium ($\delta^7\text{Li}$) and Boron ($\delta^{11}\text{B}$)

Lithium ($\delta^7\text{Li}$) and boron ($\delta^{11}\text{B}$) isotopes can be used to distinguish CCR water from background because the isotopic composition of lithium and boron in CCR is typically distinct from the composition in natural sources, such as rocks and sediments. The isotopic composition of lithium and boron in CCR is different from that of in natural sources because coal has a unique isotopic signature due to its geological origins and the processes involved in its formation.

The isotopic composition of lithium can change during coal formation due to several factors, including the geological origins of the coal, the depositional environment, and the processes involved in coal formation (Owen, 2015). Lithium has two stable isotopes, lithium-6 and lithium-7, and their relative abundance can be expressed as the delta value ($\delta^7\text{Li}$) relative to a standard reference material (LSVEC NIST 8545 RM). The $\delta^7\text{Li}$ value can be used to track changes in the isotopic composition of lithium during coal formation (Teichert, 2022). The $\delta^7\text{Li}$ value of coal generally increases with increasing rank, or maturity, of the coal. This is because as coal is buried and subjected to increasing pressure and temperature, it undergoes a process called devolatilization, in which the volatile components of the coal, including lithium, are released. The released lithium preferentially enriches the remaining coal in the lighter isotope, lithium-6, leading to an enrichment in the $\delta^7\text{Li}$ value in the coal. The exact extent to which the $\delta^7\text{Li}$ value changes during coal formation can also depend on other factors, such as the depositional environment and the source of the organic matter that forms the coal. For example, coal formed from organic matter derived from plants that preferentially take up lithium-6 during growth may have a higher $\delta^7\text{Li}$ value than coal formed from marine organisms that have a higher $\delta^7\text{Li}$ value (Schlesinger, 2021).

Boron is a trace element that can be found in coal in varying amounts. The isotopic composition of boron in coal can change during coal formation, but the specifics of this process depend on several factors, including the source of boron, the depositional environment, and the conditions during coalification (Williams, 2004). In general, boron is derived from several sources during coal formation, including volcanic activity, seawater, and groundwater. Boron has two stable isotopes, boron-10 and boron-11, and their relative abundance can be expressed as the delta value ($\delta^{11}\text{B}$) relative to a standard reference material (NIST SRM 951 RM). The isotopic composition of boron in these sources can vary, with different isotopic ratios of boron-10 to boron-11. During coal formation, boron can be incorporated into organic matter or minerals in

the coal, and the isotopic composition of boron can be affected by processes such as adsorption, diffusion, and precipitation. For example, boron may be adsorbed onto clay minerals or organic matter in the coal, leading to a shift in the isotopic composition of boron towards the composition of the adsorbent (Williams, 2004). The depositional environment can also play a role in determining the isotopic composition of boron in coal. In marine environments, boron may be more enriched in boron-11 due to the fractionation of boron isotopes during seawater evaporation (Xiao, 2007). In freshwater environments, boron isotopes may be more fractionated due to differences in boron uptake by plants (Xiao, 2022).

For these reasons, the $\delta^7\text{Li}$ and $\delta^{11}\text{B}$ values in water can provide information about the source and transport of CCR and CCR affected water. The unique isotopic composition of lithium and boron in CCRs can be used as a tracer. Therefore, this additional uppermost aquifer characterization utilized the measurement of $\delta^7\text{Li}$ and $\delta^{11}\text{B}$ values in the CCR unit water and the uppermost aquifer groundwater to determine if the unique CCR unit isotopic composition is observed in the uppermost aquifer groundwater. In order to make this effort even more robust, a surface water sample was collected from the nearby St. Clair River upstream from the CCR unit (Figure 3) in order to determine their $\delta^7\text{Li}$ and $\delta^{11}\text{B}$ values.

The $\delta^7\text{Li}$ and $\delta^{11}\text{B}$ of the CCR unit water was 11.48 per mil (‰) and -5.01 ‰, respectively, and the uppermost aquifer groundwater ranged from 21.88 to 31.52 ‰ and 45.84 to 46.72 ‰, respectively. As observed in Figure 8, the CCR unit water and the uppermost aquifer groundwater plot in two distinct groups. The St. Clair surface water sample plots in a distinct region at 20.8 ‰ and -4.82 ‰, respectively. The distinct CCR water, uppermost aquifer groundwater, and St. Clair River sample isotopic compositions are echoed in the distinctive concentration profiles in Figure 8. The CCR unit water lithium and boron isotopic compositions fall within ranges commonly observed of fractionated CCR material (Davidson, 1993; Spivak-Birndorf, 2006; Harkness 2015; Teichert, 2022). The $\delta^7\text{Li}$ and $\delta^{11}\text{B}$ values of the uppermost aquifer groundwater samples and the surface water sample from St. Clair River are compositionally distinct from the CCR values (Ruhl, 2014; Owen, 2015) and fall within ranges commonly observed in the natural environment (Gonfiantini, 2006).

3.2.2 Strontium ($^{87}\text{Sr}/^{86}\text{Sr}$)

Similar to lithium and boron, the isotopic composition of strontium can be used to identify coal combustion residuals because coal and the minerals associated with it have a distinct strontium isotope signature that is different from other geologic materials (Brandt, 2018). During the coal combustion process, the strontium isotopic composition of the coal and any associated minerals is altered. CRR, including fly ash and bottom ash, can therefore be identified by analyzing their strontium isotopic composition and comparing it to the strontium isotopic composition of nearby liquids and solids that have not been affected by coal combustion (Hurst, 1981). The isotopic composition of strontium can be determined as a ratio of two of the stable isotopes, Sr-86, Sr-87, expressed as the ratio $^{87}\text{Sr}/^{86}\text{Sr}$ relative to a standard reference material (NIST SRM 987).

Strontium is a trace element that occurs naturally in coal-forming environments, and its isotopic composition can be affected by the source of the sedimentary materials, as well as by diagenetic processes. During coal formation, organic matter is buried and subjected to heat and pressure, which causes it to transform into coal. This process can lead to the release of fluids

from the sedimentary rocks surrounding the coal seam, which can affect the isotopic composition of strontium in the coal (Spivak-Birndorf, 2012). In particular, the fluids may contain different concentrations of strontium isotopes compared to the original sedimentary rocks, which can lead to changes in the isotopic composition of strontium in the coal.

In addition, strontium can be incorporated into the organic matter itself during coal formation, which can also alter its isotopic composition. The extent to which strontium is incorporated into the organic matter is dependent on several factors, including the original concentration of strontium in the sedimentary materials and the conditions during coal formation. The isotopic composition of strontium in coal can be influenced by both the source materials and the processes that occur during coal formation (Korte, 2003). This makes it a useful tool for determining if CCR impacted waters are in hydraulic connection with natural water.

Therefore, this additional uppermost aquifer characterization utilized the measurement of $^{87}\text{Sr}/^{86}\text{Sr}$ values in the CCR unit water and the uppermost aquifer groundwater to determine if the unique CCR unit isotopic composition is observed in the groundwater. Surface water collected from the nearby St. Clair River (Figure 3) in order to determine their $^{87}\text{Sr}/^{86}\text{Sr}$ values.

The $^{87}\text{Sr}/^{86}\text{Sr}$ ratios of the CCR unit water was 0.709354 while the uppermost aquifer groundwater ranged from 0.709327 to 0.709581. The St. Clair River sample strontium ratio was 0.709999, which is isotopically distinct from the other two groundwater groups. As observed in Figure 9, the CCR unit water, uppermost aquifer groundwater, and St. Clair surface water sample plot in three separate regions. The $^{87}\text{Sr}/^{86}\text{Sr}$ ratio of the CCR unit water is within published ranges of CCR leachate (Ruhl, 2014; Wang, 2020), and the uppermost aquifer groundwater samples and St. Clair River sample composition fit with values observed in natural waters (Shahand, 2009).

3.2.3 Hydrogen ($\delta^2\text{H}$) and Oxygen ($\delta^{18}\text{O}$)

Hydrogen and oxygen isotopes are commonly used in environmental studies to trace the sources and fate of water molecules. The use of hydrogen and oxygen isotopes in water can provide valuable insights into the impacts of CCRs on water quality. In the case of CCR impacts in water, hydrogen and oxygen isotopes can be used to determine the source of water in ponds and if those molecules have migrated to natural waters (Liu, 2006). The isotopic composition of water molecules within these CCR water bodies can be compared to the isotopic composition of nearby uncontaminated water bodies. The isotopic composition of hydrogen and oxygen in water molecules is expressed as $\delta^2\text{H}$ and $\delta^{18}\text{O}$, respectively, and is measured in ‰ relative to a standard (Vienna Standard Mean Ocean Water [VMOW]). The isotopic signature of CCRs can vary depending on the source of coal, combustion conditions, and post-combustion processing (Huang, 2017).

Additionally, precipitation can have a significant effect on hydrogen and oxygen isotopes in groundwater. This is because the isotopic composition of precipitation varies in different regions (global and local meteoric water lines) due to variations in temperature, altitude, and atmospheric circulation patterns (Jouzel, 1984). When precipitation falls to the ground, it can either infiltrate into the soil and recharge the groundwater, or it can run off and enter streams or ponds. In the case of infiltration, the isotopic composition of the precipitation is generally

preserved as it moves through the soil and into the groundwater. This means that the $\delta^2\text{H}$ and $\delta^{18}\text{O}$ values of the groundwater will be similar to those of the precipitation that recharged it. The degree to which precipitation affects the isotopic composition of groundwater can vary depending on factors such as the depth and age of the groundwater, the nature of the subsurface materials, and the rate of recharge. Therefore, $\delta^2\text{H}$ and $\delta^{18}\text{O}$ values in groundwater can be used to trace the origin and movement of water in aquifers and to identify if CCR has impacted water.

For these reasons this additional uppermost aquifer characterization utilized the measurement of $\delta^2\text{H}$ and $\delta^{18}\text{O}$ values in the CCR unit water and the uppermost aquifer groundwater to determine if the unique CCR unit isotopic composition is observed in the uppermost aquifer groundwater. Surface water was collected from the nearby St. Clair River where shown on Figure 3 in order to determine their $\delta^2\text{H}$ and $\delta^{18}\text{O}$ compositions.

The $\delta^2\text{H}$ and $\delta^{18}\text{O}$ compositions of the CCR unit water were -53.01‰ and -7.06‰ , respectively, and the uppermost aquifer groundwater compositions ranged from -118.91 to -116.12‰ and -16.75 to -16.35‰ , respectively. The uppermost aquifer groundwater samples all plot above the global meteoric water line, and the CCR unit water sample and the St. Clair River sample plot below the line (Craig, 1961). The St. Clair River sample and the CCR unit sample $\delta^2\text{H}$ and $\delta^{18}\text{O}$ compositions were essentially equal (percent difference of $\delta^2\text{H}$ and $\delta^{18}\text{O}$ were 1.28% and 4.20%, respectively). The CCR unit water $\delta^2\text{H}$, on was 64.63 ‰ heavier than the uppermost aquifer groundwater average, and the $\delta^{18}\text{O}$ was 9.49 ‰ heavier. As observed in Figure 10, the CCR unit water and the uppermost aquifer groundwater plot in two distinct groups. The differences between the $\delta^2\text{H}$ and $\delta^{18}\text{O}$ CCR water and the uppermost aquifer groundwater are more than 23 times and 24 times, respectively greater than the total range of uppermost aquifer groundwater compositions.

3.3 Age Dating with Tritium Isotopes

The use of the isotope tritium to age date water is a well-established science and it has been successfully used to age date water sources for decades (Schlosser, 1988). Tritium (^3H) is a radioactive isotope of hydrogen, that decays at a constant rate to Helium-3 ($^3\text{He}^*$) with a half-life of about 12.3 years. It is a naturally occurring radioactive isotope, but also can be produced by human activities such as nuclear weapons testing. Tritium can be used to determine the age of groundwater because it can serve as a tracer of the time since the water was last in contact with the atmosphere (Telloli, 2022). Tritium is introduced into the atmosphere through nuclear weapons testing and naturally occurring cosmic radiation. It then becomes incorporated into precipitation and infiltrates into the ground, where it is taken up by plants or recharges groundwater. There are no subsurface reactions that generate tritium. Because tritium has a relatively short half-life, its concentration in precipitation, surface water and groundwater can be used to determine the age of the water (Dove, 2021).

When groundwater is recharged by precipitation that contains tritium, the concentration of tritium in the groundwater will be proportional to the age of the water since it was last in contact with the atmosphere. For example, if the concentration of tritium in the groundwater is high, it indicates that the water was recharged relatively recently, whereas if the concentration of tritium is low or undetectable, it indicates that the water is older. This information is important for

understanding the hydrology of aquifers and for managing and protecting groundwater resources.

The groundwater age can be estimated using the concentration of tritium in the water and the known rate of decay of tritium. The basic equation for calculating tritium age is:

$$Age = \ln\left(\frac{A/A_0}{\lambda}\right)$$

Where A is the measured tritium in the water sample in tritium units (TU), A_0 is the tritium concentration in precipitation, and λ is the decay constant which is 0.693 divided by the half-life of 12.3 years. The tritium age calculated from this equation represents the time since the water was last in contact with the atmosphere. However, it is important to note that the tritium age reflects the time since the water entered the subsurface but may not necessarily reflect the time since the water was first recharged into the aquifer. This is because the water may have spent some time in the unsaturated zone (i.e., the soil and rock above the water table) before entering the aquifer, and this time is not accounted for in the tritium age calculation.

This additional uppermost aquifer characterization utilized tritium to determine if water from the CCR unit was impacting the uppermost aquifer groundwater. This was accomplished by collecting a water sample from within the CCR unit water, uppermost aquifer groundwater samples, and a surface water sample from nearby St. Clair River upgradient of the unit. The tritium water data collected in December 2022 is summarized in Table 3. The St. Clair River and CCR unit measured tritium values were 23.9 and 22.4 TU while the while the uppermost aquifer groundwater ranged from less than the detection limit of 0.1 TU to 0.37 TU.

Using the equation above, either the St. Clair River sample or the CCR unit water can be used to represent A_0 . Therefore, age estimates are calculated using both values. Using the St. Clair water as A_0 , the water in the CCR unit would be 1.2 years old, MW-16-07 would be approximately 74 years old, MW-16-10 would be 80 years old, and MW-16-05 would be 95 years old, and the remaining uppermost aquifer groundwater samples would be greater than 97 years old (Figure 11). Using the St. Clair River sample as A_0 yields similar results with MW-16-07 would be approximately 73 years old, MW-16-10 would be 78 years old, and MW-16-05 would be 94 years old, and the remaining uppermost aquifer groundwater samples would be greater than 96 years old. If a significant amount of CCR-impacted water were entering the groundwater, we should see an impact on the tritium concentration. Therefore, the downgradient uppermost aquifer groundwater is not in hydraulic communication with the CCR unit water and the uppermost aquifer has not been affected.

It is important to note that diffusion may affect tritium concentrations. Diffusion can affect tritium values in groundwater by altering the concentration gradient of tritium in the subsurface. Diffusion is the process by which molecules move from areas of high concentration to areas of low concentration due to random thermal motion. In the subsurface, diffusion can cause tritium to move from areas of higher concentration to areas of lower concentration, resulting in a decrease in tritium concentration over time. In groundwater systems, tritium is introduced into

the subsurface through infiltration of tritium-containing precipitation. The tritium concentration in the groundwater is initially highest near the recharge zone and decreases as the water flows through the subsurface. As the tritium moves through the subsurface, it can be affected by diffusion, which can cause it to move from areas of higher concentration to areas of lower concentration.

The rate of diffusion of tritium in groundwater is therefore primarily dependent on the hydraulic conductivity of the subsurface materials and the concentration gradient of tritium. It is important to consider the effects of diffusion when interpreting tritium data in groundwater studies, as it can impact the accuracy of age estimates and the interpretation of the hydrogeological processes in the subsurface.

The control of diffusion in a groundwater system can be demonstrated by calculating the Peclet number. The Peclet number is a dimensionless number that describes the relative importance of advection and diffusion in a fluid system. In groundwater, the Peclet number can be calculated using the following equation:

$$Pe = \frac{(Lv)}{D}$$

where Pe is the Peclet number, L is the characteristic length scale of the system (e.g., the distance between the source and the monitoring well), v is the groundwater velocity, and D is the molecular diffusion coefficient. A Peclet number greater than 1 indicates that advection is dominant, while a Peclet number less than 1 indicates that diffusion is dominant. Given the distance (40 ft) to the monitoring wells and a seepage velocity of 0.6 ft/year, at standard temperature and pressure the Peclet number for tritium is greater than 10. Therefore, diffusion can be initially ruled out as an influence on the downgradient tritium age.

4.0 Statistical Analysis

TRC performed statistical evaluations of the data collected as part of this study to evaluate additional lines of evidence to support aquifer characterization. In order to compare the different water groups (CCR unit vs uppermost aquifer groundwater) to each other in a holistic manner, principal component analysis (PCA) and linear discriminant analysis (LDA) were selected as appropriate data analysis tools. PCA and LDA are statistical techniques that are used for large data sets containing a high number of dimensions/features per observation allowing for visualization of multidimensional data. PCA is a well-established statistical method for evaluating data and has been around for over 100 years. Likewise, LDA analysis is a statistical method that has been used to evaluate large data sets since the 1930s. Geochemists and groundwater statisticians use these tools because they are effective to evaluate large data sets that are typical for sites that have numerous wells and numerous parameters tested, which result in potentially large data dimensionality.

The data used for this analysis consisted of the data collected from the uppermost aquifer monitoring well network from August 2016 through December 2022 and diversion basin water samples from December 2020 through December 2022. Based on the recommendations from the Electric Power Research Institute (EPRI) New Technique in Alternative Source Demonstrations (EPRI, October 2022) guidance and the minimum requirements of LDA, only Appendix III analytes (boron, calcium, chloride, fluoride, sulfate, pH, and total dissolved solids (TDS)) were retained for analysis. Furthermore, it was found that TDS was not consistently reported in all the CCR unit water data and was removed from the analyte suite leaving boron, calcium, chloride, fluoride, sulfate, and pH. Due to the limited number of diversion basin and bottom ash basin samples and the minimum requirements of LDA, the diversion basin and bottom ash basin samples were combined to form a diversion basin and bottom ash basin group for the linear discriminant analysis. Non-detects were multiplied by 0.5 as this has been found to produce the most accurate results for PCA (Farnham et al, 2002).

4.1 Principal Component Analysis

The goal of principal component analysis is to reduce the dimensionality of the data while preserving the variation contained within the dataset. To reduce the dimensionality, the data is linearly transformed from n dimensions to n linearly transformed dimensions or principal components (PCs). These resulting PCs are ordered in terms of which components contain the most variation of the original dataset from PC1 having the most variation to PC n having the least variation. The amount of variation each PC contains can be found in the eigenvalue of the PC, with higher eigenvalues corresponding to a higher percentage of the original dataset variation explained. These eigenvalues can be plotted to compare PCs to each other on what's known as a scree plot. Typically, the first two PCs are retained for further analysis, but any PCs with eigenvalues near or above 1 can be beneficial for analysis. The results of the PCA are commonly presented on a plot that contains both the loading scores of the PCs and the original data points projected using the PCs in what is known as a biplot. The loading scores indicate how much each analyte affects the corresponding PC and the projected points can be used to find clusters of similar data within the original dataset.

Figure 12, called a Scree plot, shows the eigenvalues for the six PCs created from the original data. PC1 and PC2 are above 1 and are therefore retained for further analysis. Figure 13 contains two sets of data, the blue arrows centered around the origin represent the loading scores for the PCs and the colored points represented the projected data. As can be seen in the percentages provided for each axis, PC1 contains 44.69% of the variation of the original dataset, meaning that most of the variation of the data can be seen in the horizontal axis. PC2 contains 27.67% of the variation of the original dataset. Together PC1 and PC2 account for 72.36% of the variation of the original data, showing that the data has been reduced from six dimensions to two dimensions while only losing 27.64% of the variation. There is no established criteria for how much variation should be explained by the PCs but at least 70% is a common target which the first two PCs meet (Jolliffe and Cadima 2016).

Because the data are standardized before PCA is performed, these loadings are applied to the standardized score of each analyte. As can be seen on by the arrows in Figure 13, fluoride points almost directly left, meaning that higher than average concentrations of fluoride in a sample would project that sample further to the left on the biplot. Conversely, if a sample has lower than average concentrations of fluoride it would be projected more to the right. From the loading scores we can see that PC1 is strongly influenced by fluoride and boron and moderately influenced by calcium, sulfate, chloride, and pH. PC2 is moderately influenced by calcium, sulfate, chloride, and pH and is not significantly influenced by fluoride and boron. The standardized data points are projected using the loading scores and are displayed as the color-coded points on the biplot. 95% confidence intervals were calculated to observe possible separation between the groups. As can be seen on the graph, most of the uppermost aquifer groundwater samples fall close to the origin and within the 95% confidence interval with a few outliers. The CCR unit samples are more sporadically located around the graph and the confidence interval encompasses all the samples. While this graph does not show the uppermost aquifer groundwater and DB CCR unit water samples are neatly separated, it does not conclusively show that they are inseparable. Because PCA attempts to preserve the most amount of variation within the data, it is not attempting to separate the groups from each other and may choose a projection which does not separate the groups but does preserve the most variation.

4.2 Linear Discriminant Analysis

In addition to PCA, linear discriminant analysis (LDA) was performed to demonstrate separation between the groups. LDA is similar to PCA in that it performs dimensionality reduction on the data, however, instead of preserving the most amount of variation of the dataset, it attempts to separate the provided groups and then predicts the group membership of each data point. Because LDA is a classification method, we can directly measure the separability of the groups based on the performance of the model. There is an additional requirement of LDA in which each group must have at least as many samples as there are analytes used in the model. Since there are only five samples from the bottom ash basin, four samples from the nearby diversion basin, were added to the bottom ash basin dataset to ensure complete coverage of the six analytes.

Figure 14 (LAD Origin) shows the eigenvalues, canonical coefficients which are analogous to loading scores in PCA, the prediction matrix, and the error rate of the LDA. Because LDA is attempting to separate the groups from each other the percentage of variance shown in the eigenvalues table is the variance between the different groups and not the total variance of the dataset. The canonical variables, which are analogous to PCs, are able to explain all of the variation between groups in just one variable instead of the six variables PCA produced. Similar to PCA, when we observe the standardized canonical coefficients table, we can see that the canonical variable is strongly influenced by chloride and fluoride while only being weakly influenced by boron, calcium, and sulfate; it is insignificantly influenced by pH. The classification count table shows the predicted classification of each point in the columns while the actual classification are the rows. Where the predicted class column intersects the matching actual class row represents the correct classification, where the prediction class column doesn't match the actual class row represents a misclassification. The LDA model only classified the points into the correct classes, demonstrating that the groups are separate from each other, this can also be seen in the error rate table within Figure 14 that the total error rate is 0%.

Figure 15, called an LAD Histogram, visually represents where each point is projected to using CV1. The rows represent the true classification of the data within them while the colors represent the model's prediction. As can be seen, the model perfectly separated the groups showing that the groups are distinct from each other. Additionally, an analysis of variance (ANOVA) was performed on the projected data to demonstrate a statistically significant difference between the two groups, the output of this analysis is presented in Figure 16. As can be seen in the figure, at the $p = 0.05$ level, the population means of the uppermost aquifer groundwater and the BABs and DB CCR units' water are significantly different.

5.0 Findings and Conclusions

The data analyzed in this assessment demonstrate that the CCR unit water is not in hydraulic communication with the uppermost aquifer and therefore has not impacted the uppermost aquifer groundwater. Each of the individual analytes provides a line of evidence in support of this conclusion.

5.1 Geochemistry

The geochemistry data provides four distinct lines of evidence that the uppermost aquifer and the CCR unit are not in communication. The first is the distribution of mass or concentration of individual analytes in the three water groups (uppermost aquifer groundwater, St. Clair River upgradient surface water, and CCR unit water). The second is the geochemical condition of each water group, the third is calculated environmental conditions calculated from the first two lines of evidence, and the fourth is the lack of statistically significant increases (SSIs) as cited in numerous previous reports. From a simple perspective it can be seen that the concentrations of individual analytes in the CCR unit water are very different than within the uppermost aquifer groundwater. These differences are not minor. For example, sulfate is 63 times more concentrated in the CCR unit water than the concentration in the uppermost aquifer groundwater, and molybdenum is 20 times more concentrated in the CCR water. When two water masses become hydraulically connected, they tend to become more like each other chemically and physically. The dissolved species discussed in this report are naturally in the uppermost aquifer groundwater.

Geochemical conditions in the CCR unit water are very different from the uppermost aquifer groundwater. The pH of the CCR unit water is approximately 8.9 SU, but the uppermost aquifer groundwater is only 8.1 SU. This means that there are many more hydroxide ions in the CCR water than the uppermost aquifer. If the CCR unit water and uppermost aquifer groundwater were connected, the pH would be much closer. Similarly, the ORP of the CCR unit water is significantly higher than the uppermost aquifer groundwater.

The third line of geochemical evidence adds weight to the first two. The minerals which are undersaturated in the uppermost aquifer groundwater have component elements which are higher downgradient, and conversely the minerals which are oversaturated have component elements which are lower downgradient. Therefore, these geochemical calculations represent the natural conditions in the uppermost aquifer groundwater quite well. Therefore, the water geochemistry demonstrates that the uppermost aquifer groundwater and the CCR unit water are not in communication, the existing concentrations of Appendix III and IV analytes in groundwater are geogenic and the uppermost aquifer has not been affected.

The fourth line of evidence, the lack of SSIs shows that the uppermost aquifer groundwater is not receiving inputs from the CCR unit water.

5.2 Stable Isotopes

Similar to the multiple lines of evidence described in the preceding section, the stable isotope results reinforce the conclusions described above. The stable isotope analyses provide five distinct lines of evidence ($\delta^7\text{Li}$, $\delta^{11}\text{B}$, $^{87}\text{Sr}/^{86}\text{Sr}$, $\delta^2\text{H}$, and $\delta^{18}\text{O}$) which unequivocally show that the

lithium, boron, strontium, hydrogen, and oxygen in the uppermost aquifer groundwater does not come from nor is it in communication with the CCR unit water. Not only do the compositions of each of these species fall within well-known natural ranges in the uppermost aquifer groundwater, but each is also statistically different than the corresponding composition in the CCR unit water at 95% confidence intervals. Therefore, the stable isotopes demonstrate that the uppermost aquifer groundwater and the CCR unit water are not in communication and the uppermost aquifer has not been affected.

5.3 Age Dating with Tritium Isotopes

Each of the previously discussed lines of evidence develops different aspects of the CSM and by themselves conclusively show that the CCR unit water is not in communication with the uppermost aquifer groundwater and the uppermost aquifer has not been affected. The tritium data, likewise, reinforces the concept that the uppermost aquifer groundwater is not in communication with the CCR unit. Therefore, the tritium analysis provides another line of evidence that the uppermost aquifer groundwater and the CCR unit water are not in communication and the uppermost aquifer has not been affected. Tritium has a half-life of 12.3 years, and the reporting limit is 0.1 TU. Therefore, groundwater ages up to 95 years in age from recharge should be observable. Based on the results presented within Section 3.3, groundwater within all of the DB CCR unit monitoring wells was recharged at least 73 years ago (the DB entered service 39 years ago). If a significant amount of CCR-impacted water were entering the groundwater, we should see an impact on the tritium concentration. Therefore, the downgradient uppermost aquifer groundwater is not in hydraulic communication with the CCR unit water and the uppermost aquifer has not been affected.

5.4 Statistical Analysis

Principal component analysis was performed on bottom ash basin samples for App III analytes to compare the uppermost aquifer groundwater to the CCR unit water in a holistic manner. The results of the PCA were inconclusive in separating the CCR unit water from the uppermost aquifer groundwater and additional analysis was required.

Linear discriminant analysis was performed to further investigate if the CCR unit water and the uppermost aquifer groundwater are in communication with each other. Linear discriminant analysis is similar to PCA in that they are both dimensionality reduction techniques, but LDA attempts to separate the groups while PCA simply attempts to preserve the variance within the dataset. The model created by the LDA had perfect accuracy and was able to completely separate the groups from each other with a large distance between them. To further provide evidence that the separation is strong, an ANOVA was performed on the data transformed by the LDA. Analysis of variance compares groups of data to each other to determine if it is statistically probable for the data to be from the same population or different populations. The results of the ANOVA showed that at the 95% confidence level, the units are distinct from each other demonstrating that the uppermost aquifer groundwater, and the CCR unit water are not in communication and the uppermost aquifer has not been affected.

5.5 Final Assessment

In conclusion, the data collected in this assessment confirms that the uppermost aquifer is not in hydraulic communication with the CCR unit water. This conclusion is supported by each of the multiple lines of evidence presented in this report:

- The geochemical composition of the uppermost aquifer groundwater is statistically distinct from the CCR unit water;
- The source of lithium, boron, strontium, hydrogen, and oxygen in the uppermost aquifer groundwater is from upgradient groundwater and, as demonstrated by the stable isotope data is distinct from the CCR unit water; and
- Age dating with tritium validates that the uppermost aquifer groundwater is not hydraulically connected to the CCR unit water.

These multiple lines of evidence come together in an additive fashion to further validate the CSM established in the ALD and previous studies, which holds that the contiguous glacially compacted natural clay-rich soil natural liner system serves as a natural confining hydraulic barrier isolating the underlying uppermost aquifer from the CCR unit and the uppermost aquifer groundwater is unaffected by the CCR unit water.

6.0 References

- Bechtel. August 1976. Subsurface Investigation and Foundation Report – The Detroit Edison Company, Belle River Units 1 & 2.
- Brandt, J. E., Lauer, N. E., Vengosh, A., Bernhardt, E. S., & Di Giulio, R. T. (2018). Strontium isotope ratios in fish otoliths as biogenic tracers of coal combustion residual inputs to freshwater ecosystems. *Environmental Science & Technology Letters*, 5(12), 718-723.
- Craig, H. (1961). Isotopic variations in meteoric waters. *Science*, 133(3465), 1702-1703.
- Davidson, G. R., & Bassett, R. L. (1993). Application of boron isotopes for identifying contaminants such as fly ash leachate in groundwater. *Environmental science & technology*, 27(1), 172-176.
- Dove, A., Backus, S. M., & King-Sharp, K. (2021). Tritium in Laurentian Great Lakes surface waters. *Journal of Great Lakes Research*, 47(5), 1458-1463.
- Electric Power Research Institute (EPRI) (October 2022). *New Techniques in Alternative Source Demonstrations.*, EPRI, Palo Alto, CA: 2022 3002023683
- Farnham, I. M., Singh, A. K., Stetzenbach, K. J., & Johannesson, K. H. (2002). Treatment of nondetects in multivariate analysis of groundwater geochemistry data. *Chemometrics and Intelligent Laboratory Systems*, 60(1-2), 265–281.
- Geosyntec Consultants (Geosyntec). November 2021. Preliminary Alternative Liner Demonstration Diversion Basin, DTE Electric Company Belle River Power Plant, China Township, Michigan
- Gonfiantini, R., & Pennisi, M. (2006). The behaviour of boron isotopes in natural waters and in water–rock interactions. *Journal of Geochemical Exploration*, 88(1-3), 114-117.
- Hurst, R. W., & Davis, T. E. (1981). Strontium isotopes as tracers of airborne fly ash from coal-fired power plants. *Environmental Geology*, 3(6), 363-367.
- Huang, X., Wang, G., Liang, X., Cui, L., Ma, L., & Xu, Q. (2017). Hydrochemical and stable isotope (δD and $\delta^{18}O$) characteristics of groundwater and hydrogeochemical processes in the Ningtiaota Coalfield, Northwest China. *Mine Water and the Environment*, 1(37), 119-136.
- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: a review and recent developments. *Philosophical transactions. Series A, Mathematical, physical, and engineering sciences*, 374(2065), 20150202.
- Jouzel, J., & Merlivat, L. (1984). Deuterium and oxygen 18 in precipitation: Modeling of the isotopic effects during snow formation. *Journal of Geophysical Research: Atmospheres*, 89(D7), 11749-11757.

-
- Korte, C., Kozur, H. W., Bruckschen, P., & Veizer, J. (2003). Strontium isotope evolution of Late Permian and Triassic seawater. *Geochimica et Cosmochimica Acta*, 67(1), 47-62.
- Liu, C. Q., Li, S. L., Lang, Y. C., & Xiao, H. Y. (2006). Using $\delta^{15}\text{N}$ -and $\delta^{18}\text{O}$ -values to identify nitrate sources in karst ground water, Guiyang, Southwest China. *Environmental science & technology*, 40(22), 6928-6933.
- Owen, D. D. R., Millot, R., Négrel, P., Meredith, K., & Cox, M. E. (2015). Stable isotopes of lithium as indicators of coal seam gas-bearing aquifers. *Procedia Earth and Planetary Science*, 13, 278-281.
- Rice, Cynthia A., Timothy T. Bartos, and Margaret S. Ellis. 2002. Chemical and isotopic composition of water in the Fort Union and Wasatch formations of the Powder River Basin, Wyoming and Montana: Implications for coalbed methane development.
- Ruhl, L. S., Dwyer, G. S., Hsu-Kim, H., Hower, J. C., & Vengosh, A. (2014). Boron and strontium isotopic characterization of coal combustion residuals: validation of new environmental tracers. *Environmental science & technology*, 48(24), 14790-14798.
- Schlesinger, W. H., Klein, E. M., Wang, Z., & Vengosh, A. (2021). Global biogeochemical cycle of lithium.
- Schlosser, P., Stute, M., Dörr, H., Sonntag, C., & Münnich, K. O. (1988). Tritium/ ^3He dating of shallow groundwater. *Earth and Planetary Science Letters*, 89(3-4), 353-362.
- Shand, P., Darbyshire, D. F., Love, A. J., & Edmunds, W. M. (2009). Sr isotopes in natural waters: Applications to source characterization and water–rock interaction in contrasting landscapes. *Applied Geochemistry*, 24(4), 574-586.
- Spivak-Birndorf, L. J., & Stewart, B. W. (2006, October). Use of boron isotopes to track the interaction of coal utilization byproducts with water in the environment. In *The Geological Society of America, 2006 Philadelphia Annual Meeting* (pp. 22-25).
- Spivak-Birndorf, L. J., Stewart, B. W., Capo, R. C., Chapman, E. C., Schroeder, K. T., & Brubaker, T. M. (2012). Strontium Isotope Study of Coal Utilization By-Products Interacting with Environmental Waters. *Journal of environmental quality*, 41(1), 144-154.
- Teichert, Z., Eble, C. F., Bose, M., & Williams, L. B. (2022). Effects of contact metamorphism on the lithium content and isotopic composition of kerogen in coal. *Chemical Geology*, 602, 120885.
- Telloli, C., Rizzo, A., Salvi, S., Pozzobon, A., Marrocchino, E., & Vaccaro, C. (2022). Characterization of groundwater recharge through tritium measurements. *Advances in Geosciences*, 57, 21-36.

-
- TRC. July 2016; Revised March and August 2017. CCR Groundwater Monitoring and Quality Assurance Project Plan – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. October 2017. Groundwater Monitoring System Summary Report – DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin Coal Combustion Residual Units, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2023. 2022 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2022. 2021 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2021. 2020 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2020. 2019 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2019. 2018 Annual Groundwater Monitoring Report – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- TRC. January 2018. Annual Groundwater Monitoring Report (2017) – DTE Electric Company Belle River Power Plant Diversion Basin, 4505 King Road, China Township, Michigan. Prepared for DTE Electric Company.
- Wang, Z., Coyte, R. M., Dwyer, G. S., Ruhl, L. S., Hsu-Kim, H., Hower, J. C., & Vengosh, A. (2020). Distinction of strontium isotope ratios between water-soluble and bulk coal fly ash from the United States. *International Journal of Coal Geology*, 222, 103464.
- Williams, L. B., & Hervig, R. L. (2004). Boron isotope composition of coals: a potential tracer of organic contaminated fluids. *Applied Geochemistry*, 19(10), 1625-1636.
- Xiao, Y. K., Li, S. Z., Wei, H. Z., Sun, A. D., Liu, W. G., Zhou, W. J., ... & Swihart, G. H. (2007). Boron isotopic fractionation during seawater evaporation. *Marine chemistry*, 103(3-4), 382-392.
- Xiao, J., Vogl, J., Rosner, M., & Jin, Z. (2022). Boron isotope fractionation in soil-plant systems and its influence on biogeochemical cycling. *Chemical Geology*, 606, 120972.

Tables

Table 1
 Summary of Field Data – December 2022
 Belle River Power Plant Diversion Basin CCR Unit
 China Township, Michigan

Sample Location	Sample Date	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	pH (SU)	Specific Conductivity (umhos/cm)	Temperature (deg C)	Turbidity (NTU)
Diversion Basin Monitoring Wells/Uppermost Aquifer							
MW-16-05	12/15/2022	1.45	-219.2	8.1	3,497	10.0	12.3
MW-16-06	12/15/2022	1.32	-195.4	8.1	4,022	10.3	1.54
MW-16-07	12/15/2022	1.27	-203.8	8.0	4,492	10.7	25.3
MW-16-08	12/16/2022	1.20	-71.2	8.1	4,622	10.1	52.1
MW-16-10	12/16/2022	1.70	-65.5	8.1	3,853	10.1	35.6
MW-16-11A	12/16/2022	1.42	-64.3	8.1	4,198	9.5	5.85
Diversion Basin Water							
DB-01	12/16/2022	11.10	-12.5	8.9	1,827	7.1	5.91
Surface Water/St. Clair River							
SC-01	12/16/2022	12.01	5.9	8.3	149	4.5	5.57

Notes:

- mg/L - Milligrams per Liter.
- mV - Millivolts.
- SU - Standard Units.
- umhos/cm - Micromhos per centimeter.
- °C - Degrees Celsius.
- NTU - Nephelometric Turbidity Unit

Table 2
 Summary of Analytical Results – December 2020 to December 2022
 Belle River Power Plant Diversion Basin CCR Unit
 China Township, Michigan

Constituent:		Alkalinity, bicarbonate	Alkalinity, carbonate	Alkalinity, total	Barium	Boron	Calcium	Chloride	Fluoride	Lithium	Magnesium	Molybdenum	Potassium	Sodium	Strontium	Sulfate	Total Organic Carbon
Unit:		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Location	Sample Date																
Diversion Basin Monitoring Wells/Uppermost Aquifer																	
MW-16-05	12/15/2022	190	< 5	190	0.24	1.6	33	1,400	1.2	0.047	11	0.011	4.1	870	0.81	6.1	1.8
MW-16-06	12/15/2022	180	< 5	180	0.25	1.8	38	1,600	1.2	0.045	12	0.014	4.3	960	1.0	4.4	0.68 J
MW-16-07	12/15/2022	230	< 5	230	0.22	1.8	35	1,700	1.2	0.053	11	0.0074	4.7	1,100	1.2	30	5.0
MW-16-08	12/16/2022	170	< 5	170	0.30	1.8	40	1,800	1.2	0.057	13	0.016	4.7	1,100	1.2	< 2	0.62 J
MW-16-10	12/16/2022	210	< 5	210	0.067	1.9	26	1,500	1.2	0.067	9.0	0.011	4.6	980	0.54	60	0.53 J
MW-16-11A	12/16/2022	170	< 5	170	0.27	1.8	38	1,700	1.1	0.057	12	0.012	4.8	1,000	1.0	< 2	0.49 J
Diversion Basin Water																	
DB	12/16/2020	140	< 10	140	0.19	6.0	110	43	0.44	0.061	18	0.30	13	510	--	1,200	--
	1/29/2021	69	35	100	0.35	0.68	41	14	0.31	0.016	9.0	0.029	3.9	58	--	130	--
	10/8/2021	85	32	120	1.2	1.1	86	15	1.2	0.038	17	0.053	7.1	170	--	410	--
DB-01 ⁽¹⁾	12/16/2022	120	27	150	0.29	7.3	110	46	0.26	0.083	15	0.24	13	460	2.3	1,100	3.7
Surface Water/St. Clair River																	
SC-01	12/16/2022	81	< 5	81	0.013	< 0.1	25	9.6	0.08	< 0.008	7.6	< 0.005	1.1	5.9	0.086	15	1.9

Notes:

mg/L = milligram per liter, -- = not analyzed.

Bold font denotes concentrations detected above laboratory reporting limits.

J = estimated value. Concentration above the laboratory method detection limit but below the reporting limit.

F1 = MS and/or MSD recovery exceeds control limits

(1) same location as DB

Table 3
 Summary of Stable Isotope and Tritium Results – December 2022
 Belle River Power Plant Diversion Basin CCR Unit
 China Township, Michigan

Constituent:		$\delta^{87}\text{Sr}$	$\delta^{11}\text{B}$	$\delta^7\text{Li}$	$\delta^2\text{H}$	$\delta^{18}\text{O}$	Tritium
Units:		‰	‰	‰	‰	‰	TU
Sample Location	Sample Date						
Diversion Basin Monitoring Wells/Uppermost Aquifer							
MW-16-05	12/15/2022	0.709407	45.84	27.83	-118.709774	-16.730833	0.11
MW-16-06	12/15/2022	0.709327	46.46	31.52	-118.385583	-16.61386	< 0.1
MW-16-07	12/15/2022	0.709541	45.94	28.44	-116.781592	-16.388755	0.37
MW-16-08	12/16/2022	0.709581	46.31	23.69	-116.975338	-16.350531	< 0.1
MW-16-10	12/16/2022	0.709502	46.72	21.88	-116.1181	-16.423863	0.27
MW-16-11A	12/16/2022	0.709443	46.11	22.89	-118.914906	-16.74763	< 0.1
Diversion Basin Water							
DB-01	12/16/2022	0.709354	-5.01	11.48	-53.016172	-7.056188	22.4
Surface Water/St. Clair River							
SC-01	12/16/2022	0.709999	-4.82	20.80	-53.700517	-7.358694	23.9


Notes:

‰ = per mil

TU = Tritium Units

Bold font denotes concentrations detected above laboratory reporting limits.

Figures



BASE MAP FROM USGS 7.5 MINUTE TOPOGRAPHIC QUADRANGLE SERIES.





1540 Eisenhower Place
Ann Arbor, MI 48108-3284
Phone: 734.971.7080
www.trccompanies.com

TRC - GIS





PROJECT:	DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN
TITLE:	SITE LOCATION MAP

DRAWN BY:	A. FOJTIK
CHECKED BY:	J. KRENZ
APPROVED BY:	V. BUENING
DATE:	JANUARY 2023
PROJ. NO.:	461816.0003
FILE:	461816-0003_001.mxd

FIGURE 1




LEGEND

-  SOIL BORING
-  SURFACE WATER SAMPLE POINT
-  MONITORING WELL
-  DECOMMISSIONED MONITORING WELL

NOTES

1. BASE MAP IMAGERY FROM ESRI WORLD IMAGERY, (08/13/2021).
2. WELL LOCATIONS SURVEYED IN MARCH, APRIL, JUNE 2016, AND JUNE 2017 BY BMJ ENGINEERS & SURVEYORS, INC.



PROJECT:	DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE:	SITE PLAN	
DRAWN BY:	A. ADAIR	PROJ. NO.: 522172.0000
CHECKED BY:	J. KRENZ	FIGURE 2
APPROVED BY:	V. BUENING	
DATE:	JANUARY 2023	



1540 Eisenhower Place
Ann Arbor, MI 48108-3284
Phone: 734.971.7080
www.trccompanies.com




LEGEND

 SURFACE WATER SAMPLE POINT

NOTES


1. BASE MAP IMAGERY FROM ESRI WORLD IMAGERY, (08/13/2021).
2. SURFACE WATER SAMPLE LOCATION IS APPROXIMATE.



PROJECT:		DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE:		OFFSITE SURFACE WATER SAMPLE LOCATION	
DRAWN BY:	A. ADAIR	PROJ NO.:	522171.0000
CHECKED BY:	J. KRENZ	FIGURE 3	
APPROVED BY:	V. BUENING		
DATE:	JANUARY 2023		



1540 Eisenhower Place
Ann Arbor, MI 48108-3284
Phone: 734.971.7080
www.trccompanies.com




LEGEND

- SOIL BORING
- MONITORING WELL
- DECOMMISSIONED MONITORING WELL
- (575.47) GROUNDWATER ELEVATION (FT NAVD 88)
- (NU) NOT USED AS IS ANOMALOUS ELEVATION
- GROUNDWATER ELEVATION CONTOUR (0.5-FT INTERVAL, DASHED WHERE INFERRED)

NOTES

1. BASE MAP IMAGERY FROM GOOGLE EARTH PRO, (3/24/2019).
2. WELL LOCATIONS SURVEYED IN MARCH, APRIL, AND JUNE 2016 BY BMJ ENGINEERS AND SURVEYORS, INC.
3. NO SAND OR GRAVEL UNIT PRESENT ABOVE BEDROCK IN THIS LOCATION.
4. GROUNDWATER ELEVATIONS DISPLAYED IN FEET RELATIVE TO NORTH AMERICAN VERTICAL DATUM OF 1988.




1" = 200'
1:2,400

Monitoring Well Screen Information			
Monitoring Well ID	Screen Interval Lithology	Screen Interval Depth (ft BGS)	Screen Interval Elevation (ft NAVD 88)
MW-16-05	Clayey Silt to Shale bedrock	139.0 - 144.0	449.3 - 444.3
MW-16-06	Silt to Shale bedrock	135.0 - 140.0	455.0 - 450.0
MW-16-07	Silt to Shale bedrock	133.0 - 138.0	456.9 - 451.9
MW-16-08	Silt to Shale bedrock	133.0 - 138.0	456.3 - 451.3
MW-16-10	Gravelly Silt to Silty Clay	145.0 - 150.0	444.3 - 439.3
MW-16-11	Clay and Sandy Clay	137.0 - 142.0	452.0 - 447.0
MW-16-11A	Silt to Shale bedrock	137.0 - 142.0	452.5 - 447.5

PROJECT:		DTE ELECTRIC COMPANY BELLE RIVER POWER PLANT DIVERSION BASIN 4505 KING ROAD CHINA TOWNSHIP, MICHIGAN	
TITLE:		DIVERSION BASIN GROUNDWATER POTENTIOMETRIC SURFACE MAP OCTOBER 2022	
DRAWN BY:	A. FOJTIK	PROJ NO.:	461816.0003
CHECKED BY:	J. KRENZ	FIGURE 4	
APPROVED BY:	V. BUENING		
DATE:	JANUARY 2023		



1540 Eisenhower Place
Ann Arbor, MI 48108-3284
Phone: 734.971.7080
www.trccompanies.com



Total Dissolved Solids (TDS)

- DB-01
- MW-16-05
- ▲ MW-16-06
- ▼ MW-16-07
- ◆ MW-16-08
- ◆ MW-16-10
- ▲ MW-16-11A
- ★ SC-01




Figure 5 - Piper Diagram
 Belle River Power Plant
 4505 King Rd, China Township, Michigan

Figure 6
 Summary of Calcium and Sulfate Saturation with Chloride and Sulfate Concentrations
 Belle River Power Plant
 4505 King Rd, China Township, Michigan





Figure 7
Molybdenum and Barium with Boron Concentrations
Belle River Power Plant
4505 King Rd, China Township, Michigan





Figure 8
Summary of Lithium and Boron Isotopic and Concentration Results
Belle River Power Plant
4505 King Rd, China Township, Michigan





Figure 9
 Summary of Strontium and Boron Isotopic Concentration Results
 Belle River Power Plant
 4505 King Rd, China Township, Michigan





Figure 10
Hydrogen and Oxygen Isotopic Compositions and Carbonate Solubility
Belle River Power Plant
4505 King Rd, China Township, Michigan





Figure 11
 Tritium Data and Age Model
 Belle River Power Plant
 4505 King Rd, China Township, Michigan





Figure 12 - Scree Plot
Belle River Power Plant Diversion Basin CCR Unit
4505 King Road, China Township, Michigan




Figure 13 - Biplot
Belle River Power Plant Diversion Basin CCR Unit
4505 King Road, China Township, Michigan




Figure 14. - BRPP LDA Origin

Discriminant Analysis (3/24/2023 15:04:1

Canonical Discriminant Analysis

Eigenvalues

	Eigenvalue	Percentage of Variance	Cumulative	Canonical Correlation
1	1.23366	100.00%	100.00%	0.74317

Standardized Canonical Coefficients

	Canonical Variable 1
Boron	-0.22198
Calcium	0.34127
Chloride	1.19871
Fluoride	1.11313
pH, Field	-2.95507E-7
Sulfate	-0.3104

Classification Summary for Training Data

Classification Count

	Predicted Group		
	BAB and DB	Uppermost Aquifer	Total
BAB and DB	9 100.00%	0 0.00%	9 100.00%
Uppermost Aquifer	0 0.00%	229 100.00%	229 100.00%
Total	9 3.78%	229 96.22%	238 100.00%

Error Rate

	BAB and DB	Uppermost Aquifer	Total
Prior	0.5	0.5	
Rate	0.00%	0.00%	0.00%

Error rate for classification of training data is 0.00%.

Figure 15. – Belle River Power Plant Density of LDA Scores




Figure 16. - BRPP LDA ANOVA

ANOVAOneWay (3/24/2023 15:07:06)

Descriptive Statistics

	N Analysis	N Missing	Mean	Standard Deviation	SE of Mean
BAB and DB	9	0	-5.57907	1.75276	0.58425
Uppermost Aquifer	229	0	0.21926	0.96296	0.06363

One Way ANOVA

Overall ANOVA

	DF	Sum of Squares	Mean Square	F Value	Prob>F
Model	1	291.14412	291.14412	291.14412	<0.0001
Error	236	236	1		
Total	237	527.14412			

Null Hypothesis: The means of all levels are equal.

Alternative Hypothesis: The means of one or more levels are different.

At the 0.05 level, the population means are significantly different.

Appendix A

December 2022 Laboratory Data

ALS Environmental



05-Jan-2021

Michael Coram
Geosyntec Consultants
2100 Commonwealth Blvd.
Suite 100
Ann Arbor, MI 48105

Re: **DTE- Belle River (GLP-8017)**

Work Order: **20121752**

Dear Michael,

ALS Environmental received 3 samples on 18-Dec-2020 10:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 21.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA
PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Sincerely,

A handwritten signature in black ink, appearing to read "Chad Whelton", is written over a light blue horizontal line.

Electronically approved by: Chad Whelton

Chad Whelton
Project Manager

Report of Laboratory Analysis

Certificate No: MN 026-999-449

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental 

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: Geosyntec Consultants
Project: DTE- Belle River (GLP-8017)
Work Order: 20121752

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
20121752-01	BAB-E	Groundwater		12/16/2020 15:00	12/18/2020 10:00	<input type="checkbox"/>
20121752-02	BAB-W	Groundwater		12/16/2020 14:00	12/18/2020 10:00	<input type="checkbox"/>
20121752-03	DB	Groundwater		12/16/2020 16:00	12/18/2020 10:00	<input type="checkbox"/>

Client: Geosyntec Consultants
Project: DTE- Belle River (GLP-8017)
Work Order: 20121752

Case Narrative

Samples for the above noted Work Order were received on 12/18/2020. The attached "Sample Receipt Checklist" documents the status of custody seals, container integrity, preservation, and temperature compliance.

Samples were analyzed according to the analytical methodology previously transmitted in the "Work Order Acknowledgement". Methodologies are also documented in the "Analytical Result" section for each sample. Quality control results are listed in the "QC Report" section. Sample association for the reported quality control is located at the end of each batch summary. If applicable, results are appropriately qualified in the Analytical Result and QC Report sections. The "Qualifiers" section documents the various qualifiers, units, and acronyms utilized in reporting. A copy of the laboratory's scope of accreditation is available upon request.

With the following exceptions, all sample analyses achieved analytical criteria.

Metals:

No other deviations or anomalies were noted.

Wet Chemistry:

Batch R306912, Method SW9040C, Sample BAB-E (20121752-01B): pH is considered a "field test" and, as such, the recommended sample holding time expired prior to sample receipt.

Batch R306912, Method SW9040C, Sample BAB-W (20121752-02B): pH is considered a "field test" and, as such, the recommended sample holding time expired prior to sample receipt.

Batch R306912, Method SW9040C, Sample DB (20121752-03B): pH is considered a "field test" and, as such, the recommended sample holding time expired prior to sample receipt.

Batch R307145, Method SW9056A, Sample 20121752-03B MSD: The MSD recovery was outside of the control limit for Sulfate; however, the result in the parent sample is greater than 4x the spike amount. No qualification is required.

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
Hr	BOD/CBOD - Sample was reset outside Hold Time, value should be considered estimated.
J	Analyte is present at an estimated concentration between the MDL and Report Limit
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
°C	Degrees Celcius
mg/L	Milligrams per Liter
s.u.	Standard Units

ALS Group, USA

Date: 05-Jan-21

Client: Geosyntec Consultants
Project: DTE- Belle River (GLP-8017)
Sample ID: BAB-E
Collection Date: 12/16/2020 03:00 PM

Work Order: 20121752
Lab ID: 20121752-01
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA			SW7470A		Prep: SW7470 12/30/20 13:08	Analyst: MAC
Mercury	ND		0.00020	mg/L	1	12/30/2020 01:26 PM
METALS BY ICP-MS			SW6020B		Prep: SW3005A 12/30/20 15:00	Analyst: STP
Antimony	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Arsenic	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Barium	0.21		0.0050	mg/L	1	12/30/2020 09:06 PM
Beryllium	ND		0.0020	mg/L	1	12/30/2020 09:06 PM
Boron	0.26		0.020	mg/L	1	12/30/2020 09:06 PM
Cadmium	ND		0.0020	mg/L	1	12/30/2020 09:06 PM
Calcium	39		0.50	mg/L	1	12/30/2020 09:06 PM
Chromium	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Cobalt	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Iron	ND		0.080	mg/L	1	12/30/2020 09:06 PM
Lead	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Lithium	0.014		0.010	mg/L	1	12/30/2020 09:06 PM
Magnesium	7.9		0.20	mg/L	1	12/30/2020 09:06 PM
Manganese	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Molybdenum	0.024		0.0050	mg/L	1	12/30/2020 09:06 PM
Potassium	3.0		0.20	mg/L	1	12/30/2020 09:06 PM
Selenium	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
Sodium	29		0.20	mg/L	1	12/30/2020 09:06 PM
Thallium	ND		0.0050	mg/L	1	12/30/2020 09:06 PM
ALKALINITY			A2320 B-11			Analyst: QTN
Alkalinity, Bicarbonate (as CaCO3)	71		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Carbonate (as CaCO3)	20		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Hydroxide (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Phenolphthalein (as CaCO3)	10		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Total (as CaCO3)	91		10	mg/L	1	12/29/2020 11:55 AM
ANIONS BY ION CHROMATOGRAPHY			SW9056A			Analyst: JDR
Chloride	8.6		1.0	mg/L	1	12/30/2020 07:11 PM
Fluoride	0.25		0.10	mg/L	1	12/30/2020 07:11 PM
Sulfate	94		8.0	mg/L	8	12/31/2020 02:59 PM
PH (LABORATORY)			SW9040C			Analyst: QTN
pH (laboratory)	8.84	H	0.100	s.u.	1	12/29/2020 11:55 AM
Temperature	20.8	H	0.100	°C	1	12/29/2020 11:55 AM
TOTAL DISSOLVED SOLIDS			A2540 C-11		Prep: FILTER 12/22/20 11:40	Analyst: AJS
Total Dissolved Solids	240		50	mg/L	1	12/23/2020 02:50 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Jan-21

Client: Geosyntec Consultants
Project: DTE- Belle River (GLP-8017)
Sample ID: BAB-W
Collection Date: 12/16/2020 02:00 PM

Work Order: 20121752
Lab ID: 20121752-02
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVA			SW7470A		Prep: SW7470 12/30/20 13:08	Analyst: MAC
Mercury	ND		0.00020	mg/L	1	12/30/2020 01:28 PM
METALS BY ICP-MS			SW6020B		Prep: SW3005A 12/30/20 15:00	Analyst: STP
Antimony	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Arsenic	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Barium	0.30		0.0050	mg/L	1	12/30/2020 09:08 PM
Beryllium	ND		0.0020	mg/L	1	12/30/2020 09:08 PM
Boron	0.21		0.020	mg/L	1	12/30/2020 09:08 PM
Cadmium	ND		0.0020	mg/L	1	12/30/2020 09:08 PM
Calcium	54		0.50	mg/L	1	12/30/2020 09:08 PM
Chromium	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Cobalt	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Iron	0.28		0.080	mg/L	1	12/31/2020 05:14 PM
Lead	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Lithium	0.013		0.010	mg/L	1	12/30/2020 09:08 PM
Magnesium	10		0.20	mg/L	1	12/30/2020 09:08 PM
Manganese	0.0078		0.0050	mg/L	1	12/30/2020 09:08 PM
Molybdenum	0.016		0.0050	mg/L	1	12/30/2020 09:08 PM
Potassium	3.4		0.20	mg/L	1	12/30/2020 09:08 PM
Selenium	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
Sodium	33		0.20	mg/L	1	12/30/2020 09:08 PM
Thallium	ND		0.0050	mg/L	1	12/30/2020 09:08 PM
ALKALINITY			A2320 B-11			Analyst: QTN
Alkalinity, Bicarbonate (as CaCO3)	83		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Carbonate (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Hydroxide (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Phenolphthalein (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Total (as CaCO3)	89		10	mg/L	1	12/29/2020 11:55 AM
ANIONS BY ION CHROMATOGRAPHY			SW9056A			Analyst: JDR
Chloride	9.9		1.0	mg/L	1	12/30/2020 07:30 PM
Fluoride	0.22		0.10	mg/L	1	12/30/2020 07:30 PM
Sulfate	140		8.0	mg/L	8	12/30/2020 06:36 PM
PH (LABORATORY)			SW9040C			Analyst: QTN
pH (laboratory)	8.43	H	0.100	s.u.	1	12/29/2020 11:55 AM
Temperature	20.7	H	0.100	°C	1	12/29/2020 11:55 AM
TOTAL DISSOLVED SOLIDS			A2540 C-11		Prep: FILTER 12/22/20 11:40	Analyst: AJS
Total Dissolved Solids	330		50	mg/L	1	12/23/2020 02:50 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Jan-21

Client: Geosyntec Consultants
Project: DTE- Belle River (GLP-8017)
Sample ID: DB
Collection Date: 12/16/2020 04:00 PM

Work Order: 20121752
Lab ID: 20121752-03
Matrix: GROUNDWATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVA			SW7470A		Prep: SW7470 12/30/20 13:08	Analyst: MAC
Mercury	ND		0.00020	mg/L	1	12/30/2020 01:30 PM
METALS BY ICP-MS			SW6020B		Prep: SW3005A 12/30/20 15:00	Analyst: STP
Antimony	ND		0.0050	mg/L	1	12/30/2020 09:09 PM
Arsenic	0.0057		0.0050	mg/L	1	12/30/2020 09:09 PM
Barium	0.19		0.0050	mg/L	1	12/30/2020 09:09 PM
Beryllium	ND		0.0020	mg/L	1	12/30/2020 09:09 PM
Boron	6.0		0.20	mg/L	10	12/31/2020 05:15 PM
Cadmium	ND		0.0020	mg/L	1	12/30/2020 09:09 PM
Calcium	110		0.50	mg/L	1	12/30/2020 09:09 PM
Chromium	ND		0.0050	mg/L	1	12/30/2020 09:09 PM
Cobalt	ND		0.0050	mg/L	1	12/30/2020 09:09 PM
Iron	0.35		0.080	mg/L	1	12/31/2020 05:17 PM
Lead	ND		0.0050	mg/L	1	12/30/2020 09:09 PM
Lithium	0.061		0.010	mg/L	1	12/30/2020 09:09 PM
Magnesium	18		0.20	mg/L	1	12/30/2020 09:09 PM
Manganese	0.068		0.0050	mg/L	1	12/30/2020 09:09 PM
Molybdenum	0.30		0.0050	mg/L	1	12/30/2020 09:09 PM
Potassium	13		0.20	mg/L	1	12/30/2020 09:09 PM
Selenium	0.0087		0.0050	mg/L	1	12/30/2020 09:09 PM
Sodium	510		2.0	mg/L	10	12/31/2020 05:15 PM
Thallium	ND		0.0050	mg/L	1	12/30/2020 09:09 PM
ALKALINITY			A2320 B-11			Analyst: QTN
Alkalinity, Bicarbonate (as CaCO3)	140		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Carbonate (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Hydroxide (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Phenolphthalein (as CaCO3)	ND		10	mg/L	1	12/29/2020 11:55 AM
Alkalinity, Total (as CaCO3)	140		10	mg/L	1	12/29/2020 11:55 AM
ANIONS BY ION CHROMATOGRAPHY			SW9056A			Analyst: JDR
Chloride	43		20	mg/L	20	12/30/2020 06:55 PM
Fluoride	0.44		0.10	mg/L	1	12/30/2020 07:49 PM
Sulfate	1,200		100	mg/L	100	12/31/2020 03:21 PM
PH (LABORATORY)			SW9040C			Analyst: QTN
pH (laboratory)	8.32	H	0.100	s.u.	1	12/29/2020 11:55 AM
Temperature	20.1	H	0.100	°C	1	12/29/2020 11:55 AM
TOTAL DISSOLVED SOLIDS			A2540 C-11		Prep: FILTER 12/22/20 11:40	Analyst: AJS
Total Dissolved Solids	2,100		300	mg/L	1	12/23/2020 02:50 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Geosyntec Consultants
Work Order: 20121752
Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **170071** Instrument ID **HG4** Method: **SW7470A**

MBLK	Sample ID: MBLK-170071-170071				Units: mg/L		Analysis Date: 12/30/2020 01:14 PM			
Client ID:	Run ID: HG4_201230A			SeqNo: 7040771		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Mercury ND 0.00020

LCS	Sample ID: LCS-170071-170071				Units: mg/L		Analysis Date: 12/30/2020 01:16 PM			
Client ID:	Run ID: HG4_201230A			SeqNo: 7040772		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Mercury 0.002085 0.00020 0.002 0 104 80-120 0

MS	Sample ID: 20121813-10DMS				Units: mg/L		Analysis Date: 12/30/2020 01:55 PM			
Client ID:	Run ID: HG4_201230A			SeqNo: 7040812		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Mercury 0.00219 0.00020 0.002 0.000003 109 75-125 0

MSD	Sample ID: 20121813-10DMSD				Units: mg/L		Analysis Date: 12/30/2020 01:57 PM			
Client ID:	Run ID: HG4_201230A			SeqNo: 7040815		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Mercury 0.002115 0.00020 0.002 0.000003 106 75-125 0.00219 3.48 20

The following samples were analyzed in this batch: 20121752-01A 20121752-02A 20121752-03A

Client: Geosyntec Consultants
Work Order: 20121752
Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **170083** Instrument ID **ICPMS4** Method: **SW6020B**

MBLK		Sample ID: MBLK-170083-170083				Units: mg/L		Analysis Date: 12/30/2020 08:51 PM		
Client ID:		Run ID: ICPMS4_201230A		SeqNo: 7043005		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	ND	0.0050								
Arsenic	ND	0.0050								
Barium	ND	0.0050								
Beryllium	ND	0.0020								
Boron	ND	0.020								
Cadmium	ND	0.0020								
Calcium	ND	0.50								
Chromium	ND	0.0050								
Cobalt	ND	0.0050								
Iron	ND	0.080								
Lead	ND	0.0050								
Lithium	ND	0.010								
Magnesium	ND	0.20								
Manganese	ND	0.0050								
Molybdenum	ND	0.0050								
Potassium	ND	0.20								
Selenium	ND	0.0050								
Sodium	ND	0.20								
Thallium	ND	0.0050								

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **170083** Instrument ID **ICPMS4** Method: **SW6020B**

LCS		Sample ID: LCS-170083-170083				Units: mg/L		Analysis Date: 12/30/2020 08:52 PM		
Client ID:		Run ID: ICPMS4_201230A			SeqNo: 7043006		Prep Date: 12/30/2020		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	0.09984	0.0050	0.1	0	99.8	80-120	0			
Arsenic	0.099	0.0050	0.1	0	99	80-120	0			
Barium	0.1005	0.0050	0.1	0	100	80-120	0			
Beryllium	0.09793	0.0020	0.1	0	97.9	80-120	0			
Boron	0.4459	0.020	0.5	0	89.2	80-120	0			
Cadmium	0.1049	0.0020	0.1	0	105	80-120	0			
Calcium	9.959	0.50	10	0	99.6	80-120	0			
Chromium	0.09764	0.0050	0.1	0	97.6	80-120	0			
Cobalt	0.09865	0.0050	0.1	0	98.6	80-120	0			
Iron	9.742	0.080	10	0	97.4	80-120	0			
Lead	0.09896	0.0050	0.1	0	99	80-120	0			
Lithium	0.09939	0.010	0.1	0	99.4	80-120	0			
Magnesium	10.41	0.20	10	0	104	80-120	0			
Manganese	0.09726	0.0050	0.1	0	97.3	80-120	0			
Molybdenum	0.09949	0.0050	0.1	0	99.5	80-120	0			
Potassium	10.09	0.20	10	0	101	80-120	0			
Selenium	0.09876	0.0050	0.1	0	98.8	80-120	0			
Sodium	10.48	0.20	10	0	105	80-120	0			
Thallium	0.09419	0.0050	0.1	0	94.2	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: 170083 Instrument ID ICPMS4 Method: SW6020B

MS				Sample ID: 20121813-01DMS			Units: mg/L		Analysis Date: 12/30/2020 09:13 PM		
Client ID:		Run ID: ICPMS4_201230A			SeqNo: 7043018		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	0.0939	0.0050	0.1	0.000019	93.9	75-125	0				
Arsenic	0.09542	0.0050	0.1	0.000523	94.9	75-125	0				
Barium	0.1197	0.0050	0.1	0.01914	101	75-125	0				
Beryllium	0.1028	0.0020	0.1	0.003422	99.4	75-125	0				
Boron	0.5173	0.020	0.5	0.07866	87.7	75-125	0				
Cadmium	0.09866	0.0020	0.1	0.003046	95.6	75-125	0				
Calcium	63.88	0.50	10	53.04	108	75-125	0			O	
Chromium	0.09053	0.0050	0.1	0.000351	90.2	75-125	0				
Cobalt	0.2039	0.0050	0.1	0.1134	90.5	75-125	0				
Iron	8.964	0.080	10	0.02083	89.4	75-125	0				
Lead	0.09794	0.0050	0.1	0.000674	97.3	75-125	0				
Lithium	0.1112	0.010	0.1	0.01095	100	75-125	0				
Magnesium	61.4	0.20	10	51.16	102	75-125	0			O	
Molybdenum	0.09472	0.0050	0.1	0.001008	93.7	75-125	0				
Potassium	12.35	0.20	10	2.605	97.4	75-125	0				
Selenium	0.1012	0.0050	0.1	0.005949	95.3	75-125	0				
Sodium	65.82	0.20	10	55.83	99.9	75-125	0			O	
Thallium	0.09224	0.0050	0.1	0.000037	92.2	75-125	0				

MS				Sample ID: 20121813-10DMS			Units: mg/L		Analysis Date: 12/30/2020 09:35 PM		
Client ID:		Run ID: ICPMS4_201230A			SeqNo: 7043031		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	0.09845	0.0050	0.1	0.000041	98.4	75-125	0				
Arsenic	0.1005	0.0050	0.1	0.00021	100	75-125	0				
Barium	0.125	0.0050	0.1	0.02584	99.1	75-125	0				
Beryllium	0.1046	0.0020	0.1	0.002214	102	75-125	0				
Boron	0.5169	0.020	0.5	0.056	92.2	75-125	0				
Cadmium	0.1056	0.0020	0.1	0.005454	100	75-125	0				
Calcium	34.88	0.50	10	25.15	97.2	75-125	0				
Chromium	0.09457	0.0050	0.1	0.000785	93.8	75-125	0				
Cobalt	0.2768	0.0050	0.1	0.1806	96.2	75-125	0				
Iron	9.488	0.080	10	0.143	93.5	75-125	0				
Lead	0.09729	0.0050	0.1	0.001591	95.7	75-125	0				
Lithium	0.107	0.010	0.1	0.006549	100	75-125	0				
Magnesium	24.92	0.20	10	15.27	96.4	75-125	0				
Molybdenum	0.0977	0.0050	0.1	0.000386	97.3	75-125	0				
Potassium	12.88	0.20	10	3.03	98.5	75-125	0				
Selenium	0.09792	0.0050	0.1	0.001894	96	75-125	0				
Sodium	71.55	0.20	10	61.63	99.1	75-125	0			O	
Thallium	0.09151	0.0050	0.1	0.000106	91.4	75-125	0				

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: 170083 Instrument ID ICPMS4 Method: SW6020B

MS				Sample ID: 20121813-01DMS			Units: mg/L		Analysis Date: 12/31/2020 05:20 PM		
Client ID:		Run ID: ICPMS4_201231A			SeqNo: 7046543		Prep Date: 12/30/2020		DF: 10		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Manganese	3.991	0.050	0.1	3.949	41.3	75-125	0			SO	

MS				Sample ID: 20121813-10DMS			Units: mg/L		Analysis Date: 12/31/2020 05:39 PM		
Client ID:		Run ID: ICPMS4_201231A			SeqNo: 7046555		Prep Date: 12/30/2020		DF: 10		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Manganese	4.091	0.050	0.1	3.865	227	75-125	0			SO	

MSD				Sample ID: 20121813-01DMSD			Units: mg/L		Analysis Date: 12/30/2020 09:15 PM		
Client ID:		Run ID: ICPMS4_201230A			SeqNo: 7043019		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	0.09655	0.0050	0.1	0.000019	96.5	75-125	0.0939	2.78	20		
Arsenic	0.09753	0.0050	0.1	0.000523	97	75-125	0.09542	2.18	20		
Barium	0.1208	0.0050	0.1	0.01914	102	75-125	0.1197	0.848	20		
Beryllium	0.1044	0.0020	0.1	0.003422	101	75-125	0.1028	1.59	20		
Boron	0.5179	0.020	0.5	0.07866	87.8	75-125	0.5173	0.103	20		
Cadmium	0.1013	0.0020	0.1	0.003046	98.3	75-125	0.09866	2.67	20		
Calcium	62.93	0.50	10	53.04	98.9	75-125	63.88	1.49	20	O	
Chromium	0.09296	0.0050	0.1	0.000351	92.6	75-125	0.09053	2.65	20		
Cobalt	0.2064	0.0050	0.1	0.1134	92.9	75-125	0.2039	1.18	20		
Iron	9.236	0.080	10	0.02083	92.1	75-125	8.964	2.99	20		
Lead	0.09947	0.0050	0.1	0.000674	98.8	75-125	0.09794	1.55	20		
Lithium	0.1128	0.010	0.1	0.01095	102	75-125	0.1112	1.45	20		
Magnesium	61.51	0.20	10	51.16	104	75-125	61.4	0.185	20	O	
Molybdenum	0.09663	0.0050	0.1	0.001008	95.6	75-125	0.09472	2	20		
Potassium	12.63	0.20	10	2.605	100	75-125	12.35	2.27	20		
Selenium	0.1029	0.0050	0.1	0.005949	96.9	75-125	0.1012	1.62	20		
Sodium	66.86	0.20	10	55.83	110	75-125	65.82	1.56	20	O	
Thallium	0.09366	0.0050	0.1	0.000037	93.6	75-125	0.09224	1.53	20		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: 170083 Instrument ID ICPMS4 Method: SW6020B

MSD				Sample ID: 20121813-10DMSD			Units: mg/L		Analysis Date: 12/30/2020 09:37 PM		
Client ID:		Run ID: ICPMS4_201230A			SeqNo: 7043032		Prep Date: 12/30/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Antimony	0.09824	0.0050	0.1	0.000041	98.2	75-125	0.09845	0.211	20		
Arsenic	0.09954	0.0050	0.1	0.00021	99.3	75-125	0.1005	0.917	20		
Barium	0.1229	0.0050	0.1	0.02584	97	75-125	0.125	1.7	20		
Beryllium	0.1039	0.0020	0.1	0.002214	102	75-125	0.1046	0.636	20		
Boron	0.517	0.020	0.5	0.056	92.2	75-125	0.5169	0.0288	20		
Cadmium	0.1044	0.0020	0.1	0.005454	99	75-125	0.1056	1.11	20		
Calcium	34.42	0.50	10	25.15	92.7	75-125	34.88	1.31	20		
Chromium	0.09402	0.0050	0.1	0.000785	93.2	75-125	0.09457	0.58	20		
Cobalt	0.2727	0.0050	0.1	0.1806	92.2	75-125	0.2768	1.48	20		
Iron	9.402	0.080	10	0.143	92.6	75-125	9.488	0.913	20		
Lead	0.0969	0.0050	0.1	0.001591	95.3	75-125	0.09729	0.394	20		
Lithium	0.1057	0.010	0.1	0.006549	99.1	75-125	0.107	1.23	20		
Magnesium	24.72	0.20	10	15.27	94.4	75-125	24.92	0.809	20		
Molybdenum	0.09638	0.0050	0.1	0.000386	96	75-125	0.0977	1.36	20		
Potassium	12.71	0.20	10	3.03	96.8	75-125	12.88	1.33	20		
Selenium	0.09719	0.0050	0.1	0.001894	95.3	75-125	0.09792	0.75	20		
Sodium	70.5	0.20	10	61.63	88.7	75-125	71.55	1.48	20	O	
Thallium	0.09051	0.0050	0.1	0.000106	90.4	75-125	0.09151	1.1	20		

MSD				Sample ID: 20121813-01DMSD			Units: mg/L		Analysis Date: 12/31/2020 05:22 PM		
Client ID:		Run ID: ICPMS4_201231A			SeqNo: 7046544		Prep Date: 12/30/2020		DF: 10		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Manganese	4.164	0.050	0.1	3.949	215	75-125	3.991	4.26	20	SO	

MSD				Sample ID: 20121813-10DMSD			Units: mg/L		Analysis Date: 12/31/2020 05:41 PM		
Client ID:		Run ID: ICPMS4_201231A			SeqNo: 7046556		Prep Date: 12/30/2020		DF: 10		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Manganese	4.094	0.050	0.1	3.865	229	75-125	4.091	0.0533	20	SO	

The following samples were analyzed in this batch: 20121752-01A 20121752-02A 20121752-03A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **169727** Instrument ID **TDS** Method: **A2540 C-11**

MBLK	Sample ID: MBLK-169727-169727				Units: mg/L		Analysis Date: 12/23/2020 02:50 PM			
Client ID:	Run ID: TDS_201223B			SeqNo: 7021476		Prep Date: 12/22/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids ND 30

LCS	Sample ID: LCS-169727-169727				Units: mg/L		Analysis Date: 12/23/2020 02:50 PM			
Client ID:	Run ID: TDS_201223B			SeqNo: 7021475		Prep Date: 12/22/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids 476 30 495 0 96.2 85-109 0

DUP	Sample ID: 20121752-03B DUP				Units: mg/L		Analysis Date: 12/23/2020 02:50 PM			
Client ID: DB	Run ID: TDS_201223B			SeqNo: 7021469		Prep Date: 12/22/2020		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids 1940 300 0 0 0 0-0 2100 7.92 10

The following samples were analyzed in this batch: 20121752-01B 20121752-02B 20121752-03B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **R306910** Instrument ID **Titrator 1** Method: **A2320 B-11**

MBLK		Sample ID: MB-R306910-R306910				Units: mg/L		Analysis Date: 12/29/2020 11:55 AM		
Client ID:		Run ID: TITRATOR 1_201229A				SeqNo: 7033262		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	ND	10								
Alkalinity, Carbonate (as CaCO3)	ND	10								
Alkalinity, Hydroxide (as CaCO3)	ND	10								
Alkalinity, Phenolphthalein (as CaCO3)	ND	10								
Alkalinity, Total (as CaCO3)	ND	10								

LCS		Sample ID: LCS-R306910-R306910				Units: mg/L		Analysis Date: 12/29/2020 11:55 AM		
Client ID:		Run ID: TITRATOR 1_201229A				SeqNo: 7033263		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Carbonate (as CaCO3)	923.7	10	925	0	99.9	88-110	0			
Alkalinity, Total (as CaCO3)	996.2	10	1000	0	99.6	89-103	0			

DUP		Sample ID: 20121803-01E DUP				Units: mg/L		Analysis Date: 12/29/2020 11:55 AM		
Client ID:		Run ID: TITRATOR 1_201229A				SeqNo: 7033273		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	219.1	10	0	0	0	0-0	224.9	2.6	10	
Alkalinity, Carbonate (as CaCO3)	ND	10	0	0	0	0-0	0	0	10	

DUP		Sample ID: 20121990-05A DUP				Units: mg/L		Analysis Date: 12/29/2020 11:55 AM		
Client ID:		Run ID: TITRATOR 1_201229A				SeqNo: 7033276		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (as CaCO3)	66.2	10	0	0	0	0-0	62.95	5.03	10	

DUP		Sample ID: 20122120-08C DUP				Units: mg/L		Analysis Date: 12/29/2020 11:55 AM		
Client ID:		Run ID: TITRATOR 1_201229A				SeqNo: 7033278		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (as CaCO3)	127.7	10	0	0	0	0-0	127.9	0.11	10	

The following samples were analyzed in this batch: 20121752-01B 20121752-02B 20121752-03B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **R306912** Instrument ID **Titrator 1** Method: **A4500-H B-11**

LCS		Sample ID: LCS-R306912-R306912				Units: s.u.		Analysis Date: 12/29/2020 11:55 AM			
Client ID:		Run ID: TITRATOR 1_201229B				SeqNo: 7033301		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

pH (laboratory) 3.99 0.10 4 0 99.8 92-108 0

LCS		Sample ID: LCS-R306912-R306912				Units: s.u.		Analysis Date: 12/29/2020 11:55 AM			
Client ID:		Run ID: TITRATOR 1_201229B				SeqNo: 7033308		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

pH (laboratory) 3.99 0.10 4 0 99.8 92-108 0

DUP		Sample ID: 20122120-08C DUP				Units: s.u.		Analysis Date: 12/29/2020 11:55 AM			
Client ID:		Run ID: TITRATOR 1_201229B				SeqNo: 7033305		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

pH (laboratory) 8.05 0.10 0 0 0 0-0 7.99 0.748 5 H

Temperature 20.95 0.10 0 0 0 0-0 20.76 0.911 H

DUP		Sample ID: 20121990-05A DUP				Units: s.u.		Analysis Date: 12/29/2020 11:55 AM			
Client ID:		Run ID: TITRATOR 1_201229B				SeqNo: 7033315		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

pH (laboratory) 7.51 0.10 0 0 0 0-0 7.56 0.664 5 H

Temperature 20.63 0.10 0 0 0 0 19.96 3.3 H

The following samples were analyzed in this batch:

20121752-01B	20121752-02B	20121752-03B
--------------	--------------	--------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **R307142** Instrument ID **IC3** Method: **SW9056A**

MBLK		Sample ID: MBLK-R307142				Units: mg/L		Analysis Date: 12/30/2020 04:56 PM			
Client ID:		Run ID: IC3_201230A				SeqNo: 7043048		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	ND	1.0									
Fluoride	ND	0.10									

LCS		Sample ID: LCS-R307142				Units: mg/L		Analysis Date: 12/30/2020 05:15 PM			
Client ID:		Run ID: IC3_201230A				SeqNo: 7043049		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	9.321	1.0	10	0	93.2	88-110	0				
Fluoride	2.135	0.10	2	0	107	82-116	0				

MS		Sample ID: 20122223-01D MS				Units: mg/L		Analysis Date: 12/31/2020			
Client ID:		Run ID: IC3_201230A				SeqNo: 7043070		Prep Date:		DF: 40	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	405	40	400	28.42	94.1	88-110	0				
Fluoride	84.26	4.0	80	0	105	82-116	0				

MSD		Sample ID: 20122223-01D MSD				Units: mg/L		Analysis Date: 12/31/2020 12:19 AM			
Client ID:		Run ID: IC3_201230A				SeqNo: 7043071		Prep Date:		DF: 40	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	406.1	40	400	28.42	94.4	88-110	405	0.286	20		
Fluoride	83.74	4.0	80	0	105	82-116	84.26	0.614	20		

The following samples were analyzed in this batch: 20121752-01B 20121752-02B 20121752-03B

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **R307145** Instrument ID **IC4** Method: **SW9056A**

MBLK		Sample ID: MBLK-R307145				Units: mg/L		Analysis Date: 12/30/2020 01:43 PM		
Client ID:		Run ID: IC4_201230A		SeqNo: 7043217		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	ND	1.0								
Sulfate	ND	1.0								

LCS		Sample ID: LCS-R307145				Units: mg/L		Analysis Date: 12/30/2020 02:39 PM		
Client ID:		Run ID: IC4_201230A		SeqNo: 7043218		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	9.353	1.0	10	0	93.5	88-110	0			
Sulfate	9.647	1.0	10	0	96.5	90-110	0			

MS		Sample ID: 20121752-03B MS				Units: mg/L		Analysis Date: 12/30/2020 07:14 PM		
Client ID: DB		Run ID: IC4_201230A		SeqNo: 7043233		Prep Date:		DF: 20		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	228.2	20	200	42.57	92.8	88-110	0			
Sulfate	1470	20	200	1251	109	90-110	0			EO

MSD		Sample ID: 20121752-03B MSD				Units: mg/L		Analysis Date: 12/30/2020 07:34 PM		
Client ID: DB		Run ID: IC4_201230A		SeqNo: 7043234		Prep Date:		DF: 20		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	229.3	20	200	42.57	93.4	88-110	228.2	0.476	20	
Sulfate	1480	20	200	1251	114	90-110	1470	0.669	20	SEO

The following samples were analyzed in this batch:

20121752-01B	20121752-02B	20121752-03B
--------------	--------------	--------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 20121752
 Project: DTE- Belle River (GLP-8017)

QC BATCH REPORT

Batch ID: **R307276** Instrument ID **IC3** Method: **SW9056A**

MBLK		Sample ID: MBLK-R307276				Units: mg/L		Analysis Date: 12/31/2020 01:42 PM			
Client ID:		Run ID: IC3_201231A				SeqNo: 7047811		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sulfate	ND	1.0									

LCS		Sample ID: LCS-R307276				Units: mg/L		Analysis Date: 12/31/2020 02:01 PM			
Client ID:		Run ID: IC3_201231A				SeqNo: 7047812		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sulfate	9.654	1.0	10	0	96.5	90-110	0				

MS		Sample ID: 20122530-06A MS				Units: mg/L		Analysis Date: 12/31/2020 06:35 PM			
Client ID:		Run ID: IC3_201231A				SeqNo: 7047826		Prep Date:		DF: 40	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sulfate	424.4	40	400	43.11	95.3	90-110	0				

MSD		Sample ID: 20122530-06A MSD				Units: mg/L		Analysis Date: 12/31/2020 06:54 PM			
Client ID:		Run ID: IC3_201231A				SeqNo: 7047827		Prep Date:		DF: 40	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sulfate	425.5	40	400	43.11	95.6	90-110	424.4	0.255	20		

The following samples were analyzed in this batch:

20121752-01B	20121752-03B
--------------	--------------

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



Chain of Custody Form

Page 1 of 1

ALS Environmental
 3352 128th Avenue
 Holland, Michigan 49424
 (Tel) 616.399.6070
 (Fax) 616.399.6185

20121752

Customer Information			Project Information				Parameter/Method Request for Analysis										
Purchase Order		Project Name	DTE Belle River		A	Metals											
Work Order		Project Number	GLP 8017		B	pH, Anions, TDS, Alkalinity											
Company Name	Geosyntec Consultants	Bill To Company	Geosyntec Consultants		C												
Send Report To	Michael Coram	Invoice Attn.	Michael Coram		D												
Address	2100 Commonwealth Blvd.	Address	2100 Commonwealth Blvd.		E												
	Suite 100		Suite 100		F												
City/State/Zip	Ann Arbor, MI 48105	City/State/Zip	Ann Arbor, MI 48105		G												
Phone	734-794-1547	Phone	734-794-1547		H												
Fax	734-332-8063	Fax	734-332-8063		I												
e-Mail Address					J												
No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	BAB-E	12/16/2020	3:00	GW	2	2	x	x									
2	BAB-W	12/16/2020	2:00	GW	2	2	x	x									
3	DB	12/16/2020	4:00	GW	2	2	x	x									
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	

Sampler(s): Please Print & Sign <i>Mike Coram</i>		Shipment Method: Carrier <i>FedEx</i>		Turnaround Time: (Business Days) <input checked="" type="checkbox"/> 10 BD <input type="checkbox"/> 5 BD <input type="checkbox"/> 3 BD <input type="checkbox"/> 2 BD <input type="checkbox"/> 1 BD <input type="checkbox"/> Other _____				Results Due Date:	
Relinquished by: <i>[Signature]</i>	Date: 12/17	Time: 3:00	Received by:	Date:	Time:	Notes: Separate Report			
Relinquished by: <i>Fedex</i>	Date: 12/18/20	Time: 10:00	Received by (Laboratory): <i>[Signature]</i>	Date:	Time:	ALS Cooler ID	Cooler Temp	QC Package: (Check Box Below)	
Logged by (Laboratory): <i>MTG</i>	Date: 12/18/20	Time: 13:46	Checked by (Laboratory): <i>[Signature]</i>				5.8°C	<input type="checkbox"/> TRRP LRC	<input type="checkbox"/> TRRP Level IV
							PA23	<input type="checkbox"/> Level II: Standard QC	<input type="checkbox"/> Level III: Raw Data
								<input type="checkbox"/> Level IV: SW846 Methods/CLP like	
								<input type="checkbox"/> Other: _____	

Sample Receipt Checklist

Client Name: **GEOSYNTEC - AA**

Date/Time Received: **18-Dec-20 10:00**

Work Order: **20121752**

Received by: **MJG**

Checklist completed by Matthew Gaylord 18-Dec-20
eSignature Date

Reviewed by: Chad Whelton 18-Dec-20
eSignature Date

Matrices: Groundwater

Carrier name: FedEx

Shipping container/cooler in good condition? Yes No Not Present

Custody seals intact on shipping container/cooler? Yes No Not Present

Custody seals intact on sample bottles? Yes No Not Present

Chain of custody present? Yes No

Chain of custody signed when relinquished and received? Yes No

Chain of custody agrees with sample labels? Yes No

Samples in proper container/bottle? Yes No

Sample containers intact? Yes No

Sufficient sample volume for indicated test? Yes No

All samples received within holding time? Yes No

Container/Temp Blank temperature in compliance? Yes No

Sample(s) received on ice? Yes No

Temperature(s)/Thermometer(s): 5.8/5.8C IR1

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage: 12/18/2020 1:47:53 PM

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:



Tuesday, January 19, 2021

Michael Coram
Geosyntec Consultants
2100 Commonwealth Blvd. Suite 100
Ann Arbor, MI 48105

Re: ALS Workorder: 2012397
Project Name: DTE - Belle River
Project Number: GLP-8017

Dear Mr. Coram:

Three water samples were received from Geosyntec Consultants, on 12/18/2020. The samples were scheduled for the following analyses:

Radium-226

Radium-228

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Julie Ellingson
Project Manager

Accreditations: ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
California (CA)	2926
Colorado (CO)	CO01099
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
PJ-LA (DoD ELAP/ISO 170250)	95377
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO010992018-1
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	TN02976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280

40 CFR Part 136: All analyses for Clean Water Act samples are analyzed using the 40 CFR Part 136 specified method and include all the QC requirements.



2012397

Radium-228:

The samples were analyzed for the presence of ^{228}Ra by low background gas flow proportional counting of ^{228}Ac , which is the ingrown progeny of ^{228}Ra , according to the current revision of SOP 724.

All remaining acceptance criteria were met.

Radium-226:

The samples were prepared and analyzed according to the current revision of SOP 783.

Sample 2012397-2 has a calculated yield as determined by ICP-AES above the 110% control limit at 132%. It is believed that there was native barium present in the sediment portion of the sample that was unaccounted for in the initial ICP aliquot. The result has been calculated conservatively, assuming a quantitative yield of 100%. This sample is identified with a "Y2" flag in the final reports, and the results are submitted without further qualification.

All remaining acceptance criteria were met.

ALS -- Fort Collins

Sample Number(s) Cross-Reference Table

OrderNum: 2012397

Client Name: Geosyntec Consultants

Client Project Name: DTE - Belle River

Client Project Number: GLP-8017

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
BAB-E	2012397-1		WATER	16-Dec-20	15:00
BAB-W	2012397-2		WATER	16-Dec-20	14:00
DB	2012397-3		WATER	16-Dec-20	16:00



Cincinnati, OH
+1 513 733 5336
Everett, WA
+1 425 356 2600

Fort Collins, CO
+1 970 490 1511
Holland, MI
+1 616 399 6070

Houston, TX
+1 281 530 5656
Middletown, PA
+1 717 944 5541
Spring City, PA
+1 610 948 4903
Salt Lake City, UT
+1 801 266 7700
South Charleston, WV
+1 304 356 3168
York, PA
+1 717 505 5280

Chain of Custody Form
Page 1 of 1
COC ID: 230240
ALS Work Order #: 33730

Parameter/Method Request for Analysis: Radium 226 and 228 combined

Purchase Order	Project Name	Project Information
Work Order	Project Number	ALS Project Manager:
Company Name	Bill To Company	Project Name
Send Report To	Invoice Attn	Project Number
Address	Address	Geosyntec Consultants
City/State/Zip	City/State/Zip	Michael Coram
Phone	Phone	2100 Commonwealth Blvd
Fax	Fax	Suite 100
e-Mail Address	e-Mail Address	Ann Arbor MI 48105

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	BAB-F	12/16	3:00	SW	2	2	X										
2	BAB-W	12/16	2:00	SW	2	2	X										
3	DB	12/16	4:00	SW	2	2	X										
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign
Mike Coram

Shipment Method
Fed Ex

Required Turnaround Time: (Check Box)
 Std. 10 WK. Days
 5 WK. Days
 24 Hour
 Other

Results Due Date:

Relinquished by: [Signature] **Date:** 12/17 **Time:** 3:00

Received by (Laboratory): [Signature] **Date:** [] **Time:** []

Checked by (Laboratory): [] **Date:** [] **Time:** []

QC Package: (Check One Box Below)
 Level III Std. CC
 Level III Std. CC/Pres. Data
 Level IV SW/826-CLP
 Other

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client Name/ID:

Geosyntec MI

Workorder No:

2012397

Project Manager:

Initials:

RGA

Date: 12/18/2020

1. Are airbills / shipping documents present and/or removable?	<input type="checkbox"/> Drop Off	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
2. Are custody seals on shipping containers intact?	<input type="checkbox"/> NONE	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
3. Are custody seals on sample containers intact?	<input checked="" type="checkbox"/> NONE	<input type="checkbox"/> YES	<input type="checkbox"/> NO*
4. Is there a COC (chain-of-custody) present?		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
5. Is the COC in agreement with samples received? (IDs, dates, times, # of samples, # of containers, matrix, requested analyses, etc.)		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
6. Are short-hold samples present?		<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
7. Are all samples within holding times for the requested analyses?		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
8. Were all sample containers received intact? (not broken or leaking)		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
9. Is there sufficient sample for the requested analyses?		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
10. Are samples in proper containers for requested analyses? (form 250, <i>Sample Handling Guidelines</i>)		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO*
11. Are all aqueous samples preserved correctly, if required?	<input type="checkbox"/> N/A	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO*
12. Were unpreserved samples pH checked, if required?	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> YES	<input type="checkbox"/> NO
13. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, radon) free of bubbles > 6 mm in diameter?	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> YES	<input type="checkbox"/> NO
14. Were the samples shipped on ice?		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
15. Were cooler temperatures measured at 0.1 - 6.0°C?	IR gun used: <input type="checkbox"/> #3 <input checked="" type="checkbox"/> #5	<input type="checkbox"/> Rad Only	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO

Cooler #: 1

Temperature (°C): 3.2

of custody seals on cooler: 1

External mR/hr reading: 12

Background mR/hr reading: 9

Were external mR/hr readings ≤ two times background and within DOT acceptance criteria? (If no, see Form 008)

N/A YES NO

* Please provide details below for 'NO' responses in gray boxes above - for 2 thru 5 & 7 thru 12, notify PM & continue w/ login.

11) Sample 2012397-1-2 had a pH of 4, 0.5mL of HNO3 was added to achieve a pH<2

All client bottle ID's vs ALS lab ID's double-checked by: RGA

If applicable, was the client contacted? YES N/A

Contact Name

Date:

Project Manager Signature / Date:

RGA 12/21/20

ORIGIN ID:DEDA (248) 390-5748
MIKE CORAM

SUITE 100
2100 COMMONWEALTH BLVD STE 100
ANN ARBOR, MI 48105
UNITED STATES US

SHIP DATE: 17DEC20
ACTWT: 56.90 LB
CAD: 6997566/SSFO2121
DIMS: 25x14x13 IN

BILL THIRD PARTY

Part # 159297-355 RHD8 Exp 11/21

TO **ALS FT. COLLINS**
ATTN: SAMPLE RECEIVING
225 COMMERCE DR

12-1
3.2


FORT COLLINS CO 80524

(616) 682-5201

REF:

THU:

DEPT:



FedEx
Express




14107-10002027

TRK# 7816 0264 9731
0201

FRI - 18 DEC 10:30A
PRIORITY OVERNIGHT

NA FTCA

DSR
80524
CO-US DEN



Client: Geosyntec Consultants
Project: GLP-8017 DTE - Belle River
Sample ID: BAB-E
Legal Location:
Collection Date: 12/16/2020 15:00

Date: 19-Jan-21
Work Order: 2012397
Lab ID: 2012397-1
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Radium-226 by Radon Emanation - Method 903.1						
			SOP 783		Prep Date: 1/4/2021	PrepBy: TRB
Ra-226	0.57 (+/- 0.35)	Y1	0.41	pCi/l	NA	1/12/2021 11:32
<i>Carr: BARIUM</i>	101	Y1	40-110	%REC	DL = NA	1/12/2021 11:32
Radium-228 Analysis by GFPC						
			SOP 724		Prep Date: 1/11/2021	PrepBy: RGS
COMBINED RADIUM (226+228)	1.49 (+/- 0)		0.78	pCi/l	NA	1/15/2021 07:48
Ra-228	0.92 (+/- 0.45)		0.78	pCi/l	NA	1/15/2021 07:48
<i>Carr: BARIUM</i>	99.2		40-110	%REC	DL = NA	1/15/2021 07:48

Client: Geosyntec Consultants
Project: GLP-8017 DTE - Belle River
Sample ID: BAB-W
Legal Location:
Collection Date: 12/16/2020 14:00

Date: 19-Jan-21
Work Order: 2012397
Lab ID: 2012397-2
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Radium-226 by Radon Emanation - Method 903.1						
			SOP 783		Prep Date: 1/4/2021	PrepBy: TRB
Ra-226	1.78 (+/- 0.66)	Y2	0.3	pCi/l	NA	1/12/2021 11:32
<i>Carr: BARIUM</i>	132	Y2	40-110	%REC	DL = NA	1/12/2021 11:32
Radium-228 Analysis by GFPC						
			SOP 724		Prep Date: 1/11/2021	PrepBy: RGS
COMBINED RADIUM (226+228)	1.78 (+/- 0)		1.32	pCi/l	NA	1/15/2021 07:48
Ra-228	ND (+/- 0.69)	U,M	1.32	pCi/l	NA	1/15/2021 07:48
<i>Carr: BARIUM</i>	57		40-110	%REC	DL = NA	1/15/2021 07:48

Client: Geosyntec Consultants
Project: GLP-8017 DTE - Belle River
Sample ID: DB
Legal Location:
Collection Date: 12/16/2020 16:00

Date: 19-Jan-21
Work Order: 2012397
Lab ID: 2012397-3
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Radium-226 by Radon Emanation - Method 903.1						
			SOP 783		Prep Date: 1/4/2021	PrepBy: TRB
Ra-226	ND (+/- 0.21)	U	0.3	pCi/l	NA	1/12/2021 11:32
Carr: BARIUM	95		40-110	%REC	DL = NA	1/12/2021 11:32
Radium-228 Analysis by GFPC						
			SOP 724		Prep Date: 1/11/2021	PrepBy: RGS
COMBINED RADIUM (226+228)	ND (+/- 0)	U	1.8	pCi/l	NA	1/15/2021 07:48
Ra-228	ND (+/- 0.83)	U,M	1.8	pCi/l	NA	1/15/2021 07:48
Carr: BARIUM	45		40-110	%REC	DL = NA	1/15/2021 07:48

Client: Geosyntec Consultants
Project: GLP-8017 DTE - Belle River
Sample ID: DB
Legal Location:
Collection Date: 12/16/2020 16:00

Date: 19-Jan-21
Work Order: 2012397
Lab ID: 2012397-3
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

- "Report Limit" is the MDC
- U or ND - Result is less than the sample specific MDC.
- Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
- Y2 - Chemical Yield outside default limits.
- W - DER is greater than Warning Limit of 1.42
- * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
- # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
- G - Sample density differs by more than 15% of LCS density.
- D - DER is greater than Control Limit
- M - Requested MDC not met.
- M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
- L - LCS Recovery below lower control limit.
- H - LCS Recovery above upper control limit.
- P - LCS, Matrix Spike Recovery within control limits.
- N - Matrix Spike Recovery outside control limits
- NC - Not Calculated for duplicate results less than 5 times MDC
- B - Analyte concentration greater than MDC.
- B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

- B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
- U or ND - Indicates that the compound was analyzed for but not detected.
- E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
- M - Duplicate injection precision was not met.
- N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
- Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
- * - Duplicate analysis (relative percent difference) not within control limits.
- S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

- U or ND - Indicates that the compound was analyzed for but not detected.
- B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
- E - Analyte concentration exceeds the upper level of the calibration range.
- J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
- A - A tentatively identified compound is a suspected aldol-condensation product.
- X - The analyte was diluted below an accurate quantitation level.
- * - The spike recovery is equal to or outside the control criteria used.
- + - The relative percent difference (RPD) equals or exceeds the control criteria.
- G - A pattern resembling gasoline was detected in this sample.
- D - A pattern resembling diesel was detected in this sample.
- M - A pattern resembling motor oil was detected in this sample.
- C - A pattern resembling crude oil was detected in this sample.
- 4 - A pattern resembling JP-4 was detected in this sample.
- 5 - A pattern resembling JP-5 was detected in this sample.
- H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
- L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
- Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:
 - gasoline
 - JP-8
 - diesel
 - mineral spirits
 - motor oil
 - Stoddard solvent
 - bunker C

ALS -- Fort Collins

Date: 1/19/2021 1:00:4

Client: Geosyntec Consultants

QC BATCH REPORT

Work Order: 2012397

Project: GLP-8017 DTE - Belle River

Batch ID: RE210104-1-3

Instrument ID: Alpha Scin

Method: Radium-226 by Radon Emanation

LCS		Sample ID: RE210104-1			Units: pCi/l		Analysis Date: 1/12/2021 12:16				
Client ID:		Run ID: RE210104-1A					Prep Date: 1/4/2021		DF: NA		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	DER Ref Value	DER	DER Limit	Qual
Ra-226	46 (+/- 12)	0	46.8		98.8	67-120					P
Carr: BARIUM	15230		15490		98.3	40-110					

MB		Sample ID: RE210104-1			Units: pCi/l		Analysis Date: 1/12/2021 12:16				
Client ID:		Run ID: RE210104-1A					Prep Date: 1/4/2021		DF: NA		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	DER Ref Value	DER	DER Limit	Qual
Ra-226	ND	0.31									U
Carr: BARIUM	15370		15490		99.2	40-110					

The following samples were analyzed in this batch:

2012397-1	2012397-2	2012397-3
-----------	-----------	-----------

Client: Geosyntec Consultants
 Work Order: 2012397
 Project: GLP-8017 DTE - Belle River

QC BATCH REPORT

Batch ID: RA210111-1-5 Instrument ID: GASPROP Method: Radium-228 Analysis by GFPC

LCS		Sample ID: RA210111-1	Units: ug				Analysis Date: 1/15/2021 07:48				
Client ID:		Run ID: RA210111-1A			Prep Date: 1/11/2021			DF: NA			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	DER Ref Value	DER	DER Limit	Qual
Carr: BARIUM	34290		36030		95.2	40-110					
Ra-228	17.3 (+/- 4.1)	0.7	22.86		75.6	70-130					P

LCSD		Sample ID: RA210111-1	Units: ug				Analysis Date: 1/15/2021 07:48				
Client ID:		Run ID: RA210111-1A			Prep Date: 1/11/2021			DF: NA			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	DER Ref Value	DER	DER Limit	Qual
Carr: BARIUM	33960		36030		94.2	40-110		34290			
Ra-228	22.7 (+/- 5.3)	0.7	22.86		99.3	70-130		17.3	0.81	2.13	P

MB		Sample ID: RA210111-1	Units: ug				Analysis Date: 1/15/2021 07:48				
Client ID:		Run ID: RA210111-1A			Prep Date: 1/11/2021			DF: NA			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	DER Ref Value	DER	DER Limit	Qual
Carr: BARIUM	34280		36150		94.8	40-110					
Ra-228	ND	0.77									U

The following samples were analyzed in this batch: 2012397-1 2012397-2 2012397-3



25-Oct-2021

Michael Coram
Geosyntec Consultants
2100 Commonwealth Blvd.
Suite 100
Ann Arbor, MI 48105

Re: **GLP8017**

Work Order: **21101019**

Dear Michael,

ALS Environmental received 2 samples on 12-Oct-2021 10:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 18.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA
PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Sincerely,

A handwritten signature in black ink, appearing to read "Chad Whelton", is written over a light blue horizontal line.

Electronically approved by: Chad Whelton

Chad Whelton
Project Manager

Report of Laboratory Analysis

Certificate No: MN 026-999-449

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental ALS

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: Geosyntec Consultants
Project: GLP8017
Work Order: 21101019

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
21101019-01	DB-1-20211008	Liquid		10/8/2021 12:00	10/12/2021 10:00	<input type="checkbox"/>
21101019-02	DB-2-20211008	Liquid		10/8/2021 12:00	10/12/2021 10:00	<input type="checkbox"/>

Client: Geosyntec Consultants
Project: GLP8017
Work Order: 21101019

Case Narrative

Samples for the above noted Work Order were received on 10/12/2021. The attached "Sample Receipt Checklist" documents the status of custody seals, container integrity, preservation, and temperature compliance.

Samples were analyzed according to the analytical methodology previously transmitted in the "Work Order Acknowledgement". Methodologies are also documented in the "Analytical Result" section for each sample. Quality control results are listed in the "QC Report" section. Sample association for the reported quality control is located at the end of each batch summary. If applicable, results are appropriately qualified in the Analytical Result and QC Report sections. The "Qualifiers" section documents the various qualifiers, units, and acronyms utilized in reporting. A copy of the laboratory's scope of accreditation is available upon request.

With the following exceptions, all sample analyses achieved analytical criteria.

Metals:

No other deviations or anomalies were noted.

Wet Chemistry:

Batch R329582, Method SW9040C, Sample DB-2-20211008 (21101019-02A): pH is considered a "field test" and, as such, the recommended sample holding time expired prior to sample receipt.

Batch R329231, Method SW9056A, Sample 21101019-02A MS: The MS recovery was below the lower control limit. However, the MSD recovery and the RPD between the MS and MSD were within control limits. No qualification is required for this analyte: Sulfate.

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
Hr	BOD/CBOD - Sample was reset outside Hold Time, value should be considered estimated.
J	Analyte is present at an estimated concentration between the MDL and Report Limit
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
°C	Degrees Celcius
mg/L	Milligrams per Liter
s.u.	Standard Units

ALS Group, USA

Date: 25-Oct-2021

Client: Geosyntec Consultants

Project: GLP8017

Work Order: 21101019

Sample ID: DB-1-20211008

Lab ID: 21101019-01

Collection Date: 10/8/2021 12:00 PM

Matrix: LIQUID

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
MERCURY BY CVAA			SW7470A		Prep: SW7470 10/20/21 12:36	Analyst: EJC
Mercury	ND		0.00020	mg/L	1	10/20/2021 02:07 PM
METALS BY ICP-MS			SW6020B		Prep: SW3015A 10/21/21 13:54	Analyst: STP
Antimony	ND		0.0050	mg/L	1	10/21/2021 06:21 PM
Arsenic	0.0074		0.0050	mg/L	1	10/21/2021 06:21 PM
Barium	1.2		0.0050	mg/L	1	10/21/2021 06:21 PM
Beryllium	ND		0.0020	mg/L	1	10/21/2021 06:21 PM
Boron	1.1		0.020	mg/L	1	10/21/2021 06:21 PM
Cadmium	ND		0.0020	mg/L	1	10/21/2021 06:21 PM
Calcium	86		0.50	mg/L	1	10/21/2021 06:21 PM
Chromium	0.012		0.0050	mg/L	1	10/21/2021 06:21 PM
Cobalt	ND		0.0050	mg/L	1	10/21/2021 06:21 PM
Iron	3.6		0.080	mg/L	1	10/21/2021 06:21 PM
Lead	ND		0.0050	mg/L	1	10/21/2021 06:21 PM
Lithium	0.038		0.010	mg/L	1	10/21/2021 06:21 PM
Magnesium	17		0.20	mg/L	1	10/21/2021 06:21 PM
Manganese	0.078		0.0050	mg/L	1	10/21/2021 06:21 PM
Molybdenum	0.053		0.0050	mg/L	1	10/21/2021 06:21 PM
Potassium	7.1		0.20	mg/L	1	10/21/2021 06:21 PM
Selenium	0.0088		0.0050	mg/L	1	10/21/2021 06:21 PM
Sodium	170		0.20	mg/L	1	10/21/2021 06:21 PM
Thallium	ND		0.0050	mg/L	1	10/21/2021 06:21 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 25-Oct-2021

Client: Geosyntec Consultants

Project: GLP8017

Work Order: 21101019

Sample ID: DB-2-20211008

Lab ID: 21101019-02

Collection Date: 10/8/2021 12:00 PM

Matrix: LIQUID

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ALKALINITY			A2320 B-11			Analyst: MP
Alkalinity, Bicarbonate (as CaCO3)	85		10	mg/L	1	10/17/2021 08:56 AM
Alkalinity, Carbonate (as CaCO3)	32		10	mg/L	1	10/17/2021 08:56 AM
Alkalinity, Hydroxide (as CaCO3)	ND		10	mg/L	1	10/17/2021 08:56 AM
Alkalinity, Phenolphthalein (as CaCO3)	16		10	mg/L	1	10/17/2021 08:56 AM
Alkalinity, Total (as CaCO3)	120		10	mg/L	1	10/17/2021 08:56 AM
ANIONS BY ION CHROMATOGRAPHY			SW9056A			Analyst: QTN
Chloride	15		1.0	mg/L	1	10/15/2021 02:48 PM
Fluoride	1.2		0.10	mg/L	1	10/15/2021 02:48 PM
Sulfate	410		100	mg/L	100	10/18/2021 10:17 PM
PH (LABORATORY)			SW9040C			Analyst: KNC
pH (laboratory)	8.54	H	0.10	s.u.	1	10/22/2021 07:40 AM
Temperature	19.5	H	0.10	°C	1	10/22/2021 07:40 AM
TOTAL DISSOLVED SOLIDS			A2540 C-11		Prep: FILTER 10/13/21 19:13	Analyst: SRN
Total Dissolved Solids	780		50	mg/L	1	10/16/2021 12:24 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Geosyntec Consultants
Work Order: 21101019
Project: GLP8017

QC BATCH REPORT

Batch ID: **185786** Instrument ID **HG4** Method: **SW7470A**

MBLK		Sample ID: MBLK-185786-185786				Units: mg/L		Analysis Date: 10/20/2021 02:04 PM		
Client ID:		Run ID: HG4_211020A		SeqNo: 7857537		Prep Date: 10/20/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	ND	0.00020								

LCS		Sample ID: LCS-185786-185786				Units: mg/L		Analysis Date: 10/20/2021 02:06 PM		
Client ID:		Run ID: HG4_211020A		SeqNo: 7857538		Prep Date: 10/20/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	0.00216	0.00020	0.002	0	108	80-120	0			

MS		Sample ID: 21101357-03AMS				Units: mg/L		Analysis Date: 10/20/2021 02:18 PM		
Client ID:		Run ID: HG4_211020A		SeqNo: 7857545		Prep Date: 10/20/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	0.02115	0.0020	0.02	0.000855	101	75-125	0			

MSD		Sample ID: 21101357-03AMSD				Units: mg/L		Analysis Date: 10/20/2021 02:20 PM		
Client ID:		Run ID: HG4_211020A		SeqNo: 7857546		Prep Date: 10/20/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Mercury	0.0216	0.0020	0.02	0.000855	104	75-125	0.02115	2.11	20	

The following samples were analyzed in this batch: 21101019-01A

Client: Geosyntec Consultants

Work Order: 21101019

Project: GLP8017

QC BATCH REPORT

Batch ID: 185871

Instrument ID ICPMS3

Method: SW6020B

MBLK		Sample ID: MBLK-185871-185871			Units: mg/L		Analysis Date: 10/21/2021 06:18 PM			
Client ID:		Run ID: ICPMS3_211021A			SeqNo: 7861718		Prep Date: 10/21/2021		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	ND	0.0050								
Arsenic	ND	0.0050								
Barium	ND	0.0050								
Beryllium	ND	0.0020								
Boron	ND	0.020								
Cadmium	ND	0.0020								
Calcium	ND	0.50								
Chromium	ND	0.0050								
Cobalt	ND	0.0050								
Iron	ND	0.080								
Lead	ND	0.0050								
Lithium	ND	0.010								
Magnesium	ND	0.20								
Manganese	ND	0.0050								
Molybdenum	ND	0.0050								
Potassium	ND	0.20								
Selenium	ND	0.0050								
Sodium	ND	0.20								
Thallium	ND	0.0050								

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: 185871 Instrument ID ICPMS3 Method: SW6020B

LCS		Sample ID: LCS-185871-185871				Units: mg/L		Analysis Date: 10/21/2021 06:19 PM		
Client ID:		Run ID: ICPMS3_211021A			SeqNo: 7861719		Prep Date: 10/21/2021		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	0.093	0.0050	0.1	0	93	80-120	0			
Arsenic	0.09654	0.0050	0.1	0	96.5	80-120	0			
Barium	0.09588	0.0050	0.1	0	95.9	80-120	0			
Beryllium	0.09096	0.0020	0.1	0	91	80-120	0			
Boron	0.4985	0.020	0.5	0	99.7	80-120	0			
Cadmium	0.0967	0.0020	0.1	0	96.7	80-120	0			
Calcium	9.653	0.50	10	0	96.5	80-120	0			
Chromium	0.1048	0.0050	0.1	0	105	80-120	0			
Cobalt	0.1052	0.0050	0.1	0	105	80-120	0			
Iron	9.984	0.080	10	0	99.8	80-120	0			
Lead	0.09388	0.0050	0.1	0	93.9	80-120	0			
Lithium	0.09055	0.010	0.1	0	90.5	80-120	0			
Magnesium	10.09	0.20	10	0	101	80-120	0			
Manganese	0.09165	0.0050	0.1	0	91.7	80-120	0			
Molybdenum	0.09399	0.0050	0.1	0	94	80-120	0			
Potassium	9.478	0.20	10	0	94.8	80-120	0			
Selenium	0.09082	0.0050	0.1	0	90.8	80-120	0			
Sodium	10.45	0.20	10	0	104	80-120	0			
Thallium	0.09321	0.0050	0.1	0	93.2	80-120	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: 185871 Instrument ID ICPMS3 Method: SW6020B

MS		Sample ID: 21101430-02BMS				Units: mg/L		Analysis Date: 10/21/2021 06:31 PM		
Client ID:		Run ID: ICPMS3_211021A			SeqNo: 7861726		Prep Date: 10/21/2021		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	0.09215	0.0050	0.1	0.0001683	92	75-125	0			
Arsenic	0.09743	0.0050	0.1	0.000671	96.8	75-125	0			
Barium	0.1779	0.0050	0.1	0.08391	94	75-125	0			
Beryllium	0.08899	0.0020	0.1	0.0000077	89	75-125	0			
Boron	0.5507	0.020	0.5	0.05884	98.4	75-125	0			
Cadmium	0.09414	0.0020	0.1	0.000044	94.1	75-125	0			
Calcium	113.1	0.50	10	107.8	52.2	75-125	0			SO
Chromium	0.1951	0.0050	0.1	0.08718	108	75-125	0			
Cobalt	0.1074	0.0050	0.1	0.005485	102	75-125	0			
Iron	10.13	0.080	10	0.3785	97.5	75-125	0			
Lead	0.09387	0.0050	0.1	0.0001749	93.7	75-125	0			
Lithium	0.0971	0.010	0.1	0.007191	89.9	75-125	0			
Magnesium	56.29	0.20	10	48.79	75.1	75-125	0			O
Manganese	0.2131	0.0050	0.1	0.1402	72.9	75-125	0			S
Molybdenum	0.09635	0.0050	0.1	0.003416	92.9	75-125	0			
Potassium	10.29	0.20	10	1.102	91.9	75-125	0			
Selenium	0.08959	0.0050	0.1	0.0001705	89.4	75-125	0			
Sodium	32.29	0.20	10	23.7	85.9	75-125	0			
Thallium	0.09394	0.0050	0.1	0.0000121	93.9	75-125	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: 185871 Instrument ID ICPMS3 Method: SW6020B

MSD		Sample ID: 21101430-02BMSD				Units: mg/L		Analysis Date: 10/21/2021 06:32 PM		
Client ID:		Run ID: ICPMS3_211021A			SeqNo: 7861727		Prep Date: 10/21/2021		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Antimony	0.09093	0.0050	0.1	0.0001683	90.8	75-125	0.09215	1.34	20	
Arsenic	0.09672	0.0050	0.1	0.000671	96.1	75-125	0.09743	0.729	20	
Barium	0.1763	0.0050	0.1	0.08391	92.4	75-125	0.1779	0.899	20	
Beryllium	0.08933	0.0020	0.1	0.0000077	89.3	75-125	0.08899	0.375	20	
Boron	0.5532	0.020	0.5	0.05884	98.9	75-125	0.5507	0.452	20	
Cadmium	0.09308	0.0020	0.1	0.000044	93	75-125	0.09414	1.14	20	
Calcium	112.9	0.50	10	107.8	50.1	75-125	113.1	0.193	20	SO
Chromium	0.1804	0.0050	0.1	0.08718	93.2	75-125	0.1951	7.84	20	
Cobalt	0.1062	0.0050	0.1	0.005485	101	75-125	0.1074	1.11	20	
Iron	10.01	0.080	10	0.3785	96.3	75-125	10.13	1.13	20	
Lead	0.09321	0.0050	0.1	0.0001749	93	75-125	0.09387	0.709	20	
Lithium	0.09694	0.010	0.1	0.007191	89.8	75-125	0.0971	0.166	20	
Magnesium	56.79	0.20	10	48.79	80.1	75-125	56.29	0.887	20	O
Manganese	0.2148	0.0050	0.1	0.1402	74.6	75-125	0.2131	0.803	20	S
Molybdenum	0.09572	0.0050	0.1	0.003416	92.3	75-125	0.09635	0.662	20	
Potassium	10.39	0.20	10	1.102	92.9	75-125	10.29	0.939	20	
Selenium	0.08645	0.0050	0.1	0.0001705	86.3	75-125	0.08959	3.57	20	
Sodium	32.45	0.20	10	23.7	87.5	75-125	32.29	0.475	20	
Thallium	0.09319	0.0050	0.1	0.0000121	93.2	75-125	0.09394	0.797	20	

The following samples were analyzed in this batch:

21101019-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: **185462** Instrument ID **TDS** Method: **A2540 C-11**

MBLK		Sample ID: MBLK-185462-185462				Units: mg/L		Analysis Date: 10/16/2021 12:24 PM		
Client ID:		Run ID: TDS_211016A		SeqNo: 7845297		Prep Date: 10/13/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids ND 30

LCS		Sample ID: LCS-185462-185462				Units: mg/L		Analysis Date: 10/16/2021 12:24 PM		
Client ID:		Run ID: TDS_211016A		SeqNo: 7845296		Prep Date: 10/13/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids 480 30 495 0 97 85-109 0

DUP		Sample ID: 21101019-02A DUP				Units: mg/L		Analysis Date: 10/16/2021 12:24 PM		
Client ID: DB-2-20211008		Run ID: TDS_211016A		SeqNo: 7845282		Prep Date: 10/13/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids 793.3 50 0 0 0 0-0 776.7 2.12 10

DUP		Sample ID: 21101020-01C DUP				Units: mg/L		Analysis Date: 10/16/2021 12:24 PM		
Client ID:		Run ID: TDS_211016A		SeqNo: 7845284		Prep Date: 10/13/2021		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Total Dissolved Solids 320 50 0 0 0 0-0 300 6.45 10 H

The following samples were analyzed in this batch: 21101019-02A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants

Work Order: 21101019

Project: GLP8017

QC BATCH REPORT

Batch ID: **R329107**

Instrument ID **Titrator 1**

Method: **A2320 B-11**

MBLK		Sample ID: MB-R329107-R329107				Units: mg/L		Analysis Date: 10/17/2021 08:56 AM		
Client ID:		Run ID: TITRATOR 1_211017A			SeqNo: 7845556		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	ND	10								
Alkalinity, Carbonate (as CaCO3)	ND	10								
Alkalinity, Hydroxide (as CaCO3)	ND	10								
Alkalinity, Phenolphthalein (as CaCO3)	ND	10								
Alkalinity, Total (as CaCO3)	ND	10								

LCS		Sample ID: LCS-R329107-R329107				Units: mg/L		Analysis Date: 10/17/2021 08:56 AM		
Client ID:		Run ID: TITRATOR 1_211017A			SeqNo: 7845557		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Carbonate (as CaCO3)	817.2	10	925	0	88.3	88-110	0			
Alkalinity, Total (as CaCO3)	910.8	10	1000	0	91.1	89-103	0			

DUP		Sample ID: 21101315-01C DUP				Units: mg/L		Analysis Date: 10/17/2021 08:56 AM		
Client ID:		Run ID: TITRATOR 1_211017A			SeqNo: 7845562		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Bicarbonate (as CaCO3)	227.3	10	0	0	0	0-0	233.3	2.61	10	
Alkalinity, Carbonate (as CaCO3)	ND	10	0	0	0	0-0	0	0	10	
Alkalinity, Hydroxide (as CaCO3)	ND	10	0	0	0	0-0	0	0	10	

The following samples were analyzed in this batch:

21101019-02A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: **R329139** Instrument ID **IC4** Method: **SW9056A**

MBLK		Sample ID: MBLK-R329139				Units: mg/L		Analysis Date: 10/15/2021 11:38 AM			
Client ID:		Run ID: IC4_211015A				SeqNo: 7846756		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	ND	1.0									
Fluoride	ND	0.10									

LCS		Sample ID: LCS-R329139				Units: mg/L		Analysis Date: 10/15/2021 12:31 PM			
Client ID:		Run ID: IC4_211015A				SeqNo: 7846759		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	10.13	1.0	10	0	101	88-110	0				
Fluoride	2.067	0.10	2	0	103	82-116	0				

LCS		Sample ID: LCS-R329139				Units: mg/L		Analysis Date: 10/15/2021 07:38 PM			
Client ID:		Run ID: IC4_211015A				SeqNo: 7846787		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	9.998	1.0	10	0	100	88-110	0				
Fluoride	2.127	0.10	2	0	106	82-116	0				

MS		Sample ID: 21101315-01D MS				Units: mg/L		Analysis Date: 10/15/2021 01:17 PM			
Client ID:		Run ID: IC4_211015A				SeqNo: 7846762		Prep Date:		DF: 10	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	124.3	10	100	30.84	93.4	88-110	0				
Fluoride	20.17	1.0	20	0	101	82-116	0				

MSD		Sample ID: 21101315-01D MSD				Units: mg/L		Analysis Date: 10/15/2021 01:32 PM			
Client ID:		Run ID: IC4_211015A				SeqNo: 7846763		Prep Date:		DF: 10	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Chloride	124.9	10	100	30.84	94	88-110	124.3	0.498	20		
Fluoride	20.27	1.0	20	0	101	82-116	20.17	0.485	20		

The following samples were analyzed in this batch: 21101019-02A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: **R329231** Instrument ID **IC4** Method: **SW9056A**

MBLK		Sample ID: MBLK-R329231				Units: mg/L		Analysis Date: 10/18/2021 12:29 PM			
Client ID:		Run ID: IC4_211018A		SeqNo: 7851332		Prep Date:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

Sulfate ND 1.0

LCS		Sample ID: LCS-R329231				Units: mg/L		Analysis Date: 10/18/2021 01:14 PM			
Client ID:		Run ID: IC4_211018A		SeqNo: 7851335		Prep Date:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

Sulfate 9.421 1.0 10 0 94.2 90-110 0

LCS		Sample ID: LCS-R329231				Units: mg/L		Analysis Date: 10/18/2021 09:47 PM			
Client ID:		Run ID: IC4_211018A		SeqNo: 7851361		Prep Date:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

Sulfate 9.765 1.0 10 0 97.6 90-110 0

MS		Sample ID: 21101019-02A MS				Units: mg/L		Analysis Date: 10/18/2021 10:32 PM			
Client ID: DB-2-20211008		Run ID: IC4_211018A		SeqNo: 7851364		Prep Date:		DF: 100			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

Sulfate 1260 100 1000 411.5 84.9 90-110 0 S

MSD		Sample ID: 21101019-02A MSD				Units: mg/L		Analysis Date: 10/18/2021 10:47 PM			
Client ID: DB-2-20211008		Run ID: IC4_211018A		SeqNo: 7851365		Prep Date:		DF: 100			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	

Sulfate 1350 100 1000 411.5 93.9 90-110 1260 6.88 20

The following samples were analyzed in this batch: 21101019-02A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Geosyntec Consultants
 Work Order: 21101019
 Project: GLP8017

QC BATCH REPORT

Batch ID: **R329582** Instrument ID **WETCHEM** Method: **A4500-H B-11**

LCS		Sample ID: LCS-R329582-R329582				Units: s.u.		Analysis Date: 10/22/2021 07:40 AM			
Client ID:		Run ID: WETCHEM_211022B				SeqNo: 7863883		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
pH (laboratory)	4	0.10	4	0	100	92-108	0				

LCS		Sample ID: LCS-R329582-R329582				Units: s.u.		Analysis Date: 10/22/2021 07:40 AM			
Client ID:		Run ID: WETCHEM_211022B				SeqNo: 7863892		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
pH (laboratory)	4	0.10	4	0	100	92-108	0				

DUP		Sample ID: 21101803-02A DUP				Units: s.u.		Analysis Date: 10/22/2021 07:40 AM			
Client ID:		Run ID: WETCHEM_211022B				SeqNo: 7863891		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
pH (laboratory)	7.19	0.10	0	0	0	0-0	7.19	0	5	H	
Temperature	19.7	0.10	0	0	0	0-0	19.7	0		H	

DUP		Sample ID: 21101019-02A DUP				Units: s.u.		Analysis Date: 10/22/2021 07:40 AM			
Client ID: DB-2-20211008		Run ID: WETCHEM_211022B				SeqNo: 7863894		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
pH (laboratory)	8.54	0.10	0	0	0	0-0	8.54	0	5	H	
Temperature	19.4	0.10	0	0	0		19.5	0.514		H	

The following samples were analyzed in this batch:

21101019-02A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



Cincinnati, OH
+1 513 733 5336

Fort Collins, CO
+1 970 490 1511

Chain of Custody Form

Houston, TX
+1 281 530 5656

Spring City, PA
+1 610 948 4903

South Charleston, WV
+1 304 356 3168

Everett, WA
+1 425 356 2600

Holland, MI
+1 616 399 6070

Page 1 of 1

Middletown, PA
+1 717 944 5541

Salt Lake City, UT
+1 801 266 7700

York, PA
+1 717 505 5280

COC ID: 053549

Customer Information		Project Information		ALS Project Manager:												ALS Work Order #: 21101019	
Purchase Order		Project Name		A	Metals by ICP-MS												
Work Order		Project Number	GLP8017	B	pH (Laboratory)												
Company Name	Geosyntec Consultants	Bill To Company		C	Anions by Ion Chromatography												
Send Report To	Mike Coram	Invoice Attn		D	Total dissolved solids												
Address	2100 Commonwealth Blvd, STE 100 Ann Arbor, MI, 48105	Address		E	Alkalinity												
City/State/Zip		City/State/Zip		F													
Phone	248 390 5748	Phone		G													
Fax		Fax		H													
e-Mail Address	Mcoram@geosyntec.com	e-Mail Address		I													
				J													

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	DB-1-20211008	10/09/2021	12:00	L		1	X										
2	DB-2-20211008	10/08/2021	12:00	L		1		X	X	X	X						
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign Will Blocher		Shipment Method Fed Ex		Turnaround Time in Business Days (BD) <input checked="" type="checkbox"/> 10 BD <input type="checkbox"/> 5 BD <input type="checkbox"/> 3 BD <input type="checkbox"/> 2 BD <input type="checkbox"/> 1 BD				Results Due Date:			
Relinquished by:	Date:	Time:	Received by:	Notes:							
Will Blocher	10/11/2021	16:30	Fed Ex								
Relinquished by:	Date:	Time:	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)					
Fed ex	10/12/21	1000	DFS	IR1	3.8°C	<input type="checkbox"/> Level II Std QC	<input type="checkbox"/> TRRP Checklist				
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):		pH30	<input type="checkbox"/> Level III Std QC/Raw Data	<input type="checkbox"/> TRRP Level IV				
DFS	10/12/21	1245				<input type="checkbox"/> Level IV SW846/CLP	<input type="checkbox"/> Other				
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035											

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

Sample Receipt Checklist

Client Name: **GEOSYNTEC - AA**

Date/Time Received: **12-Oct-21 10:00**

Work Order: **21101019**

Received by: **DS**

Checklist completed by Diane Shaw 12-Oct-21
eSignature Date

Reviewed by: Alex J. Csaszar 12-Oct-21
eSignature Date

Matrices: Liquid

Carrier name: FedEx

Shipping container/cooler in good condition? Yes No Not Present

Custody seals intact on shipping container/cooler? Yes No Not Present

Custody seals intact on sample bottles? Yes No Not Present

Chain of custody present? Yes No

Chain of custody signed when relinquished and received? Yes No

Chain of custody agrees with sample labels? Yes No

Samples in proper container/bottle? Yes No

Sample containers intact? Yes No

Sufficient sample volume for indicated test? Yes No

All samples received within holding time? Yes No

Container/Temp Blank temperature in compliance? Yes No

Sample(s) received on ice? Yes No

Temperature(s)/Thermometer(s): 3.8/3.8 c IR1

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage: 10/12/2021 1:00:32 PM

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:

Eurofins Environmental Testing



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 1/4/2023 7:30:32 PM

JOB DESCRIPTION

CCR DTE Belle River Power-Aquifer

JOB NUMBER

240-178276-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
1/4/2023 7:30:32 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	11
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	20
Certification Summary	22
Chain of Custody	23

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Qualifiers

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Job ID: 240-178276-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-178276-1**

Receipt

The samples were received on 12/20/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.0°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	EET CAN
6020	Metals (ICP/MS)	SW846	EET CAN
2320B-1997	Alkalinity, Total	SM	EET CAN
9056A	Anions, Ion Chromatography	SW846	EET CAN
9060A	Organic Carbon, Total (TOC)	SW846	EET CAN
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CAN

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-178276-1	NORTH BAB	Water	12/14/22 15:28	12/20/22 10:00
240-178276-2	DB-01	Water	12/16/22 14:40	12/20/22 10:00
240-178276-3	SC-01	Water	12/16/22 15:49	12/20/22 10:00
240-178276-4	DUP-01	Water	12/14/22 00:00	12/20/22 10:00

1

2

3

4

5

6

7

8

9

10

11

12

13

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: NORTH BAB

Lab Sample ID: 240-178276-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	190		100	57	ug/L	1		6010B	Total Recoverable
Barium	270		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	49000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	8200		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	3200		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	23		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	2000		10	10	ug/L	1		6020	Total Recoverable
Sodium	49000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	26		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	97		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	50		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Carbonate Alkalinity as CaCO3	47		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	8.2		1.0	1.0	mg/L	1		9056A	Total/NA
Fluoride	0.099		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	150		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	1.1		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	1.1		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	1.1		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	1.1		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	1.1		1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: DB-01

Lab Sample ID: 240-178276-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	7300		100	57	ug/L	1		6010B	Total Recoverable
Barium	290		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	110000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	15000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	13000		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	240		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	2300		10	10	ug/L	1		6020	Total Recoverable
Sodium	460000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	83		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	150		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	120		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Carbonate Alkalinity as CaCO3	27		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	46		1.0	1.0	mg/L	1		9056A	Total/NA
Fluoride	0.26		0.050	0.050	mg/L	1		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: DB-01 (Continued)

Lab Sample ID: 240-178276-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	1100		10	10	mg/L	10		9056A	Total/NA
Total Organic Carbon	3.7		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	3.7		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	3.7		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	3.7		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	3.7		1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: SC-01

Lab Sample ID: 240-178276-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	13		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	25000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	7600		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	1100		1000	1000	ug/L	1		6020	Total Recoverable
Strontium	86		10	10	ug/L	1		6020	Total Recoverable
Sodium	5900		1000	1000	ug/L	1		6020	Total Recoverable
Alkalinity	81		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	81		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	9.6		1.0	1.0	mg/L	1		9056A	Total/NA
Fluoride	0.080		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	15		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	1.9		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	1.9		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	1.9		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	1.9		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	1.9		1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: DUP-01

Lab Sample ID: 240-178276-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1100		100	57	ug/L	1		6010B	Total Recoverable
Barium	310		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	33000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	11000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	2700		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	85		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	920		10	10	ug/L	1		6020	Total Recoverable
Sodium	340000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	19		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	150		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	150		5.0	2.6	mg/L	1		2320B-1997	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: DUP-01 (Continued)

Lab Sample ID: 240-178276-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	550		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.8		0.050	0.050	mg/L	1		9056A	Total/NA
Total Organic Carbon	0.70	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.70	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.69	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.70	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.72	J	1.0	0.35	mg/L	1		9060A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: NORTH BAB

Lab Sample ID: 240-178276-1

Date Collected: 12/14/22 15:28

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	190		100	57	ug/L		12/27/22 12:00	12/28/22 15:18	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	270		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:01	1
Calcium	49000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:01	1
Magnesium	8200		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:01	1
Potassium	3200		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:01	1
Molybdenum	23		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:01	1
Strontium	2000		10	10	ug/L		12/27/22 12:00	12/28/22 16:01	1
Sodium	49000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:01	1
Lithium	26		8.0	8.0	ug/L		12/27/22 12:00	12/28/22 16:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	97		5.0	2.6	mg/L			12/21/22 22:20	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	50		5.0	2.6	mg/L			12/21/22 22:20	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	47		5.0	2.6	mg/L			12/21/22 22:20	1
Chloride (SW846 9056A)	8.2		1.0	1.0	mg/L			12/31/22 21:00	1
Fluoride (SW846 9056A)	0.099		0.050	0.050	mg/L			12/31/22 21:00	1
Sulfate (SW846 9056A)	150		1.0	1.0	mg/L			12/31/22 21:00	1
Total Organic Carbon (SW846 9060A)	1.1		1.0	0.35	mg/L			12/29/22 07:07	1
TOC Result 1 (SW846 9060A)	1.1		1.0	0.35	mg/L			12/29/22 07:07	1
TOC Result 2 (SW846 9060A)	1.1		1.0	0.35	mg/L			12/29/22 07:07	1
TOC Result 3 (SW846 9060A)	1.1		1.0	0.35	mg/L			12/29/22 07:07	1
TOC Result 4 (SW846 9060A)	1.1		1.0	0.35	mg/L			12/29/22 07:07	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: DB-01

Lab Sample ID: 240-178276-2

Date Collected: 12/16/22 14:40

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	7300		100	57	ug/L		12/27/22 12:00	12/28/22 15:22	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	290		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:12	1
Calcium	110000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:12	1
Magnesium	15000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:12	1
Potassium	13000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:12	1
Molybdenum	240		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:12	1
Strontium	2300		10	10	ug/L		12/27/22 12:00	12/28/22 16:12	1
Sodium	460000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:12	1
Lithium	83		8.0	8.0	ug/L		12/27/22 12:00	12/28/22 16:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	150		5.0	2.6	mg/L			12/21/22 22:24	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	120		5.0	2.6	mg/L			12/21/22 22:24	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	27		5.0	2.6	mg/L			12/21/22 22:24	1
Chloride (SW846 9056A)	46		1.0	1.0	mg/L			12/31/22 21:21	1
Fluoride (SW846 9056A)	0.26		0.050	0.050	mg/L			12/31/22 21:21	1
Sulfate (SW846 9056A)	1100		10	10	mg/L			12/31/22 21:43	10
Total Organic Carbon (SW846 9060A)	3.7		1.0	0.35	mg/L			12/29/22 08:01	1
TOC Result 1 (SW846 9060A)	3.7		1.0	0.35	mg/L			12/29/22 08:01	1
TOC Result 2 (SW846 9060A)	3.7		1.0	0.35	mg/L			12/29/22 08:01	1
TOC Result 3 (SW846 9060A)	3.7		1.0	0.35	mg/L			12/29/22 08:01	1
TOC Result 4 (SW846 9060A)	3.7		1.0	0.35	mg/L			12/29/22 08:01	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: SC-01

Lab Sample ID: 240-178276-3

Date Collected: 12/16/22 15:49

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		12/27/22 12:00	12/28/22 15:26	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	13		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:14	1
Calcium	25000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:14	1
Magnesium	7600		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:14	1
Potassium	1100		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:14	1
Molybdenum	5.0	U	5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:14	1
Strontium	86		10	10	ug/L		12/27/22 12:00	12/28/22 16:14	1
Sodium	5900		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:14	1
Lithium	8.0	U	8.0	8.0	ug/L		12/27/22 12:00	12/28/22 16:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	81		5.0	2.6	mg/L			12/21/22 22:28	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	81		5.0	2.6	mg/L			12/21/22 22:28	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 22:28	1
Chloride (SW846 9056A)	9.6		1.0	1.0	mg/L			12/31/22 22:05	1
Fluoride (SW846 9056A)	0.080		0.050	0.050	mg/L			12/31/22 22:05	1
Sulfate (SW846 9056A)	15		1.0	1.0	mg/L			12/31/22 22:05	1
Total Organic Carbon (SW846 9060A)	1.9		1.0	0.35	mg/L			12/29/22 08:37	1
TOC Result 1 (SW846 9060A)	1.9		1.0	0.35	mg/L			12/29/22 08:37	1
TOC Result 2 (SW846 9060A)	1.9		1.0	0.35	mg/L			12/29/22 08:37	1
TOC Result 3 (SW846 9060A)	1.9		1.0	0.35	mg/L			12/29/22 08:37	1
TOC Result 4 (SW846 9060A)	1.9		1.0	0.35	mg/L			12/29/22 08:37	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: DUP-01
 Date Collected: 12/14/22 00:00
 Date Received: 12/20/22 10:00

Lab Sample ID: 240-178276-4
 Matrix: Water

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1100		100	57	ug/L		12/27/22 12:00	12/28/22 15:31	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	310		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:17	1
Calcium	33000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:17	1
Magnesium	11000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:17	1
Potassium	2700		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:17	1
Molybdenum	85		5.0	5.0	ug/L		12/27/22 12:00	12/28/22 16:17	1
Strontium	920		10	10	ug/L		12/27/22 12:00	12/28/22 16:17	1
Sodium	340000		1000	1000	ug/L		12/27/22 12:00	12/28/22 16:17	1
Lithium	19		8.0	8.0	ug/L		12/27/22 12:00	12/28/22 16:17	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	150		5.0	2.6	mg/L			12/21/22 22:32	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	150		5.0	2.6	mg/L			12/21/22 22:32	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 22:32	1
Chloride (SW846 9056A)	550		10	10	mg/L			12/31/22 22:48	10
Fluoride (SW846 9056A)	1.8		0.050	0.050	mg/L			12/31/22 22:27	1
Sulfate (SW846 9056A)	1.0	U	1.0	1.0	mg/L			12/31/22 22:27	1
Total Organic Carbon (SW846 9060A)	0.70	J	1.0	0.35	mg/L			12/29/22 09:12	1
TOC Result 1 (SW846 9060A)	0.70	J	1.0	0.35	mg/L			12/29/22 09:12	1
TOC Result 2 (SW846 9060A)	0.69	J	1.0	0.35	mg/L			12/29/22 09:12	1
TOC Result 3 (SW846 9060A)	0.70	J	1.0	0.35	mg/L			12/29/22 09:12	1
TOC Result 4 (SW846 9060A)	0.72	J	1.0	0.35	mg/L			12/29/22 09:12	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 240-557192/1-A
Matrix: Water
Analysis Batch: 557398

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 557192

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		12/27/22 12:00	12/28/22 14:02	1

Lab Sample ID: LCS 240-557192/2-A
Matrix: Water
Analysis Batch: 557398

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 557192

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000	1010		ug/L		101	80 - 120

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 240-557192/1-A
Matrix: Water
Analysis Batch: 557451

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 557192

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	5.0	U	5.0	5.0	ug/L		12/27/22 12:00	12/28/22 15:42	1
Calcium	1000	U	1000	1000	ug/L		12/27/22 12:00	12/28/22 15:42	1
Magnesium	1000	U	1000	1000	ug/L		12/27/22 12:00	12/28/22 15:42	1
Potassium	1000	U	1000	1000	ug/L		12/27/22 12:00	12/28/22 15:42	1
Molybdenum	5.0	U	5.0	5.0	ug/L		12/27/22 12:00	12/28/22 15:42	1
Strontium	10	U	10	10	ug/L		12/27/22 12:00	12/28/22 15:42	1
Sodium	1000	U	1000	1000	ug/L		12/27/22 12:00	12/28/22 15:42	1
Lithium	8.0	U	8.0	8.0	ug/L		12/27/22 12:00	12/28/22 15:42	1

Lab Sample ID: LCS 240-557192/3-A
Matrix: Water
Analysis Batch: 557451

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 557192

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	1000	938		ug/L		94	80 - 120
Calcium	25000	24500		ug/L		98	80 - 120
Magnesium	25000	24500		ug/L		98	80 - 120
Potassium	25000	24500		ug/L		98	80 - 120
Molybdenum	500	465		ug/L		93	80 - 120
Strontium	500	469		ug/L		94	80 - 120
Sodium	25000	24500		ug/L		98	80 - 120
Lithium	500	483		ug/L		97	80 - 120

Method: 2320B-1997 - Alkalinity, Total

Lab Sample ID: MB 240-557050/30
Matrix: Water
Analysis Batch: 557050

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1
Bicarbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1
Carbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1

Eurofins Canton

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Method: 2320B-1997 - Alkalinity, Total (Continued)

Lab Sample ID: MB 240-557050/4
Matrix: Water
Analysis Batch: 557050

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Alkalinity	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1
Bicarbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1
Carbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1

Lab Sample ID: LCS 240-557050/29
Matrix: Water
Analysis Batch: 557050

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-557649/3
Matrix: Water
Analysis Batch: 557649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0	1.0	mg/L			12/31/22 07:59	1
Fluoride	0.050	U	0.050	0.050	mg/L			12/31/22 07:59	1
Sulfate	1.0	U	1.0	1.0	mg/L			12/31/22 07:59	1

Lab Sample ID: LCS 240-557649/4
Matrix: Water
Analysis Batch: 557649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	2.50	2.65		mg/L		106	90 - 110
Sulfate	50.0	50.3		mg/L		101	90 - 110

Method: 9060A - Organic Carbon, Total (TOC)

Lab Sample ID: MB 240-557515/34
Matrix: Water
Analysis Batch: 557515

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Organic Carbon	1.0	U	1.0	0.35	mg/L			12/29/22 06:09	1
TOC Result 1	1.0	U	1.0	0.35	mg/L			12/29/22 06:09	1

Lab Sample ID: MB 240-557515/4
Matrix: Water
Analysis Batch: 557515

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Organic Carbon	1.0	U	1.0	0.35	mg/L			12/28/22 16:49	1
TOC Result 1	1.0	U	1.0	0.35	mg/L			12/28/22 16:49	1

Eurofins Canton

QC Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Method: 9060A - Organic Carbon, Total (TOC) (Continued)

Lab Sample ID: LCS 240-557515/35
Matrix: Water
Analysis Batch: 557515

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Organic Carbon	18.3	18.3		mg/L		100	85 - 115
TOC Result 1	18.3	18.3		mg/L		100	85 - 115

Lab Sample ID: LCS 240-557515/5
Matrix: Water
Analysis Batch: 557515

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Organic Carbon	18.3	18.3		mg/L		100	85 - 115
TOC Result 1	18.3	18.3		mg/L		100	85 - 115



QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Metals

Prep Batch: 557192

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total Recoverable	Water	3005A	
240-178276-2	DB-01	Total Recoverable	Water	3005A	
240-178276-3	SC-01	Total Recoverable	Water	3005A	
240-178276-4	DUP-01	Total Recoverable	Water	3005A	
MB 240-557192/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-557192/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-557192/3-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 557398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total Recoverable	Water	6010B	557192
240-178276-2	DB-01	Total Recoverable	Water	6010B	557192
240-178276-3	SC-01	Total Recoverable	Water	6010B	557192
240-178276-4	DUP-01	Total Recoverable	Water	6010B	557192
MB 240-557192/1-A	Method Blank	Total Recoverable	Water	6010B	557192
LCS 240-557192/2-A	Lab Control Sample	Total Recoverable	Water	6010B	557192

Analysis Batch: 557451

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total Recoverable	Water	6020	557192
240-178276-2	DB-01	Total Recoverable	Water	6020	557192
240-178276-3	SC-01	Total Recoverable	Water	6020	557192
240-178276-4	DUP-01	Total Recoverable	Water	6020	557192
MB 240-557192/1-A	Method Blank	Total Recoverable	Water	6020	557192
LCS 240-557192/3-A	Lab Control Sample	Total Recoverable	Water	6020	557192

General Chemistry

Analysis Batch: 557050

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total/NA	Water	2320B-1997	
240-178276-2	DB-01	Total/NA	Water	2320B-1997	
240-178276-3	SC-01	Total/NA	Water	2320B-1997	
240-178276-4	DUP-01	Total/NA	Water	2320B-1997	
MB 240-557050/30	Method Blank	Total/NA	Water	2320B-1997	
MB 240-557050/4	Method Blank	Total/NA	Water	2320B-1997	
LCS 240-557050/29	Lab Control Sample	Total/NA	Water	2320B-1997	

Analysis Batch: 557515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total/NA	Water	9060A	
240-178276-2	DB-01	Total/NA	Water	9060A	
240-178276-3	SC-01	Total/NA	Water	9060A	
240-178276-4	DUP-01	Total/NA	Water	9060A	
MB 240-557515/34	Method Blank	Total/NA	Water	9060A	
MB 240-557515/4	Method Blank	Total/NA	Water	9060A	
LCS 240-557515/35	Lab Control Sample	Total/NA	Water	9060A	
LCS 240-557515/5	Lab Control Sample	Total/NA	Water	9060A	

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

General Chemistry

Analysis Batch: 557649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178276-1	NORTH BAB	Total/NA	Water	9056A	
240-178276-2	DB-01	Total/NA	Water	9056A	
240-178276-2	DB-01	Total/NA	Water	9056A	
240-178276-3	SC-01	Total/NA	Water	9056A	
240-178276-4	DUP-01	Total/NA	Water	9056A	
240-178276-4	DUP-01	Total/NA	Water	9056A	
MB 240-557649/3	Method Blank	Total/NA	Water	9056A	
LCS 240-557649/4	Lab Control Sample	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: NORTH BAB

Lab Sample ID: 240-178276-1

Date Collected: 12/14/22 15:28

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6010B		1	557398	RKT	EET CAN	12/28/22 15:18
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6020		1	557451	DSH	EET CAN	12/28/22 16:01
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:20
Total/NA	Analysis	9056A		1	557649	JMB	EET CAN	12/31/22 21:00
Total/NA	Analysis	9060A		1	557515	MMS	EET CAN	12/29/22 07:07

Client Sample ID: DB-01

Lab Sample ID: 240-178276-2

Date Collected: 12/16/22 14:40

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6010B		1	557398	RKT	EET CAN	12/28/22 15:22
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6020		1	557451	DSH	EET CAN	12/28/22 16:12
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:24
Total/NA	Analysis	9056A		1	557649	JMB	EET CAN	12/31/22 21:21
Total/NA	Analysis	9056A		10	557649	JMB	EET CAN	12/31/22 21:43
Total/NA	Analysis	9060A		1	557515	MMS	EET CAN	12/29/22 08:01

Client Sample ID: SC-01

Lab Sample ID: 240-178276-3

Date Collected: 12/16/22 15:49

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6010B		1	557398	RKT	EET CAN	12/28/22 15:26
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6020		1	557451	DSH	EET CAN	12/28/22 16:14
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:28
Total/NA	Analysis	9056A		1	557649	JMB	EET CAN	12/31/22 22:05
Total/NA	Analysis	9060A		1	557515	MMS	EET CAN	12/29/22 08:37

Client Sample ID: DUP-01

Lab Sample ID: 240-178276-4

Date Collected: 12/14/22 00:00

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6010B		1	557398	RKT	EET CAN	12/28/22 15:31
Total Recoverable	Prep	3005A			557192	SHB	EET CAN	12/27/22 12:00
Total Recoverable	Analysis	6020		1	557451	DSH	EET CAN	12/28/22 16:17

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Client Sample ID: DUP-01
Date Collected: 12/14/22 00:00
Date Received: 12/20/22 10:00

Lab Sample ID: 240-178276-4
Matrix: Water

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:32
Total/NA	Analysis	9056A		1	557649	JMB	EET CAN	12/31/22 22:27
Total/NA	Analysis	9056A		10	557649	JMB	EET CAN	12/31/22 22:48
Total/NA	Analysis	9060A		1	557515	MMS	EET CAN	12/29/22 09:12

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Accreditation/Certification Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power-Aquifer

Job ID: 240-178276-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Michigan	State	9135	02-27-23
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

3.23.0

Client Information
 Client Contact: Jacob Krenz
 Company: TRC Environmental Corporation.
 Address: 1540 Eisenhower Place
 City: Ann Arbor
 State, Zip: MI, 48108-7080
 Phone: 313-971-7080 (Tel) 313-971-9022 (Fax)
 Email: JKrenz@trccompanies.com
 Project Name: CCR DTE Belle River Power-Aquifer
 Site: Michigan

Sampler: S. Krenz
Phone: 734-395-9804
Lab PM: Brooks, Kris M
E-Mail: Kris.Brooks@et.eurofins.com
Carrier Tracking No(s): 240-102238-37085.5
State of Origin: Page 5 of 7
Job #:

Analysis Requested

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Preservation Code	Matrix (Water, Soil, On-water, BI-Tissue, A-Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9056A_28D - Carb. Bicarb & Total Alkalinity	6020 (MOD) Metals - Ca, Mg, Na, K, Ba, Mo, Sr, Li, TPC	Total Number of Containers	Special Instructions/Note:
North BAB	12-14-22	1538	G		Water	X	N	X	X	4	
DB-01	12-16-22	1440	G		Water	X	N	X	X	4	
SC-01	12-16-22	1544	G		Water	X	N	X	X	4	
bup-01	12-14-22	---	G		Water	X	N	X	X	4	
					Water						
					Water						
					Water						
					Water						
					Water						
					Water						
					Water						

Possible Hazard Identification
 Non-Hazard
 Flammable
 Skin Irritant
 Poison B
 Unknown
 Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client
 Disposal By Lab
 Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: [Signature]
 Date: 12-19-22 / 10850
 Company: TRC

Relinquished by: [Signature]
 Date: 12/19/22 / 1039
 Company: [Signature]

Relinquished by: [Signature]
 Date: 12/19/22 / 1040
 Company: [Signature]

Custody Seals/Intact: Custody Seal No.: [Signature]
 Yes
 No

Method of Shipment: [Signature]
 Date: 12-14-22 / 0850
 Company: TRC

Received by: [Signature]
 Date: 12/14/22 / 1040
 Company: [Signature]

Received by: [Signature]
 Date: 12-20-22 / 10100
 Company: [Signature]

Cooler Temperature(s): C and Other Remarks

Eurofins - Canton Sample Receipt Form/Narrative
Barberton Facility

Login # : 178276

Client TBC Site Name _____

Cooler unpacked by:

Cooler Received on 12-20-22 Opened on 12-20-22

Chamuk

FedEx: 1st Grd UPS FAS Clipper Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # 5C Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____


COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
- IR GUN # IR-13 (CF **-0.2** °C) Observed Cooler Temp. 3.2 °C Corrected Cooler Temp. 3.0 °C
- IR GUN # IR-16 (CF **-0.1** °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
- IR GUN # IR-17 (CF **-0.3** °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
- Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
- Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# **HC291590**
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 1/5/2023 7:14:50 PM

JOB DESCRIPTION

CCR DTE Belle River Power - Aquifer

JOB NUMBER

240-178297-1

Eurofins Canton

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
1/5/2023 7:14:50 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	15
QC Sample Results	26
QC Association Summary	29
Lab Chronicle	32
Certification Summary	36
Chain of Custody	37

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Job ID: 240-178297-1

Laboratory: Eurofins Canton

Narrative

**Job Narrative
240-178297-1**

Receipt

The samples were received on 12/20/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.0°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 9056A_28D: The following samples were diluted due to the nature of the sample matrix: MW-16-08 (240-178297-8), MW-16-11A (240-178297-11) and (240-178344-J-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	EET CAN
6020	Metals (ICP/MS)	SW846	EET CAN
2320B-1997	Alkalinity, Total	SM	EET CAN
9056A	Anions, Ion Chromatography	SW846	EET CAN
9060A	Organic Carbon, Total (TOC)	SW846	EET CAN
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CAN

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-178297-1	MW-16-01	Water	12/14/22 10:33	12/20/22 10:00
240-178297-2	MW-16-02	Water	12/14/22 12:13	12/20/22 10:00
240-178297-3	MW-16-03	Water	12/14/22 13:46	12/20/22 10:00
240-178297-4	MW-16-04	Water	12/15/22 13:34	12/20/22 10:00
240-178297-5	MW-16-05	Water	12/15/22 09:24	12/20/22 10:00
240-178297-6	MW-16-06	Water	12/15/22 10:55	12/20/22 10:00
240-178297-7	MW-16-07	Water	12/15/22 12:28	12/20/22 10:00
240-178297-8	MW-16-08	Water	12/16/22 12:33	12/20/22 10:00
240-178297-9	MW-16-09	Water	12/16/22 13:34	12/20/22 10:00
240-178297-10	MW-16-10	Water	12/16/22 09:20	12/20/22 10:00
240-178297-11	MW-16-11A	Water	12/16/22 11:05	12/20/22 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-01

Lab Sample ID: 240-178297-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1000		100	57	ug/L	1		6010B	Total Recoverable
Barium	220	F1	5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	42000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	14000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	2700		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	71		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1200		10	10	ug/L	1		6020	Total Recoverable
Sodium	300000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	15		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	450		5.0	5.0	mg/L	5		9056A	Total/NA
Fluoride	1.8		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	9.0		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	0.79	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.77	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.79	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.79	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.80	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-02

Lab Sample ID: 240-178297-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1100		100	57	ug/L	1		6010B	Total Recoverable
Barium	250		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	54000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	16000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	3400		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	25		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1500		10	10	ug/L	1		6020	Total Recoverable
Sodium	190000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	15		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	150		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	150		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	350		5.0	5.0	mg/L	5		9056A	Total/NA
Fluoride	1.2		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	9.1		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	0.72	J	1.0	0.35	mg/L	1		9060A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-02 (Continued)

Lab Sample ID: 240-178297-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TOC Result 1	0.71	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.71	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.71	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.74	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-03

Lab Sample ID: 240-178297-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	990		100	57	ug/L	1		6010B	Total Recoverable
Barium	320		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	34000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	11000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	2800		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	87		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	960		10	10	ug/L	1		6020	Total Recoverable
Sodium	350000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	20		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	160		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	160		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	550		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.8		0.050	0.050	mg/L	1		9056A	Total/NA
Total Organic Carbon	0.73	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.73	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.74	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.73	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.72	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-04

Lab Sample ID: 240-178297-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1000		100	57	ug/L	1		6010B	Total Recoverable
Barium	290		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	46000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	15000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	3000		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	68		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1200		10	10	ug/L	1		6020	Total Recoverable
Sodium	300000		1000	1000	ug/L	1		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-04 (Continued)

Lab Sample ID: 240-178297-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lithium	19		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	160		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	160		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	470		5.0	5.0	mg/L	5		9056A	Total/NA
Fluoride	1.8		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	16		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	0.75	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.74	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.74	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.77	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.76	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-05

Lab Sample ID: 240-178297-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1600		100	57	ug/L	1		6010B	Total Recoverable
Barium	240		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	33000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	11000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4100		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	11		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	810		10	10	ug/L	1		6020	Total Recoverable
Sodium	870000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	47		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	190		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	190		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1400		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	6.1		2.0	2.0	mg/L	2		9056A	Total/NA
Total Organic Carbon	1.8		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	1.8		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	1.8		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	1.8		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	1.8		1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-06

Lab Sample ID: 240-178297-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010B	Total Recoverable
Barium	250		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	38000		1000	1000	ug/L	1		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-06 (Continued)

Lab Sample ID: 240-178297-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Magnesium	12000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4300		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	14		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1000		10	10	ug/L	1		6020	Total Recoverable
Sodium	960000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	45		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	180		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	180		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1600		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	4.4		2.0	2.0	mg/L	2		9056A	Total/NA
Total Organic Carbon	0.68	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.68	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.67	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.68	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.68	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-07

Lab Sample ID: 240-178297-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010B	Total Recoverable
Barium	220		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	35000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	11000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4700		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	7.4		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1200		10	10	ug/L	1		6020	Total Recoverable
Sodium	1100000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	53		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	230		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	230		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1700		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	30		2.0	2.0	mg/L	2		9056A	Total/NA
Total Organic Carbon	5.0		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	5.0		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	5.0		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	4.9		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	5.0		1.0	0.35	mg/L	1		9060A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-178297-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010B	Total Recoverable
Barium	300		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	40000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	13000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4700		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	16		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1200		10	10	ug/L	1		6020	Total Recoverable
Sodium	1100000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	57		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1800		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Total Organic Carbon	0.62	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.61	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.64	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.62	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.62	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-09

Lab Sample ID: 240-178297-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1400		100	57	ug/L	1		6010B	Total Recoverable
Barium	220		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	31000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	9600		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	2700		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	35		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	840		10	10	ug/L	1		6020	Total Recoverable
Sodium	580000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	25		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	200		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	200		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	930		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.5		0.050	0.050	mg/L	1		9056A	Total/NA
Sulfate	13		1.0	1.0	mg/L	1		9056A	Total/NA
Total Organic Carbon	2.5		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	2.5		1.0	0.35	mg/L	1		9060A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-09 (Continued)

Lab Sample ID: 240-178297-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
TOC Result 2	2.5		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	2.5		1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	2.5		1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-10

Lab Sample ID: 240-178297-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010B	Total Recoverable
Barium	67		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	26000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	9000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4600		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	11		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	540		10	10	ug/L	1		6020	Total Recoverable
Sodium	980000		1000	1000	ug/L	1		6020	Total Recoverable
Lithium	67		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	210		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	210		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1500		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	60		2.0	2.0	mg/L	2		9056A	Total/NA
Total Organic Carbon	0.53	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.52	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.53	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.54	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.54	J	1.0	0.35	mg/L	1		9060A	Total/NA

Client Sample ID: MW-16-11A

Lab Sample ID: 240-178297-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010B	Total Recoverable
Barium	270		5.0	5.0	ug/L	1		6020	Total Recoverable
Calcium	38000		1000	1000	ug/L	1		6020	Total Recoverable
Magnesium	12000		1000	1000	ug/L	1		6020	Total Recoverable
Potassium	4800		1000	1000	ug/L	1		6020	Total Recoverable
Molybdenum	12		5.0	5.0	ug/L	1		6020	Total Recoverable
Strontium	1000		10	10	ug/L	1		6020	Total Recoverable
Sodium	1000000		1000	1000	ug/L	1		6020	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-11A (Continued)

Lab Sample ID: 240-178297-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lithium	57		8.0	8.0	ug/L	1		6020	Total Recoverable
Alkalinity	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Bicarbonate Alkalinity as CaCO3	170		5.0	2.6	mg/L	1		2320B-1997	Total/NA
Chloride	1700		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.1		0.10	0.10	mg/L	2		9056A	Total/NA
Total Organic Carbon	0.49	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 1	0.51	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 2	0.49	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 3	0.49	J	1.0	0.35	mg/L	1		9060A	Total/NA
TOC Result 4	0.49	J	1.0	0.35	mg/L	1		9060A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-01

Lab Sample ID: 240-178297-1

Date Collected: 12/14/22 10:33

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1000		100	57	ug/L		12/21/22 12:00	12/23/22 03:28	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	220	F1	5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:09	1
Calcium	42000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:09	1
Magnesium	14000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:09	1
Potassium	2700		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:09	1
Molybdenum	71		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:09	1
Strontium	1200		10	10	ug/L		12/21/22 12:00	12/22/22 16:09	1
Sodium	300000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:09	1
Lithium	15		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 21:26	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 21:26	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:26	1
Chloride (SW846 9056A)	450		5.0	5.0	mg/L			01/03/23 16:27	5
Fluoride (SW846 9056A)	1.8		0.050	0.050	mg/L			01/03/23 16:05	1
Sulfate (SW846 9056A)	9.0		1.0	1.0	mg/L			01/03/23 16:05	1
Total Organic Carbon (SW846 9060A)	0.79	J	1.0	0.35	mg/L			12/29/22 14:35	1
TOC Result 1 (SW846 9060A)	0.77	J	1.0	0.35	mg/L			12/29/22 14:35	1
TOC Result 2 (SW846 9060A)	0.79	J	1.0	0.35	mg/L			12/29/22 14:35	1
TOC Result 3 (SW846 9060A)	0.79	J	1.0	0.35	mg/L			12/29/22 14:35	1
TOC Result 4 (SW846 9060A)	0.80	J	1.0	0.35	mg/L			12/29/22 14:35	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-02

Lab Sample ID: 240-178297-2

Date Collected: 12/14/22 12:13

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1100		100	57	ug/L		12/21/22 12:00	12/23/22 03:44	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	250		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:21	1
Calcium	54000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:21	1
Magnesium	16000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:21	1
Potassium	3400		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:21	1
Molybdenum	25		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:21	1
Strontium	1500		10	10	ug/L		12/21/22 12:00	12/22/22 16:21	1
Sodium	190000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:21	1
Lithium	15		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	150		5.0	2.6	mg/L			12/21/22 21:30	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	150		5.0	2.6	mg/L			12/21/22 21:30	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:30	1
Chloride (SW846 9056A)	350		5.0	5.0	mg/L			01/03/23 17:53	5
Fluoride (SW846 9056A)	1.2		0.050	0.050	mg/L			01/03/23 16:48	1
Sulfate (SW846 9056A)	9.1		1.0	1.0	mg/L			01/03/23 16:48	1
Total Organic Carbon (SW846 9060A)	0.72	J	1.0	0.35	mg/L			12/29/22 15:10	1
TOC Result 1 (SW846 9060A)	0.71	J	1.0	0.35	mg/L			12/29/22 15:10	1
TOC Result 2 (SW846 9060A)	0.71	J	1.0	0.35	mg/L			12/29/22 15:10	1
TOC Result 3 (SW846 9060A)	0.71	J	1.0	0.35	mg/L			12/29/22 15:10	1
TOC Result 4 (SW846 9060A)	0.74	J	1.0	0.35	mg/L			12/29/22 15:10	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-03

Lab Sample ID: 240-178297-3

Date Collected: 12/14/22 13:46

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	990		100	57	ug/L		12/21/22 12:00	12/23/22 03:49	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	320		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:24	1
Calcium	34000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:24	1
Magnesium	11000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:24	1
Potassium	2800		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:24	1
Molybdenum	87		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:24	1
Strontium	960		10	10	ug/L		12/21/22 12:00	12/22/22 16:24	1
Sodium	350000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:24	1
Lithium	20		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	160		5.0	2.6	mg/L			12/21/22 21:35	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	160		5.0	2.6	mg/L			12/21/22 21:35	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:35	1
Chloride (SW846 9056A)	550		10	10	mg/L			01/03/23 18:37	10
Fluoride (SW846 9056A)	1.8		0.050	0.050	mg/L			01/03/23 18:15	1
Sulfate (SW846 9056A)	1.0	U	1.0	1.0	mg/L			01/03/23 18:15	1
Total Organic Carbon (SW846 9060A)	0.73	J	1.0	0.35	mg/L			12/29/22 15:45	1
TOC Result 1 (SW846 9060A)	0.73	J	1.0	0.35	mg/L			12/29/22 15:45	1
TOC Result 2 (SW846 9060A)	0.74	J	1.0	0.35	mg/L			12/29/22 15:45	1
TOC Result 3 (SW846 9060A)	0.73	J	1.0	0.35	mg/L			12/29/22 15:45	1
TOC Result 4 (SW846 9060A)	0.72	J	1.0	0.35	mg/L			12/29/22 15:45	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-04

Lab Sample ID: 240-178297-4

Date Collected: 12/15/22 13:34

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1000		100	57	ug/L		12/21/22 12:00	12/23/22 03:53	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	290		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:26	1
Calcium	46000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:26	1
Magnesium	15000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:26	1
Potassium	3000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:26	1
Molybdenum	68		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:26	1
Strontium	1200		10	10	ug/L		12/21/22 12:00	12/22/22 16:26	1
Sodium	300000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:26	1
Lithium	19		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	160		5.0	2.6	mg/L			12/21/22 21:39	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	160		5.0	2.6	mg/L			12/21/22 21:39	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:39	1
Chloride (SW846 9056A)	470		5.0	5.0	mg/L			01/03/23 19:20	5
Fluoride (SW846 9056A)	1.8		0.050	0.050	mg/L			01/03/23 18:59	1
Sulfate (SW846 9056A)	16		1.0	1.0	mg/L			01/03/23 18:59	1
Total Organic Carbon (SW846 9060A)	0.75	J	1.0	0.35	mg/L			12/29/22 16:20	1
TOC Result 1 (SW846 9060A)	0.74	J	1.0	0.35	mg/L			12/29/22 16:20	1
TOC Result 2 (SW846 9060A)	0.74	J	1.0	0.35	mg/L			12/29/22 16:20	1
TOC Result 3 (SW846 9060A)	0.77	J	1.0	0.35	mg/L			12/29/22 16:20	1
TOC Result 4 (SW846 9060A)	0.76	J	1.0	0.35	mg/L			12/29/22 16:20	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-178297-5

Date Collected: 12/15/22 09:24

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1600		100	57	ug/L		12/21/22 12:00	12/23/22 04:06	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	240		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:34	1
Calcium	33000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:34	1
Magnesium	11000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:34	1
Potassium	4100		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:34	1
Molybdenum	11		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:34	1
Strontium	810		10	10	ug/L		12/21/22 12:00	12/22/22 16:34	1
Sodium	870000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:34	1
Lithium	47		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	190		5.0	2.6	mg/L			12/21/22 21:43	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	190		5.0	2.6	mg/L			12/21/22 21:43	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:43	1
Chloride (SW846 9056A)	1400		20	20	mg/L			01/03/23 20:04	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			01/03/23 19:42	2
Sulfate (SW846 9056A)	6.1		2.0	2.0	mg/L			01/03/23 19:42	2
Total Organic Carbon (SW846 9060A)	1.8		1.0	0.35	mg/L			12/29/22 16:56	1
TOC Result 1 (SW846 9060A)	1.8		1.0	0.35	mg/L			12/29/22 16:56	1
TOC Result 2 (SW846 9060A)	1.8		1.0	0.35	mg/L			12/29/22 16:56	1
TOC Result 3 (SW846 9060A)	1.8		1.0	0.35	mg/L			12/29/22 16:56	1
TOC Result 4 (SW846 9060A)	1.8		1.0	0.35	mg/L			12/29/22 16:56	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-178297-6

Date Collected: 12/15/22 10:55

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		12/21/22 12:00	12/23/22 04:10	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	250		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:36	1
Calcium	38000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:36	1
Magnesium	12000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:36	1
Potassium	4300		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:36	1
Molybdenum	14		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:36	1
Strontium	1000		10	10	ug/L		12/21/22 12:00	12/22/22 16:36	1
Sodium	960000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:36	1
Lithium	45		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:36	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	180		5.0	2.6	mg/L			12/21/22 21:47	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	180		5.0	2.6	mg/L			12/21/22 21:47	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:47	1
Chloride (SW846 9056A)	1600		20	20	mg/L			01/03/23 20:47	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			01/03/23 20:25	2
Sulfate (SW846 9056A)	4.4		2.0	2.0	mg/L			01/03/23 20:25	2
Total Organic Carbon (SW846 9060A)	0.68	J	1.0	0.35	mg/L			12/29/22 17:32	1
TOC Result 1 (SW846 9060A)	0.68	J	1.0	0.35	mg/L			12/29/22 17:32	1
TOC Result 2 (SW846 9060A)	0.67	J	1.0	0.35	mg/L			12/29/22 17:32	1
TOC Result 3 (SW846 9060A)	0.68	J	1.0	0.35	mg/L			12/29/22 17:32	1
TOC Result 4 (SW846 9060A)	0.68	J	1.0	0.35	mg/L			12/29/22 17:32	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-178297-7

Date Collected: 12/15/22 12:28

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		12/21/22 12:00	12/23/22 04:14	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	220		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:39	1
Calcium	35000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:39	1
Magnesium	11000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:39	1
Potassium	4700		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:39	1
Molybdenum	7.4		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:39	1
Strontium	1200		10	10	ug/L		12/21/22 12:00	12/22/22 16:39	1
Sodium	1100000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:39	1
Lithium	53		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	230		5.0	2.6	mg/L			12/21/22 21:52	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	230		5.0	2.6	mg/L			12/21/22 21:52	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:52	1
Chloride (SW846 9056A)	1700		20	20	mg/L			01/03/23 22:14	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			01/03/23 21:09	2
Sulfate (SW846 9056A)	30		2.0	2.0	mg/L			01/03/23 21:09	2
Total Organic Carbon (SW846 9060A)	5.0		1.0	0.35	mg/L			12/29/22 18:08	1
TOC Result 1 (SW846 9060A)	5.0		1.0	0.35	mg/L			12/29/22 18:08	1
TOC Result 2 (SW846 9060A)	5.0		1.0	0.35	mg/L			12/29/22 18:08	1
TOC Result 3 (SW846 9060A)	4.9		1.0	0.35	mg/L			12/29/22 18:08	1
TOC Result 4 (SW846 9060A)	5.0		1.0	0.35	mg/L			12/29/22 18:08	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-178297-8

Date Collected: 12/16/22 12:33

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		12/21/22 12:00	12/23/22 04:19	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	300		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:41	1
Calcium	40000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:41	1
Magnesium	13000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:41	1
Potassium	4700		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:41	1
Molybdenum	16		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:41	1
Strontium	1200		10	10	ug/L		12/21/22 12:00	12/22/22 16:41	1
Sodium	1100000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:41	1
Lithium	57		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 21:58	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 21:58	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 21:58	1
Chloride (SW846 9056A)	1800		20	20	mg/L			01/03/23 22:57	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			01/03/23 22:35	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			01/03/23 22:35	2
Total Organic Carbon (SW846 9060A)	0.62	J	1.0	0.35	mg/L			12/29/22 18:45	1
TOC Result 1 (SW846 9060A)	0.61	J	1.0	0.35	mg/L			12/29/22 18:45	1
TOC Result 2 (SW846 9060A)	0.64	J	1.0	0.35	mg/L			12/29/22 18:45	1
TOC Result 3 (SW846 9060A)	0.62	J	1.0	0.35	mg/L			12/29/22 18:45	1
TOC Result 4 (SW846 9060A)	0.62	J	1.0	0.35	mg/L			12/29/22 18:45	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-09

Lab Sample ID: 240-178297-9

Date Collected: 12/16/22 13:34

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1400		100	57	ug/L		12/21/22 12:00	12/23/22 04:23	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	220		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:44	1
Calcium	31000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:44	1
Magnesium	9600		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:44	1
Potassium	2700		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:44	1
Molybdenum	35		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:44	1
Strontium	840		10	10	ug/L		12/21/22 12:00	12/22/22 16:44	1
Sodium	580000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:44	1
Lithium	25		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	200		5.0	2.6	mg/L			12/21/22 22:07	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	200		5.0	2.6	mg/L			12/21/22 22:07	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 22:07	1
Chloride (SW846 9056A)	930		10	10	mg/L			01/03/23 23:40	10
Fluoride (SW846 9056A)	1.5		0.050	0.050	mg/L			01/03/23 23:19	1
Sulfate (SW846 9056A)	13		1.0	1.0	mg/L			01/03/23 23:19	1
Total Organic Carbon (SW846 9060A)	2.5		1.0	0.35	mg/L			12/29/22 19:39	1
TOC Result 1 (SW846 9060A)	2.5		1.0	0.35	mg/L			12/29/22 19:39	1
TOC Result 2 (SW846 9060A)	2.5		1.0	0.35	mg/L			12/29/22 19:39	1
TOC Result 3 (SW846 9060A)	2.5		1.0	0.35	mg/L			12/29/22 19:39	1
TOC Result 4 (SW846 9060A)	2.5		1.0	0.35	mg/L			12/29/22 19:39	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-10

Lab Sample ID: 240-178297-10

Date Collected: 12/16/22 09:20

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		12/21/22 12:00	12/23/22 04:28	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	67		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:46	1
Calcium	26000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:46	1
Magnesium	9000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:46	1
Potassium	4600		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:46	1
Molybdenum	11		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:46	1
Strontium	540		10	10	ug/L		12/21/22 12:00	12/22/22 16:46	1
Sodium	980000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:46	1
Lithium	67		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	210		5.0	2.6	mg/L			12/21/22 22:11	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	210		5.0	2.6	mg/L			12/21/22 22:11	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 22:11	1
Chloride (SW846 9056A)	1500		20	20	mg/L			01/04/23 00:24	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			01/04/23 00:02	2
Sulfate (SW846 9056A)	60		2.0	2.0	mg/L			01/04/23 00:02	2
Total Organic Carbon (SW846 9060A)	0.53	J	1.0	0.35	mg/L			12/29/22 20:14	1
TOC Result 1 (SW846 9060A)	0.52	J	1.0	0.35	mg/L			12/29/22 20:14	1
TOC Result 2 (SW846 9060A)	0.53	J	1.0	0.35	mg/L			12/29/22 20:14	1
TOC Result 3 (SW846 9060A)	0.54	J	1.0	0.35	mg/L			12/29/22 20:14	1
TOC Result 4 (SW846 9060A)	0.54	J	1.0	0.35	mg/L			12/29/22 20:14	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-11A

Lab Sample ID: 240-178297-11

Date Collected: 12/16/22 11:05

Matrix: Water

Date Received: 12/20/22 10:00

Method: SW846 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		12/21/22 12:00	12/23/22 04:32	1

Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	270		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:49	1
Calcium	38000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:49	1
Magnesium	12000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:49	1
Potassium	4800		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:49	1
Molybdenum	12		5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:49	1
Strontium	1000		10	10	ug/L		12/21/22 12:00	12/22/22 16:49	1
Sodium	1000000		1000	1000	ug/L		12/21/22 12:00	12/22/22 16:49	1
Lithium	57		8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:49	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 22:16	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B-1997)	170		5.0	2.6	mg/L			12/21/22 22:16	1
Carbonate Alkalinity as CaCO3 (SM 2320B-1997)	5.0	U	5.0	2.6	mg/L			12/21/22 22:16	1
Chloride (SW846 9056A)	1700		20	20	mg/L			01/04/23 01:07	20
Fluoride (SW846 9056A)	1.1		0.10	0.10	mg/L			01/04/23 00:46	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			01/04/23 00:46	2
Total Organic Carbon (SW846 9060A)	0.49	J	1.0	0.35	mg/L			12/29/22 20:49	1
TOC Result 1 (SW846 9060A)	0.51	J	1.0	0.35	mg/L			12/29/22 20:49	1
TOC Result 2 (SW846 9060A)	0.49	J	1.0	0.35	mg/L			12/29/22 20:49	1
TOC Result 3 (SW846 9060A)	0.49	J	1.0	0.35	mg/L			12/29/22 20:49	1
TOC Result 4 (SW846 9060A)	0.49	J	1.0	0.35	mg/L			12/29/22 20:49	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 240-556847/1-A
Matrix: Water
Analysis Batch: 557096

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		12/21/22 12:00	12/23/22 03:19	1

Lab Sample ID: LCS 240-556847/2-A
Matrix: Water
Analysis Batch: 557096

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000	979		ug/L		98	80 - 120

Lab Sample ID: 240-178297-1 MS
Matrix: Water
Analysis Batch: 557096

Client Sample ID: MW-16-01
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000		1000	2030		ug/L		100	75 - 125

Lab Sample ID: 240-178297-1 MSD
Matrix: Water
Analysis Batch: 557096

Client Sample ID: MW-16-01
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Boron	1000		1000	1970		ug/L		94	75 - 125	3	20

Method: 6020 - Metals (ICP/MS)

Lab Sample ID: MB 240-556847/1-A
Matrix: Water
Analysis Batch: 557119

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	5.0	U	5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:05	1
Calcium	1000	U	1000	1000	ug/L		12/21/22 12:00	12/22/22 16:05	1
Magnesium	1000	U	1000	1000	ug/L		12/21/22 12:00	12/22/22 16:05	1
Potassium	1000	U	1000	1000	ug/L		12/21/22 12:00	12/22/22 16:05	1
Molybdenum	5.0	U	5.0	5.0	ug/L		12/21/22 12:00	12/22/22 16:05	1
Strontium	10	U	10	10	ug/L		12/21/22 12:00	12/22/22 16:05	1
Sodium	1000	U	1000	1000	ug/L		12/21/22 12:00	12/22/22 16:05	1
Lithium	8.0	U	8.0	8.0	ug/L		12/21/22 12:00	12/22/22 16:05	1

Lab Sample ID: LCS 240-556847/3-A
Matrix: Water
Analysis Batch: 557119

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	1000	1010		ug/L		101	80 - 120
Calcium	25000	24200		ug/L		97	80 - 120
Magnesium	25000	23700		ug/L		95	80 - 120
Potassium	25000	24300		ug/L		97	80 - 120
Molybdenum	500	458		ug/L		92	80 - 120
Strontium	500	470		ug/L		94	80 - 120

Eurofins Canton

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Method: 6020 - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 240-556847/3-A
Matrix: Water
Analysis Batch: 557119

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sodium	25000	23900		ug/L		95	80 - 120
Lithium	500	482		ug/L		96	80 - 120

Lab Sample ID: 240-178297-1 MS
Matrix: Water
Analysis Batch: 557119

Client Sample ID: MW-16-01
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	220	F1	1000	1560	F1	ug/L		134	75 - 125
Calcium	42000		25000	63200		ug/L		84	75 - 125
Magnesium	14000		25000	37500		ug/L		94	75 - 125
Potassium	2700		25000	26800		ug/L		96	75 - 125
Molybdenum	71		500	582		ug/L		102	75 - 125
Strontium	1200		500	1620		ug/L		86	75 - 125
Sodium	300000		25000	315000	4	ug/L		48	75 - 125
Lithium	15		500	514		ug/L		100	75 - 125

Lab Sample ID: 240-178297-1 MSD
Matrix: Water
Analysis Batch: 557119

Client Sample ID: MW-16-01
Prep Type: Total Recoverable
Prep Batch: 556847

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Barium	220	F1	1000	1550	F1	ug/L		133	75 - 125	0	20
Calcium	42000		25000	62900		ug/L		83	75 - 125	0	20
Magnesium	14000		25000	36700		ug/L		91	75 - 125	2	20
Potassium	2700		25000	26500		ug/L		95	75 - 125	1	20
Molybdenum	71		500	569		ug/L		100	75 - 125	2	20
Strontium	1200		500	1620		ug/L		85	75 - 125	0	20
Sodium	300000		25000	313000	4	ug/L		40	75 - 125	1	20
Lithium	15		500	502		ug/L		97	75 - 125	2	20

Method: 2320B-1997 - Alkalinity, Total

Lab Sample ID: MB 240-557050/30
Matrix: Water
Analysis Batch: 557050

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1
Bicarbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1
Carbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 20:50	1

Lab Sample ID: MB 240-557050/4
Matrix: Water
Analysis Batch: 557050

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1
Bicarbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1
Carbonate Alkalinity as CaCO3	5.0	U	5.0	2.6	mg/L			12/21/22 18:59	1

Eurofins Canton

QC Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Method: 2320B-1997 - Alkalinity, Total

Lab Sample ID: LCS 240-557050/29
 Matrix: Water
 Analysis Batch: 557050

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity	146	140		mg/L		96	86 - 123

Lab Sample ID: 240-178297-8 DU
 Matrix: Water
 Analysis Batch: 557050

Client Sample ID: MW-16-08
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity	170		165		mg/L		2	20
Bicarbonate Alkalinity as CaCO3	170		165		mg/L		2	20
Carbonate Alkalinity as CaCO3	5.0	U	5.0	U	mg/L		NC	20

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-557809/3
 Matrix: Water
 Analysis Batch: 557809

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0	1.0	mg/L			01/03/23 13:33	1
Fluoride	0.050	U	0.050	0.050	mg/L			01/03/23 13:33	1
Sulfate	1.0	U	1.0	1.0	mg/L			01/03/23 13:33	1

Lab Sample ID: LCS 240-557809/4
 Matrix: Water
 Analysis Batch: 557809

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	49.2		mg/L		98	90 - 110
Fluoride	2.50	2.61		mg/L		104	90 - 110
Sulfate	50.0	50.6		mg/L		101	90 - 110

Method: 9060A - Organic Carbon, Total (TOC)

Lab Sample ID: MB 240-557788/3
 Matrix: Water
 Analysis Batch: 557788

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0	0.35	mg/L			12/29/22 14:16	1
TOC Result 1	1.0	U	1.0	0.35	mg/L			12/29/22 14:16	1

Lab Sample ID: LCS 240-557788/4
 Matrix: Water
 Analysis Batch: 557788

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Organic Carbon	18.3	18.0		mg/L		98	85 - 115
TOC Result 1	18.3	18.0		mg/L		98	85 - 115

Eurofins Canton

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Metals

Prep Batch: 556847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total Recoverable	Water	3005A	
240-178297-2	MW-16-02	Total Recoverable	Water	3005A	
240-178297-3	MW-16-03	Total Recoverable	Water	3005A	
240-178297-4	MW-16-04	Total Recoverable	Water	3005A	
240-178297-5	MW-16-05	Total Recoverable	Water	3005A	
240-178297-6	MW-16-06	Total Recoverable	Water	3005A	
240-178297-7	MW-16-07	Total Recoverable	Water	3005A	
240-178297-8	MW-16-08	Total Recoverable	Water	3005A	
240-178297-9	MW-16-09	Total Recoverable	Water	3005A	
240-178297-10	MW-16-10	Total Recoverable	Water	3005A	
240-178297-11	MW-16-11A	Total Recoverable	Water	3005A	
MB 240-556847/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-556847/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-556847/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-178297-1 MS	MW-16-01	Total Recoverable	Water	3005A	
240-178297-1 MS	MW-16-01	Total Recoverable	Water	3005A	
240-178297-1 MSD	MW-16-01	Total Recoverable	Water	3005A	
240-178297-1 MSD	MW-16-01	Total Recoverable	Water	3005A	

Analysis Batch: 557096

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total Recoverable	Water	6010B	556847
240-178297-2	MW-16-02	Total Recoverable	Water	6010B	556847
240-178297-3	MW-16-03	Total Recoverable	Water	6010B	556847
240-178297-4	MW-16-04	Total Recoverable	Water	6010B	556847
240-178297-5	MW-16-05	Total Recoverable	Water	6010B	556847
240-178297-6	MW-16-06	Total Recoverable	Water	6010B	556847
240-178297-7	MW-16-07	Total Recoverable	Water	6010B	556847
240-178297-8	MW-16-08	Total Recoverable	Water	6010B	556847
240-178297-9	MW-16-09	Total Recoverable	Water	6010B	556847
240-178297-10	MW-16-10	Total Recoverable	Water	6010B	556847
240-178297-11	MW-16-11A	Total Recoverable	Water	6010B	556847
MB 240-556847/1-A	Method Blank	Total Recoverable	Water	6010B	556847
LCS 240-556847/2-A	Lab Control Sample	Total Recoverable	Water	6010B	556847
240-178297-1 MS	MW-16-01	Total Recoverable	Water	6010B	556847
240-178297-1 MSD	MW-16-01	Total Recoverable	Water	6010B	556847

Analysis Batch: 557119

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total Recoverable	Water	6020	556847
240-178297-2	MW-16-02	Total Recoverable	Water	6020	556847
240-178297-3	MW-16-03	Total Recoverable	Water	6020	556847
240-178297-4	MW-16-04	Total Recoverable	Water	6020	556847
240-178297-5	MW-16-05	Total Recoverable	Water	6020	556847
240-178297-6	MW-16-06	Total Recoverable	Water	6020	556847
240-178297-7	MW-16-07	Total Recoverable	Water	6020	556847
240-178297-8	MW-16-08	Total Recoverable	Water	6020	556847
240-178297-9	MW-16-09	Total Recoverable	Water	6020	556847
240-178297-10	MW-16-10	Total Recoverable	Water	6020	556847
240-178297-11	MW-16-11A	Total Recoverable	Water	6020	556847
MB 240-556847/1-A	Method Blank	Total Recoverable	Water	6020	556847

Eurofins Canton

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Metals (Continued)

Analysis Batch: 557119 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 240-556847/3-A	Lab Control Sample	Total Recoverable	Water	6020	556847
240-178297-1 MS	MW-16-01	Total Recoverable	Water	6020	556847
240-178297-1 MSD	MW-16-01	Total Recoverable	Water	6020	556847

General Chemistry

Analysis Batch: 557050

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total/NA	Water	2320B-1997	
240-178297-2	MW-16-02	Total/NA	Water	2320B-1997	
240-178297-3	MW-16-03	Total/NA	Water	2320B-1997	
240-178297-4	MW-16-04	Total/NA	Water	2320B-1997	
240-178297-5	MW-16-05	Total/NA	Water	2320B-1997	
240-178297-6	MW-16-06	Total/NA	Water	2320B-1997	
240-178297-7	MW-16-07	Total/NA	Water	2320B-1997	
240-178297-8	MW-16-08	Total/NA	Water	2320B-1997	
240-178297-9	MW-16-09	Total/NA	Water	2320B-1997	
240-178297-10	MW-16-10	Total/NA	Water	2320B-1997	
240-178297-11	MW-16-11A	Total/NA	Water	2320B-1997	
MB 240-557050/30	Method Blank	Total/NA	Water	2320B-1997	
MB 240-557050/4	Method Blank	Total/NA	Water	2320B-1997	
LCS 240-557050/29	Lab Control Sample	Total/NA	Water	2320B-1997	
240-178297-8 DU	MW-16-08	Total/NA	Water	2320B-1997	

Analysis Batch: 557788

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total/NA	Water	9060A	
240-178297-2	MW-16-02	Total/NA	Water	9060A	
240-178297-3	MW-16-03	Total/NA	Water	9060A	
240-178297-4	MW-16-04	Total/NA	Water	9060A	
240-178297-5	MW-16-05	Total/NA	Water	9060A	
240-178297-6	MW-16-06	Total/NA	Water	9060A	
240-178297-7	MW-16-07	Total/NA	Water	9060A	
240-178297-8	MW-16-08	Total/NA	Water	9060A	
240-178297-9	MW-16-09	Total/NA	Water	9060A	
240-178297-10	MW-16-10	Total/NA	Water	9060A	
240-178297-11	MW-16-11A	Total/NA	Water	9060A	
MB 240-557788/3	Method Blank	Total/NA	Water	9060A	
LCS 240-557788/4	Lab Control Sample	Total/NA	Water	9060A	

Analysis Batch: 557809

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-1	MW-16-01	Total/NA	Water	9056A	
240-178297-1	MW-16-01	Total/NA	Water	9056A	
240-178297-2	MW-16-02	Total/NA	Water	9056A	
240-178297-2	MW-16-02	Total/NA	Water	9056A	
240-178297-3	MW-16-03	Total/NA	Water	9056A	
240-178297-3	MW-16-03	Total/NA	Water	9056A	
240-178297-4	MW-16-04	Total/NA	Water	9056A	
240-178297-4	MW-16-04	Total/NA	Water	9056A	
240-178297-5	MW-16-05	Total/NA	Water	9056A	

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

General Chemistry (Continued)

Analysis Batch: 557809 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-178297-5	MW-16-05	Total/NA	Water	9056A	
240-178297-6	MW-16-06	Total/NA	Water	9056A	
240-178297-6	MW-16-06	Total/NA	Water	9056A	
240-178297-7	MW-16-07	Total/NA	Water	9056A	
240-178297-7	MW-16-07	Total/NA	Water	9056A	
240-178297-8	MW-16-08	Total/NA	Water	9056A	
240-178297-8	MW-16-08	Total/NA	Water	9056A	
240-178297-9	MW-16-09	Total/NA	Water	9056A	
240-178297-9	MW-16-09	Total/NA	Water	9056A	
240-178297-10	MW-16-10	Total/NA	Water	9056A	
240-178297-10	MW-16-10	Total/NA	Water	9056A	
240-178297-11	MW-16-11A	Total/NA	Water	9056A	
240-178297-11	MW-16-11A	Total/NA	Water	9056A	
MB 240-557809/3	Method Blank	Total/NA	Water	9056A	
LCS 240-557809/4	Lab Control Sample	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-01

Lab Sample ID: 240-178297-1

Date Collected: 12/14/22 10:33

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 03:28
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:09
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:26
Total/NA	Analysis	9056A		1	557809	JMB	EET CAN	01/03/23 16:05
Total/NA	Analysis	9056A		5	557809	JMB	EET CAN	01/03/23 16:27
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 14:35

Client Sample ID: MW-16-02

Lab Sample ID: 240-178297-2

Date Collected: 12/14/22 12:13

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 03:44
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:21
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:30
Total/NA	Analysis	9056A		1	557809	JMB	EET CAN	01/03/23 16:48
Total/NA	Analysis	9056A		5	557809	JMB	EET CAN	01/03/23 17:53
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 15:10

Client Sample ID: MW-16-03

Lab Sample ID: 240-178297-3

Date Collected: 12/14/22 13:46

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 03:49
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:24
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:35
Total/NA	Analysis	9056A		1	557809	JMB	EET CAN	01/03/23 18:15
Total/NA	Analysis	9056A		10	557809	JMB	EET CAN	01/03/23 18:37
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 15:45

Client Sample ID: MW-16-04

Lab Sample ID: 240-178297-4

Date Collected: 12/15/22 13:34

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 03:53

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-04

Date Collected: 12/15/22 13:34

Date Received: 12/20/22 10:00

Lab Sample ID: 240-178297-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:26
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:39
Total/NA	Analysis	9056A		1	557809	JMB	EET CAN	01/03/23 18:59
Total/NA	Analysis	9056A		5	557809	JMB	EET CAN	01/03/23 19:20
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 16:20

Client Sample ID: MW-16-05

Date Collected: 12/15/22 09:24

Date Received: 12/20/22 10:00

Lab Sample ID: 240-178297-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:06
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:34
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:43
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/03/23 19:42
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/03/23 20:04
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 16:56

Client Sample ID: MW-16-06

Date Collected: 12/15/22 10:55

Date Received: 12/20/22 10:00

Lab Sample ID: 240-178297-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:10
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:36
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:47
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/03/23 20:25
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/03/23 20:47
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 17:32

Client Sample ID: MW-16-07

Date Collected: 12/15/22 12:28

Date Received: 12/20/22 10:00

Lab Sample ID: 240-178297-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:14
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:39

Lab Chronicle

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-178297-7

Date Collected: 12/15/22 12:28

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:52
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/03/23 21:09
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/03/23 22:14
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 18:08

Client Sample ID: MW-16-08

Lab Sample ID: 240-178297-8

Date Collected: 12/16/22 12:33

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:19
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:41
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 21:58
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/03/23 22:35
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/03/23 22:57
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 18:45

Client Sample ID: MW-16-09

Lab Sample ID: 240-178297-9

Date Collected: 12/16/22 13:34

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:23
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:44
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:07
Total/NA	Analysis	9056A		1	557809	JMB	EET CAN	01/03/23 23:19
Total/NA	Analysis	9056A		10	557809	JMB	EET CAN	01/03/23 23:40
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 19:39

Client Sample ID: MW-16-10

Lab Sample ID: 240-178297-10

Date Collected: 12/16/22 09:20

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:28
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:46
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:11
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/04/23 00:02

Lab Chronicle

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Client Sample ID: MW-16-10

Lab Sample ID: 240-178297-10

Date Collected: 12/16/22 09:20

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/04/23 00:24
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 20:14

Client Sample ID: MW-16-11A

Lab Sample ID: 240-178297-11

Date Collected: 12/16/22 11:05

Matrix: Water

Date Received: 12/20/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6010B		1	557096	RKT	EET CAN	12/23/22 04:32
Total Recoverable	Prep	3005A			556847	SHB	EET CAN	12/21/22 12:00
Total Recoverable	Analysis	6020		1	557119	AJC	EET CAN	12/22/22 16:49
Total/NA	Analysis	2320B-1997		1	557050	JWW	EET CAN	12/21/22 22:16
Total/NA	Analysis	9056A		2	557809	JMB	EET CAN	01/04/23 00:46
Total/NA	Analysis	9056A		20	557809	JMB	EET CAN	01/04/23 01:07
Total/NA	Analysis	9060A		1	557788	MMS	EET CAN	12/29/22 20:49

Laboratory References:

EET CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Accreditation/Certification Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power - Aquifer

Job ID: 240-178297-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-23
Georgia	State	4062	02-27-23
Illinois	NELAP	200004	07-31-23
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22 *
Michigan	State	9135	02-27-23
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-27-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record



Environment Testing

3.2/3.0

Client Information Client Contact: Jacob Krenz Company: TRC Environmental Corporation. Address: 1540 Eisenhower Place City: Ann Arbor State, Zip: MI, 48108-7080 Phone: 313-971-7080(Tel) 313-971-9022(Fax) Email: JKrenz@trccompanies.com Project Name: CCR DTE Belle River Power-Aquifer Site: Michigan		Lab PM: Brooks, Kris M E-Mail: Kris.Brooks@et.eurofins.com		Carrier Tracking No(s): COC No: 240-102238-37085.4 Page: Page 4 of 7 Job #:			
Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No FO #: 179074-2022 193 523 WO #: 379029 0003 P512 Project #: 24018468 SSOW#:				Analysis Requested			
Sample: J. Krenz Phone: 734-795-4801 PWSID:				Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)			
Sample Identification Sample Date Sample Time Sample Type (C=comp, G=grab) Matrix (W=water, S=solid, O=wastabil, BT=biologic, AW=air)				Special Instructions/Note: Total Number of containers			
MW-16-01 MW-16-02 MW-16-03 MW-16-04 MW-16-05 MW-16-06 MW-16-07 MW-16-08 MW-16-09 MW-16-10 MW-16-11a				6020 - (MOD) Metals - Ca, Mg, Na, K, Ba, Ni, Pb, Cr, Hg, Cu, Zn, Mn, Se, Li 9056A_28D - Chloride, Sulfate 2320B - Carb. Bicarb & Total Alkalinity Perform MS/MSD (Yes or No) Field Filtered Sample (Yes or No) Preservation Code			
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:			
Empty Kit Relinquished by:				Method of Shipment:			
Relinquished by: <i>TRC Storage Vendor & Benig</i>				Date: 12/14/22 / 0850 Company: TRC			
Relinquished by: <i>TRC Storage Vendor & Benig</i>				Date: 12/17/22 / 1039 Company: TRC			
Relinquished by: <i>TRC Storage Vendor & Benig</i>				Date: 12/19/22 / 1400 Company: ECT			
Custody Seal(s) Contact: <input type="checkbox"/> Yes <input type="checkbox"/> No				Custody Seal No.:			



Barberton Facility

Client TBC Site Name _____

Cooler unpacked by:

Chamrek

Cooler Received on 12-20-22 Opened on 12-20-22

FedEx: 1st Grd UPS FAS Clipper Client Drop Off Eurofins Courier Other


Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # 52 Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt See Multiple Cooler Form
 - IR GUN # IR-13 (CF -0.2 °C) Observed Cooler Temp. 3.2 °C Corrected Cooler Temp. 3.0 °C
 - IR GUN # IR-16 (CF -0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 - IR GUN # IR-17 (CF -0.3 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
 - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes No NA
 - 3. Shippers' packing slip attached to the cooler(s)? Yes No
 - 4. Did custody papers accompany the sample(s)? Yes No
 - 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 - 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 - 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 - 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 - 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 - 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 - 11. Sufficient quantity received to perform indicated analyses? Yes No
 - 12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC291590
 - 14. Were VOAs on the COC? Yes No
 - 15. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
 - 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 - 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____



Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
MW-16-01	240-178297-D-1	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-02	240-178297-D-2	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-03	240-178297-D-3	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-04	240-178297-D-4	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-05	240-178297-D-5	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-06	240-178297-D-6	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-07	240-178297-D-7	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-08	240-178297-D-8	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-09	240-178297-D-9	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-10	240-178297-D-10	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____
MW-16-11A	240-178297-D-11	Plastic 500ml - with Nitric Acid	_____	_____	_____	_____

ALS Scandinavia

ANALYSIS REPORT



Issued by: ALS Scandinavia Luleå, Aurorum 10, SE-977 75 LULEÅ, Sweden
Client: TRC
Date of receipt: 2022-12-22
Date of analysis: 2023-01-12
Order number(our): LE2216210
Your reference: Vincent Buening
Our reference: Ilia Rodushkin

Lab number(our)	Sample name	$\delta^{11}\text{B}$, ‰	2SD, ‰	$\delta^7\text{Li}$, ‰	2SD, ‰	$^{87}\text{Sr}/^{86}\text{Sr}$	2 SD
LE2216210-001	MW-16-01	39.26	0.65	31.21	0.72	0.709290	0.000029
LE2216210-002	MW-16-02	39.32	0.84	30.67	0.77	0.709517	0.000016
LE2216210-003	MW-16-03	39.49	0.56	29.15	0.82	0.709430	0.000065
LE2216210-004	MW-16-04	40.63	0.62	28.75	0.92	0.709343	0.000012
LE2216210-005	MW-16-05	45.84	0.62	27.83	0.73	0.709407	0.000008
LE2216210-006	MW-16-06	46.46	0.60	31.52	0.78	0.709327	0.000026
LE2216210-007	MW-16-07	45.94	0.85	28.44	0.73	0.709541	0.000013
LE2216210-008	MW-16-08	46.31	0.65	23.69	0.79	0.709581	0.000016
LE2216210-009	MW-16-09	43.49	0.71	29.89	1.04	0.709459	0.000030
LE2216210-009	MW-16-09, r.2	44.18	0.67	30.51	0.88	0.709448	0.000039
LE2216210-010	MW-16-10	46.72	0.79	21.88	0.67	0.709502	0.000020
LE2216210-011	MW-16-11A	46.11	0.64	22.89	0.74	0.709443	0.000040
LE2216210-012	North BAB	-0.81	0.78	-0.13	0.66	0.708901	0.000014
LE2216210-013	DB-01	-5.01	0.63	11.48	0.63	0.709354	0.000008
LE2216210-014	SC-01	-4.82	0.62	20.80	0.65	0.709999	0.000013
LE2216210-014	SC-01, r.2	-5.07	0.68	21.14	0.71	0.710000	0.000009
LE2216210-015	DUP-01	40.29	0.68	28.79	0.84	0.709390	0.000024

Comments

The analysis is carried out by MC-ICP-MS (NEPTUNE Plus) using internal standartization and external calibration with bracketing isotope SRMs
Analysis is carried out after ion exchange separation
Li delta value calculated against LSVEC NIST 8545 RM
Boron delta values calculated to NIST SRM 951 RM
SD calculated from two independent consequitive measurements

Signature

Ilia Rodushkin

Associate Professor

LABORATORY MANAGER

ALS Scandinavia AB

Waterloo EIL

#	Sample	Date	Lab#	$\delta^{18}\text{O}$	Result	Repeat	$\delta^2\text{H}$	Result	Repeat		pH
				H ₂ O	VSMOW	$\pm 0.2\text{‰}$	H ₂ O	VSMOW	$\pm 0.8\text{‰}$		
1	MW-16-01	2022-12-14	495331	X	-14.96	-15.02	X	-103.94	-104.60	250ml	7.75
2	MW-16-02	2022-12-14	495332	X	-15.04		X	-104.86		250ml	7.57
3	MW-16-03	2022-12-14	495333	X	-14.68		X	-102.29		250ml	7.92
4	MW-16-04	2022-12-15	495334	X	-14.67		X	-102.68		250ml	7.84
5	MW-16-05	2022-12-15	495335	X	-16.73	-16.61	X	-118.71	-118.73	250ml	8.05
6	MW-16-06	2022-12-15	495336	X	-16.61		X	-118.39		250ml	8.12
7	MW-16-07	2022-12-15	495337	X	-16.39		X	-116.78		250ml	7.98
8	MW-16-08	2022-12-16	495338	X	-16.35		X	-116.98		250ml	8.12
9	MW-16-09	2022-12-16	495339	X	-15.80		X	-112.02		250ml	7.76
10	MW-16-10	2022-12-16	495340	X	-16.42	-16.43	X	-116.12	-116.35	250ml	8.08
11	MW-16-11A	2022-12-16	495341	X	-16.75		X	-118.91		250ml	8.08
12	North BAB	2022-12-14	495342	X	-7.44		X	-54.32		250ml	9.28
13	DB-01	2022-12-16	495343	X	-7.06		X	-53.02		250ml	8.9
14	SC-01	2022-12-16	495344	X	-7.36		X	-53.70		250ml	8.33
15	DUP-01	2022-12-14	495345	X	-14.92	-14.92	X	-102.52	-101.84	250ml	7.92

Client: Buening/TRC

ISO# 2022714

Environmental Isotope Lab

Location: C2

2023-01-06

Project: BRPP BABs DB

15 for 18O, 2H

2 of 2

EC	AZD
uS/cm	
1,371	
1,085	
1,615	
1,498	
3,497	
4,022	
4,492	
4,622	
2,527	
3,853	
4,198	
411	
1,827	
149	
1,615	

Miami Tritium Laboratory



March 13, 2023

TRITIUM LABORATORY

Data Release #23-013
Job # 4256

TRC Companies
TRITIUM SAMPLES

Dr. James D. Happell
Associate Research Professor

Distribution:
Vince Buening
1540 Eisenhower Place
Ann Arbor, MI 48108
vbuening@trccompanies.com

Tritium Scale New Half-life

Tritium concentrations are normally expressed in TU, where 1 TU indicates a T/H abundance ratio of 10^{-18} . The values refer to the tritium scale recommended by U.S. National Institute of Science and Technology (NIST, formerly NBS), and International Atomic Energy Agency (IAEA). The TU-numbers are based on the NIST tritium water standard #4926E. Age corrections and conversions are made using the recommended half-life of **12.32 years**, i.e., a decay rate of $\lambda = 5.626\% \text{ year}^{-1}$. In this scale, 1 TU is equivalent to 7.151 dpm/kg H₂O, or 3.222 pCi/kg H₂O, (equivalent to pCi/L in freshwater) or 0.1192 Bq/kg H₂O (Bq = disint/sec). We can also express tritium concentrations in pCi/L upon client request.

Tritium concentrations in TU or pCi/L are calculated for date of sample collection, REFDATE in the table, as provided by the submitter. If no such date is available, date of sample arrival at our laboratory is used.

The stated errors, eTU or err, are one standard deviation (1 sigma) including all conceivable contributions. In the table, QUANT is quantity of sample received, and ELYS is the amount of water taken for electrolytic enrichment. DIR means direct run (no enrichment).

Very low tritium values

In some cases, negative tritium values are listed. Such numbers can occur because the net tritium count rate is, in principle the difference between the count rate of the sample and that of a tritium-free sample (background count or blank sample). Given a set of "unknown" samples with no tritium, the distribution of net results should become symmetrical around 0 TU or pCi/L. The negative values are reported as such for the benefit of allowing the user unbiased statistical treatment of sets of the data. For other applications, 0 TU or pCi/L should be used.

Additional information

Refer to Services Rendered (Tritium), Section II.8, in the "Tritium Laboratory Price Schedule; Procedures and Standards; Advice on Sampling", and our Web-site www.rsmas.miami.edu/groups/tritium.

Tritium efficiencies and background values are somewhat different in each of the nine counters and values are corrected for cosmic intensity, gas pressure and other parameters. For tritium, the efficiency is typically 1.00 cpm per 100 TU (direct counting). At 50× enrichment, the efficiency is equivalent to 1.00 cpm per 2.4 TU. The background is typically 0.3 cpm, known to about ± 0.02 cpm. Our reported results include not only the Poisson statistics, but also other experimental uncertainties such as enrichment error, etc.

Client: TRC COMPANIES
Recvd : 22/12/21
Job# : 4256
Final : 23/03/09

Purchase Order: 193682
Contact: Vince Buening 734-904-3302
1540 Eisenhower Place
Ann Arbor, MI 48108
vbuening@trccompanies.com
BRPP BABs & DB

Cust	LABEL INFO	JOB.SX	REFDATE	QUANT	ELYS	TU	eTU
MW-16-01		4256.01	221214	1000	275	0.02	0.09
MW-16-02		4256.02	221214	1000	275	0.03	0.09
MW-16-03		4256.03	221214	1000	275	0.00	0.09
MW-16-04		4256.04	221215	1000	275	-0.12	0.09
MW-16-05		4256.05	221215	1000	275	0.11	0.09
MW-16-06		4256.06	221215	1000	275	-0.01	0.09
MW-16-07		4256.07	221215	1000	275	0.37	0.09
MW-16-08		4256.08	221216	1000	275	0.03	0.09
MW-16-09		4256.09	221216	1000	275	0.18	0.09
MW-16-10		4256.10	221216	1000	275	0.27	0.09
MW-16-11A		4256.11	221216	1000	275	0.05	0.09
NORTH BAB		4256.12	221214	1000	275	26.4	0.9
DB-01		4256.13	221216	1000	275	22.4	0.7
SC-01		4256.14	221216	1000	275	23.9	0.8
DUP-01		4256.15	221214	1000	275	0.05*	0.09

* Average of duplicate runs

Appendix B

Laboratory Analytical Reports



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 6/21/2023 4:38:41 PM Revision 1

JOB DESCRIPTION

CCR DTE Belle River Power

JOB NUMBER

240-184643-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790

Generated
6/21/2023 4:38:41 PM
Revision 1



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	10
QC Sample Results	18
QC Association Summary	21
Lab Chronicle	23
Certification Summary	26
Chain of Custody	27

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Job ID: 240-184643-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-184643-1

Receipt

The samples were received on 5/4/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.4°C, 1.8°C, 2.4°C and 2.6°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 2540C_Calcd: The following sample(s) was analyzed outside of analytical holding time due to lab oversight: EB-01

Method 2540C_Calcd: The matrix spike / matrix spike duplicate (MS/MSD) precision for analytical batch 240-572272 was outside control limits. Sample matrix interference is suspected.

Method 9056A_28D: The following samples were diluted due to the nature of the sample matrix: MW-16-05 (240-184643-1), MW-16-06 (240-184643-2), MW-16-07 (240-184643-3), MW-16-11A (240-184643-6) and DUP-01 (240-184643-7). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	EET CLE
6020B	Metals (ICP/MS)	SW846	EET CLE
9056A	Anions, Ion Chromatography	SW846	EET CLE
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CLE

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-184643-1	MW-16-05	Ground Water	04/27/23 14:23	05/04/23 08:00
240-184643-2	MW-16-06	Ground Water	04/27/23 13:13	05/04/23 08:00
240-184643-3	MW-16-07	Ground Water	04/27/23 12:20	05/04/23 08:00
240-184643-4	MW-16-08	Ground Water	04/27/23 10:51	05/04/23 08:00
240-184643-5	MW-16-10	Ground Water	04/27/23 10:03	05/04/23 08:00
240-184643-6	MW-16-11A	Ground Water	04/27/23 09:08	05/04/23 08:00
240-184643-7	DUP-01	Ground Water	04/27/23 00:00	05/04/23 08:00
240-184643-8	EB-01	Water	04/26/23 15:30	05/04/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-184643-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	33000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	2100		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1500		25	25	mg/L	25		9056A	Total/NA
Fluoride	1.0		0.25	0.25	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2500		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-06

Lab Sample ID: 240-184643-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	35000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	780		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1700		25	25	mg/L	25		9056A	Total/NA
Fluoride	1.0		0.25	0.25	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2700		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-07

Lab Sample ID: 240-184643-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	47000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	6500		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1700		25	25	mg/L	25		9056A	Total/NA
Fluoride	1.0		0.25	0.25	mg/L	5		9056A	Total/NA
Sulfate	30		5.0	5.0	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2900		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-08

Lab Sample ID: 240-184643-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	46000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	4600		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1900		25	25	mg/L	25		9056A	Total/NA
Fluoride	0.99		0.25	0.25	mg/L	5		9056A	Total/NA
Total Dissolved Solids	3000		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-10

Lab Sample ID: 240-184643-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-10 (Continued)

Lab Sample ID: 240-184643-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Calcium	25000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	5600		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1500		25	25	mg/L	25		9056A	Total/NA
Fluoride	0.91		0.25	0.25	mg/L	5		9056A	Total/NA
Sulfate	47		5.0	5.0	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2600		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-11A

Lab Sample ID: 240-184643-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	35000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	1000		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1700		25	25	mg/L	25		9056A	Total/NA
Fluoride	0.83		0.25	0.25	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2800		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: DUP-01

Lab Sample ID: 240-184643-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1700	B	100	57	ug/L	1		6010D	Total Recoverable
Calcium	35000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	820		100	47	ug/L	1		6020B	Total Recoverable
Chloride	1700		25	25	mg/L	25		9056A	Total/NA
Fluoride	0.83		0.25	0.25	mg/L	5		9056A	Total/NA
Total Dissolved Solids	2800		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: EB-01

Lab Sample ID: 240-184643-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-184643-1

Date Collected: 04/27/23 14:23

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:02	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	33000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:04	1
Iron	2100		100	47	ug/L		05/05/23 14:00	05/08/23 18:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1500		25	25	mg/L			05/18/23 01:53	25
Fluoride (SW846 9056A)	1.0		0.25	0.25	mg/L			05/18/23 01:31	5
Sulfate (SW846 9056A)	5.0	U	5.0	5.0	mg/L			05/18/23 01:31	5
Total Dissolved Solids (SM 2540C)	2500		50	50	mg/L			05/04/23 16:33	1



Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-184643-2

Date Collected: 04/27/23 13:13

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:24	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	35000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:12	1
Iron	780		100	47	ug/L		05/05/23 14:00	05/08/23 18:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		25	25	mg/L			05/18/23 02:15	25
Fluoride (SW846 9056A)	1.0		0.25	0.25	mg/L			05/18/23 02:37	5
Sulfate (SW846 9056A)	5.0	U	5.0	5.0	mg/L			05/18/23 02:37	5
Total Dissolved Solids (SM 2540C)	2700		50	50	mg/L			05/04/23 16:33	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-184643-3

Date Collected: 04/27/23 12:20

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:28	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	47000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:25	1
Iron	6500		100	47	ug/L		05/05/23 14:00	05/08/23 18:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		25	25	mg/L			05/18/23 04:05	25
Fluoride (SW846 9056A)	1.0		0.25	0.25	mg/L			05/18/23 02:59	5
Sulfate (SW846 9056A)	30		5.0	5.0	mg/L			05/18/23 02:59	5
Total Dissolved Solids (SM 2540C)	2900		50	50	mg/L			05/04/23 16:33	1



Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-184643-4

Date Collected: 04/27/23 10:51

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:32	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	46000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:27	1
Iron	4600		100	47	ug/L		05/05/23 14:00	05/08/23 18:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1900		25	25	mg/L			05/18/23 04:48	25
Fluoride (SW846 9056A)	0.99		0.25	0.25	mg/L			05/18/23 04:26	5
Sulfate (SW846 9056A)	5.0	U	5.0	5.0	mg/L			05/18/23 04:26	5
Total Dissolved Solids (SM 2540C)	3000		50	50	mg/L			05/04/23 16:33	1



Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-10

Lab Sample ID: 240-184643-5

Date Collected: 04/27/23 10:03

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:37	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	25000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:30	1
Iron	5600		100	47	ug/L		05/05/23 14:00	05/08/23 18:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1500		25	25	mg/L			05/18/23 05:31	25
Fluoride (SW846 9056A)	0.91		0.25	0.25	mg/L			05/18/23 05:10	5
Sulfate (SW846 9056A)	47		5.0	5.0	mg/L			05/18/23 05:10	5
Total Dissolved Solids (SM 2540C)	2600		50	50	mg/L			05/04/23 16:33	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-11A

Lab Sample ID: 240-184643-6

Date Collected: 04/27/23 09:08

Matrix: Ground Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:50	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	35000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:33	1
Iron	1000		100	47	ug/L		05/05/23 14:00	05/08/23 18:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		25	25	mg/L			05/18/23 06:15	25
Fluoride (SW846 9056A)	0.83		0.25	0.25	mg/L			05/18/23 05:53	5
Sulfate (SW846 9056A)	5.0	U	5.0	5.0	mg/L			05/18/23 05:53	5
Total Dissolved Solids (SM 2540C)	2800		50	50	mg/L			05/04/23 16:33	1

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: DUP-01
Date Collected: 04/27/23 00:00
Date Received: 05/04/23 08:00

Lab Sample ID: 240-184643-7
Matrix: Ground Water

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1700	B	100	57	ug/L		05/05/23 14:00	05/10/23 04:54	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	35000		1000	250	ug/L		05/05/23 14:00	05/08/23 18:35	1
Iron	820		100	47	ug/L		05/05/23 14:00	05/08/23 18:35	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		25	25	mg/L			05/18/23 06:59	25
Fluoride (SW846 9056A)	0.83		0.25	0.25	mg/L			05/18/23 06:37	5
Sulfate (SW846 9056A)	5.0	U	5.0	5.0	mg/L			05/18/23 06:37	5
Total Dissolved Solids (SM 2540C)	2800		50	50	mg/L			05/04/23 16:33	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: EB-01

Lab Sample ID: 240-184643-8

Date Collected: 04/26/23 15:30

Matrix: Water

Date Received: 05/04/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		05/05/23 14:00	05/10/23 04:59	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	1000	U	1000	250	ug/L		05/05/23 14:00	05/08/23 18:43	1
Iron	100	U	100	47	ug/L		05/05/23 14:00	05/08/23 18:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1.0	U	1.0	1.0	mg/L			05/18/23 00:26	1
Fluoride (SW846 9056A)	0.050	U	0.050	0.050	mg/L			05/18/23 00:26	1
Sulfate (SW846 9056A)	1.0	U	1.0	1.0	mg/L			05/18/23 00:26	1
Total Dissolved Solids (SM 2540C)	10	U H H3	10	10	mg/L			05/04/23 16:33	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 240-572275/1-A
Matrix: Water
Analysis Batch: 572766

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	69.1	J	100	57	ug/L		05/05/23 14:00	05/10/23 03:45	1

Lab Sample ID: LCS 240-572275/2-A
Matrix: Water
Analysis Batch: 572766

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000	1010		ug/L		101	80 - 120

Lab Sample ID: 240-184643-1 MS
Matrix: Ground Water
Analysis Batch: 572766

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1800	B	1000	2680		ug/L		89	75 - 125

Lab Sample ID: 240-184643-1 MSD
Matrix: Ground Water
Analysis Batch: 572766

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Boron	1800	B	1000	2640		ug/L		85	75 - 125	1	20

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-572275/1-A
Matrix: Water
Analysis Batch: 572569

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	1000	U	1000	250	ug/L		05/05/23 14:00	05/08/23 17:58	1
Iron	100	U	100	47	ug/L		05/05/23 14:00	05/08/23 17:58	1

Lab Sample ID: LCS 240-572275/3-A
Matrix: Water
Analysis Batch: 572569

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	25000	23600		ug/L		95	80 - 120
Iron	5000	4890		ug/L		98	80 - 120

Lab Sample ID: 240-184643-2 MS
Matrix: Ground Water
Analysis Batch: 572569

Client Sample ID: MW-16-06
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	35000		25000	60600		ug/L		102	80 - 120
Iron	780		5000	5720		ug/L		99	80 - 120

Eurofins Cleveland

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 240-184643-2 MSD
Matrix: Ground Water
Analysis Batch: 572569

Client Sample ID: MW-16-06
Prep Type: Total Recoverable
Prep Batch: 572275

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Calcium	35000		25000	59700		ug/L		98	80 - 120	2	20
Iron	780		5000	5600		ug/L		96	80 - 120	2	20

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-573779/3
Matrix: Water
Analysis Batch: 573779

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0	1.0	mg/L			05/17/23 23:43	1
Fluoride	0.050	U	0.050	0.050	mg/L			05/17/23 23:43	1
Sulfate	1.0	U	1.0	1.0	mg/L			05/17/23 23:43	1

Lab Sample ID: LCS 240-573779/4
Matrix: Water
Analysis Batch: 573779

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec
							Limits
Chloride	50.0	50.1		mg/L		100	90 - 110
Fluoride	2.50	2.63		mg/L		105	90 - 110
Sulfate	50.0	51.8		mg/L		104	90 - 110

Lab Sample ID: 240-184643-8 MS
Matrix: Water
Analysis Batch: 573779

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				Limits
Chloride	1.0	U	50.0	50.8		mg/L		102	80 - 120
Fluoride	0.050	U	2.50	2.77		mg/L		111	80 - 120
Sulfate	1.0	U	50.0	57.0		mg/L		114	80 - 120

Lab Sample ID: 240-184643-8 MSD
Matrix: Water
Analysis Batch: 573779

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Chloride	1.0	U	50.0	50.1		mg/L		100	80 - 120	1	15
Fluoride	0.050	U	2.50	2.64		mg/L		106	80 - 120	5	15
Sulfate	1.0	U	50.0	52.2		mg/L		104	80 - 120	9	15

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 240-572142/1
Matrix: Water
Analysis Batch: 572142

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Dissolved Solids	10	U	10	10	mg/L			05/04/23 16:33	1

Eurofins Cleveland

QC Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 240-572142/2
Matrix: Water
Analysis Batch: 572142

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	580	537		mg/L	-	93	80 - 120

Lab Sample ID: 240-184643-1 DU
Matrix: Ground Water
Analysis Batch: 572142

Client Sample ID: MW-16-05
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	2500		2470		mg/L	-	2	20



QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Metals

Prep Batch: 572275

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-1	MW-16-05	Total Recoverable	Ground Water	3005A	
240-184643-2	MW-16-06	Total Recoverable	Ground Water	3005A	
240-184643-3	MW-16-07	Total Recoverable	Ground Water	3005A	
240-184643-4	MW-16-08	Total Recoverable	Ground Water	3005A	
240-184643-5	MW-16-10	Total Recoverable	Ground Water	3005A	
240-184643-6	MW-16-11A	Total Recoverable	Ground Water	3005A	
240-184643-7	DUP-01	Total Recoverable	Ground Water	3005A	
240-184643-8	EB-01	Total Recoverable	Water	3005A	
MB 240-572275/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-572275/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-572275/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-184643-1 MS	MW-16-05	Total Recoverable	Ground Water	3005A	
240-184643-1 MSD	MW-16-05	Total Recoverable	Ground Water	3005A	
240-184643-2 MS	MW-16-06	Total Recoverable	Ground Water	3005A	
240-184643-2 MSD	MW-16-06	Total Recoverable	Ground Water	3005A	

Analysis Batch: 572569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-1	MW-16-05	Total Recoverable	Ground Water	6020B	572275
240-184643-2	MW-16-06	Total Recoverable	Ground Water	6020B	572275
240-184643-3	MW-16-07	Total Recoverable	Ground Water	6020B	572275
240-184643-4	MW-16-08	Total Recoverable	Ground Water	6020B	572275
240-184643-5	MW-16-10	Total Recoverable	Ground Water	6020B	572275
240-184643-6	MW-16-11A	Total Recoverable	Ground Water	6020B	572275
240-184643-7	DUP-01	Total Recoverable	Ground Water	6020B	572275
240-184643-8	EB-01	Total Recoverable	Water	6020B	572275
MB 240-572275/1-A	Method Blank	Total Recoverable	Water	6020B	572275
LCS 240-572275/3-A	Lab Control Sample	Total Recoverable	Water	6020B	572275
240-184643-2 MS	MW-16-06	Total Recoverable	Ground Water	6020B	572275
240-184643-2 MSD	MW-16-06	Total Recoverable	Ground Water	6020B	572275

Analysis Batch: 572766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-1	MW-16-05	Total Recoverable	Ground Water	6010D	572275
240-184643-2	MW-16-06	Total Recoverable	Ground Water	6010D	572275
240-184643-3	MW-16-07	Total Recoverable	Ground Water	6010D	572275
240-184643-4	MW-16-08	Total Recoverable	Ground Water	6010D	572275
240-184643-5	MW-16-10	Total Recoverable	Ground Water	6010D	572275
240-184643-6	MW-16-11A	Total Recoverable	Ground Water	6010D	572275
240-184643-7	DUP-01	Total Recoverable	Ground Water	6010D	572275
240-184643-8	EB-01	Total Recoverable	Water	6010D	572275
MB 240-572275/1-A	Method Blank	Total Recoverable	Water	6010D	572275
LCS 240-572275/2-A	Lab Control Sample	Total Recoverable	Water	6010D	572275
240-184643-1 MS	MW-16-05	Total Recoverable	Ground Water	6010D	572275
240-184643-1 MSD	MW-16-05	Total Recoverable	Ground Water	6010D	572275

General Chemistry

Analysis Batch: 572142

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-1	MW-16-05	Total/NA	Ground Water	SM 2540C	

Eurofins Cleveland

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

General Chemistry (Continued)

Analysis Batch: 572142 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-2	MW-16-06	Total/NA	Ground Water	SM 2540C	
240-184643-3	MW-16-07	Total/NA	Ground Water	SM 2540C	
240-184643-4	MW-16-08	Total/NA	Ground Water	SM 2540C	
240-184643-5	MW-16-10	Total/NA	Ground Water	SM 2540C	
240-184643-6	MW-16-11A	Total/NA	Ground Water	SM 2540C	
240-184643-7	DUP-01	Total/NA	Ground Water	SM 2540C	
240-184643-8	EB-01	Total/NA	Water	SM 2540C	
MB 240-572142/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-572142/2	Lab Control Sample	Total/NA	Water	SM 2540C	
240-184643-1 DU	MW-16-05	Total/NA	Ground Water	SM 2540C	

Analysis Batch: 573779

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-184643-1	MW-16-05	Total/NA	Ground Water	9056A	
240-184643-1	MW-16-05	Total/NA	Ground Water	9056A	
240-184643-2	MW-16-06	Total/NA	Ground Water	9056A	
240-184643-2	MW-16-06	Total/NA	Ground Water	9056A	
240-184643-3	MW-16-07	Total/NA	Ground Water	9056A	
240-184643-3	MW-16-07	Total/NA	Ground Water	9056A	
240-184643-4	MW-16-08	Total/NA	Ground Water	9056A	
240-184643-4	MW-16-08	Total/NA	Ground Water	9056A	
240-184643-5	MW-16-10	Total/NA	Ground Water	9056A	
240-184643-5	MW-16-10	Total/NA	Ground Water	9056A	
240-184643-6	MW-16-11A	Total/NA	Ground Water	9056A	
240-184643-6	MW-16-11A	Total/NA	Ground Water	9056A	
240-184643-7	DUP-01	Total/NA	Ground Water	9056A	
240-184643-7	DUP-01	Total/NA	Ground Water	9056A	
240-184643-8	EB-01	Total/NA	Water	9056A	
MB 240-573779/3	Method Blank	Total/NA	Water	9056A	
LCS 240-573779/4	Lab Control Sample	Total/NA	Water	9056A	
240-184643-8 MS	EB-01	Total/NA	Water	9056A	
240-184643-8 MSD	EB-01	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-05

Date Collected: 04/27/23 14:23

Date Received: 05/04/23 08:00

Lab Sample ID: 240-184643-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:02
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:04
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 01:31
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 01:53
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: MW-16-06

Date Collected: 04/27/23 13:13

Date Received: 05/04/23 08:00

Lab Sample ID: 240-184643-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:24
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:12
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 02:15
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 02:37
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: MW-16-07

Date Collected: 04/27/23 12:20

Date Received: 05/04/23 08:00

Lab Sample ID: 240-184643-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:28
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:25
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 02:59
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 04:05
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: MW-16-08

Date Collected: 04/27/23 10:51

Date Received: 05/04/23 08:00

Lab Sample ID: 240-184643-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:32
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:27
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 04:26

Eurofins Cleveland

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-184643-4

Date Collected: 04/27/23 10:51

Matrix: Ground Water

Date Received: 05/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 04:48
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: MW-16-10

Lab Sample ID: 240-184643-5

Date Collected: 04/27/23 10:03

Matrix: Ground Water

Date Received: 05/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:37
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:30
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 05:10
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 05:31
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: MW-16-11A

Lab Sample ID: 240-184643-6

Date Collected: 04/27/23 09:08

Matrix: Ground Water

Date Received: 05/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:50
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:33
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 05:53
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 06:15
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Client Sample ID: DUP-01

Lab Sample ID: 240-184643-7

Date Collected: 04/27/23 00:00

Matrix: Ground Water

Date Received: 05/04/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:54
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:35
Total/NA	Analysis	9056A		5	573779	JWW	EET CLE	05/18/23 06:37
Total/NA	Analysis	9056A		25	573779	JWW	EET CLE	05/18/23 06:59
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Client Sample ID: EB-01

Lab Sample ID: 240-184643-8

Date Collected: 04/26/23 15:30

Matrix: Water

Date Received: 05/04/23 08:00

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6010D		1	572766	KLC	EET CLE	05/10/23 04:59
Total Recoverable	Prep	3005A			572275	MRL	EET CLE	05/05/23 14:00
Total Recoverable	Analysis	6020B		1	572569	DSH	EET CLE	05/08/23 18:43
Total/NA	Analysis	9056A		1	573779	JWW	EET CLE	05/18/23 00:26
Total/NA	Analysis	SM 2540C		1	572142	GH	EET CLE	05/04/23 16:33

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Accreditation/Certification Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-184643-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Connecticut	State	PH-0590	06-29-23
Florida	NELAP	E87225	05-24-23
Georgia	State	4062	02-28-24
Illinois	NELAP	200004	07-31-23
Iowa	State	421	05-31-23
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-23
New York	NELAP	10975	06-12-23
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	05-24-23
Pennsylvania	NELAP	68-00340	06-13-23
Texas	NELAP	T104704517-22-17	08-31-23
Virginia	NELAP	460175	09-14-23
West Virginia DEP	State	210	12-31-23

Client Information		Sampler: <i>Jake Krenz</i>	Lab PM: Brooks, Kris M	Carrier Tracking No(s): 240-106108-33142.1
Company: TRC Environmental Corporation		Phone: 734-395-9804	E-Mail: Kris.Brooks@et.eufofins.com	Page: Page 1 of 2
Address: 1540 Eisenhower Place		Job #:		
City: Ann Arbor		State of Origin:		
State, Zip: MI, 48108-7080		Preservation Codes:		
Phone: 313-971-7080(Tel) 313-971-9022(Fax)		M - Hexane		
Email: JKrenz@trccompanies.com		N - None		
Project Name: CCR DTE Belle River Power		O - AsNaO2		
Site: Michigan		P - Na2CO3		
		Q - Na2SO3		
		R - Na2SO3		
		S - H2SO4		
		T - TSP Dodecahydrate		
		U - Acetone		
		V - MCAA		
		W - pH 4-5		
		Y - Trizma		
		Z - other (specify)		
		Other:		
		Total Number of containers		
		Special Instructions/Note:		

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Soil, etc.)	Field Filtered Sample (Yes or No)	9066A_28D - Chloride, Fluoride and Sulfate	6010B_6020	2540C_Calcid - TDS	Analysis Requested
MW-16-01				Water	X	N	D	N	
MW-16-02				Water					
MW-16-03				Water					
MW-16-04				Water					
MW-16-05	4-27-23	1423	G	Water		N	X	X	
MW-16-06	4-27-23	1313	G	Water		N	X	X	
MW-16-07	4-27-23	1220	G	Water		N	X	X	
MW-16-08	4-27-23	1051	G	Water		N	X	X	
MW-16-09				Water					
MW-16-10	4-27-23	1003	G	Water		N	X	X	
MW-16-11A	4-27-23	0908	G	Water		N	X	X	

240-184643 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Empty Kit Relinquished by:		Date: 5-1-23	Time: 0600	Company: TRC
Relinquished by: <i>Jacob Krenz</i>		Date/Time: 5/3/23 1:45 PM	Company: TRC	Company: TRC
Relinquished by: <i>Jacob Krenz</i>		Date/Time: 5/3/23	Company: TRC	Company: TRC
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Date/Time: 05-04-23	Company: TRC	Company: TRC
Cooler Temperature(s) °C and Other Remarks:				

Client Information		Sampler: Jake Krenz		Lab PM: Brooks, Kris M	Center Tracking No(s): 240-106108-33142.2					
Company: TRC Environmental Corporation.		Phone: 734-395-3804		E-Mail: Kris.Brooks@et.eurofins.com	Page: Page 2 of 2					
Address: 1540 Eisenhower Place		City: Ann Arbor		Job #: PWSID						
State, Zip: MI, 48108-7080		TAT Requested (days):		Analysis Requested:						
Phone: 313-971-7080 (Tel) 313-971-9022 (Fax)		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Preservation Codes:						
Email: JKrenz@trccompanies.com		PO #:		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:						
Project Name: CCR DTE Belle River Power		PO Requested: 518728.0003.0000		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)						
Site: Michigan		Project #: 24016463		Total Number of Containers: 3						
		SSOW#:		Special Instructions/Note:						
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Soil, O=Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Y/N)	9056A_28D - Chloride, Fluoride and Sulfate	60108_6020	2540C_Calcd - TDS	9056A_28D - Chloride, Fluoride and Sulfate
DUP-01	4-27-23		G	Water	N	N	X	X	X	
DUP-02				Water	N	N	X	X	X	
EB-01	4-26-23	1530	G	Water	N	N	X	X	X	
				Water						
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)										
Empty Kit Relinquished by: _____ Date: _____ Relinquished by: <i>Alle Fox</i> Company: TRC Relinquished by: <i>Alle Fox</i> Date/Time: 5-1-23 / 0600 Relinquished by: <i>Alle Fox</i> Date/Time: 5/3/23 1459H Company: TRC Relinquished by: <i>Alle Fox</i> Date/Time: 5/3/23 Company: TRC Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) °C and Other Remarks:										



Client Information		Sampler: <u>Jake Krenz</u>	Lab PM: <u>Brooks, Kris M</u>	Carrier Tracking No(s): <u>240-106108-33142.1</u>
Company: <u>TRC Environmental Corporation</u>		Phone: <u>734-345-9804</u>	E-Mail: <u>Kris.Brooks@et.eurofins.com</u>	State of Origin: _____
Address: <u>1540 Eisenhower Place</u>		Date Requested: _____		
City: <u>Ann Arbor</u>		TAT Requested (days): _____		
State, Zip: <u>MI, 48108-7080</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		
Phone: <u>313-971-7080 (Tel) 313-971-9022 (Fax)</u>		PO #: _____		
Email: <u>JKrenz@trccompanies.com</u>		PO Requested: <u>518728.0003.0000</u>		
Project Name: <u>CCR DTE Belle River Power</u>		Project #: <u>24016463</u>		
Site: <u>Michigan</u>		SSOW#: _____		

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Soil, etc.)	MS/MSD (Yes/No)		Special Instructions/Note:
					MS/MSD (Yes/No)	MS/MSD (Yes/No)	
MW-16-01	4-28-23	0955	G	Water	N	N	
MW-16-02	4-28-23	1125	G	Water	X	X	
MW-16-03	4-28-23	1209	G	Water	X	X	
MW-16-04	4-28-23	1411	G	Water	X	X	
MW-16-05				Water			
MW-16-06				Water			
MW-16-07				Water			
MW-16-08				Water			
MW-16-09	4-28-23	1313	G	Water	N	X	
MW-16-10				Water			
MW-16-11A				Water			

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify) _____

Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date: _____
 Relinquished by: _____ Date: _____
 Custody Seal No.: _____
 Yes No



Client Information Client Contact: Jacob Krenz Company: TRC Environmental Corporation. Address: 1540 Eisenhower Place City: Ann Arbor State, Zip: MI, 48108-7080 Phone: 313-971-7080 (Tel) 313-971-9022 (Fax) Email: JKrenz@trccompanies.com Project Name: CCR DTE Belle River Power Site: Michigan		Sampler: Brooks, Kris M Lab PM: Brooks, Kris M E-Mail: Kris.Brooks@eurofins.com PWSID:	COC No: 240-106108-33142.2 Page: Page 2 of 2 Job #:
Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: 518728.0003.0000 WO #: 24016463 Project #: SSOV#		Center Tracking No(s): State of Origin: Analysis Requested:	
Sample Identification Sample Date: 4-28-23 Sample Time: 1:45 PM Sample Type (C-comp, G-grab): G Matrix (Water, Sewage, Stormwater, Other): Water Preservation Code:		Field Filtered Sample (Yes or No): Perform MS/MSD (Yes or No): 2540C-Calc - TDS: X 9066A_2BD - Chloride, Fluoride and Sulfate: X Total Number of Containers:	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/Note: Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Y - Trizma Z - other (specify) Other:	
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:			
Empty Kit Relinquished by: [Signature] Relinquished by: [Signature] Relinquished by: [Signature] Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.:			
Date: 5-1-23 / 10600 Date/Time: 5/3/23 1:45 PM Date/Time: 5/3/23		Date/Time: 5-1-23 / 10600 Date/Time: 5/3/23 Date/Time: 05-04-23 800	
Received by: TRC Storage Received by: [Signature] Received by: [Signature]		Company: TRC Company: TRC Company: EEA	
Cooler Temperature(s) °C and Other Remarks:			



Eurofins - Canton Sample Receipt Form/Narrative Login #: 184643
Barberton Facility

Client TRC Environmental Corporation Site Name
Cooler Received on 05-04-23 Opened on 05-04-23 Cooler unpacked by: Leah M. Smith

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

Eurofins Cooler # EC Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 22 (CF +0.0 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No
 - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11. Sufficient quantity received to perform indicated analyses? Yes No
- 12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC208070
- 14. Were VOAs on the COC? Yes No
- 15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Yes No
- 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by:

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: 184643

Eurofins - Canton Sample Receipt Multiple Cooler Form					
Cooler Description (Circle)		IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC	Client Box Other	22	1.8	1.8	Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other	22	2.4	2.4	Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other	22	1.4	1.4	Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other	22	2.6	2.6	Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
EC	Client Box Other				Wet Ice Blue Ice Dry Ice Water None
<input type="checkbox"/> See Temperature Excursion Form					

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
MW-16-05	240-184643-C-1	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-06	240-184643-C-2	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-07	240-184643-C-3	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-08	240-184643-C-4	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-10	240-184643-C-5	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-184643-C-6	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
DUP-01	240-184643-C-7	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
EB-01	240-184643-C-8	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-01	240-184643-C-9	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-02	240-184643-C-10	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-03	240-184643-C-11	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-04	240-184643-C-12	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
MW-16-09	240-184643-C-13	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____
DUP-02	240-184643-C-14	Plastic 500ml - with Nitric Acid	<2	_____	_____	_____

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 10/23/2023 7:23:22 PM

JOB DESCRIPTION

CCR DTE Belle River Power

JOB NUMBER

240-193587-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
10/23/2023 7:23:22 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	12
QC Sample Results	20
QC Association Summary	25
Lab Chronicle	28
Certification Summary	31
Chain of Custody	32

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Job ID: 240-193587-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-193587-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/13/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.3°C, 0.6°C and 1.1°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 9056A_28D: The following samples were diluted due to the nature of the sample matrix: MW-16-08 (240-193587-4) and MW-16-11A (240-193587-6). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	EET CLE
6020B	Metals (ICP/MS)	SW846	EET CLE
7470A	Mercury (CVAA)	SW846	EET CLE
9056A	Anions, Ion Chromatography	SW846	EET CLE
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CLE
7470A	Preparation, Mercury	SW846	EET CLE

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-193587-1	MW-16-05	Water	10/10/23 11:45	10/13/23 08:00
240-193587-2	MW-16-06	Water	10/10/23 15:31	10/13/23 08:00
240-193587-3	MW-16-07	Water	10/10/23 14:47	10/13/23 08:00
240-193587-4	MW-16-08	Water	10/10/23 13:40	10/13/23 08:00
240-193587-5	MW-16-10	Water	10/10/23 10:00	10/13/23 08:00
240-193587-6	MW-16-11A	Water	10/10/23 12:48	10/13/23 08:00
240-193587-7	DUP-02	Water	10/10/23 00:00	10/13/23 08:00
240-193587-8	EB-01	Water	10/09/23 12:00	10/13/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1700		100	57	ug/L	1		6010D	Total Recoverable
Antimony	0.62	J	2.0	0.57	ug/L	1		6020B	Total Recoverable
Arsenic	0.84	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	260		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	34000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	2.3	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.1		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2600		100	47	ug/L	1		6020B	Total Recoverable
Lead	1.0		1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	55		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	12		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.57	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1500		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	4.8		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2400		40	40	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Antimony	0.58	J	2.0	0.57	ug/L	1		6020B	Total Recoverable
Arsenic	1.2	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	280		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.62	J	1.0	0.62	ug/L	1		6020B	Total Recoverable
Calcium	40000		1000	250	ug/L	1		6020B	Total Recoverable
Cobalt	0.28	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	700		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.89	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	56		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	15		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.60	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1600		20	20	mg/L	20		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-06 (Continued)

Lab Sample ID: 240-193587-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	6.0		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2600		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	2.3	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	230		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cadmium	0.25	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	43000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	3.4	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.9		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	4400		100	47	ug/L	1		6020B	Total Recoverable
Lead	1.8		1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	60		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	10		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.36	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1800		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.3		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	31		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2800		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	1.3	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	310		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	42000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	2.2	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.1		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2800		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.94	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	67		8.0	1.7	ug/L	1		6020B	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08 (Continued)

Lab Sample ID: 240-193587-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Molybdenum	17		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	2000		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2900		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	0.94	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	85		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	23000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	1.7	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	0.99	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2200		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.47	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	75		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	11		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1600		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.1		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	40		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2500		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	0.82	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	260		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	35000		1000	250	ug/L	1		6020B	Total Recoverable
Cobalt	0.28	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	910		100	47	ug/L	1		6020B	Total Recoverable
Lithium	61		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	12		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1800		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.1		0.10	0.10	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2700		50	50	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	1.2	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	280		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	39000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	660		100	47	ug/L	1		6020B	Total Recoverable
Lithium	52		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	14		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1700		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	6.3		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2500		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

No Detections.

This Detection Summary does not include radiochemical test results.



Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Date Collected: 10/10/23 11:45

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1700		100	57	ug/L		10/16/23 14:00	10/18/23 04:40	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.62	J	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:09	1
Arsenic	0.84	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:09	1
Barium	260		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:09	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:09	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:09	1
Calcium	34000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:09	1
Chromium	2.3	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:09	1
Cobalt	1.1		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:09	1
Iron	2600		100	47	ug/L		10/16/23 14:00	10/18/23 16:09	1
Lead	1.0		1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:09	1
Lithium	55		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:09	1
Molybdenum	12		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:09	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:09	1
Thallium	0.57	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:09	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1500		20	20	mg/L			10/19/23 10:00	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 09:40	2
Sulfate (SW846 9056A)	4.8		2.0	2.0	mg/L			10/19/23 09:40	2
Total Dissolved Solids (SM 2540C)	2400		40	40	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Date Collected: 10/10/23 15:31

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:10	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.58	J	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:21	1
Arsenic	1.2	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:21	1
Barium	280		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:21	1
Beryllium	0.62	J	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:21	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:21	1
Calcium	40000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:21	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:21	1
Cobalt	0.28	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:21	1
Iron	700		100	47	ug/L		10/16/23 14:00	10/18/23 16:21	1
Lead	0.89	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:21	1
Lithium	56		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:21	1
Molybdenum	15		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:21	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:21	1
Thallium	0.60	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:21	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1600		20	20	mg/L			10/19/23 10:41	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 10:21	2
Sulfate (SW846 9056A)	6.0		2.0	2.0	mg/L			10/19/23 10:21	2
Total Dissolved Solids (SM 2540C)	2600		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Date Collected: 10/10/23 14:47

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:14	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:24	1
Arsenic	2.3	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:24	1
Barium	230		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:24	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:24	1
Cadmium	0.25	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:24	1
Calcium	43000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:24	1
Chromium	3.4	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:24	1
Cobalt	1.9		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:24	1
Iron	4400		100	47	ug/L		10/16/23 14:00	10/18/23 16:24	1
Lead	1.8		1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:24	1
Lithium	60		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:24	1
Molybdenum	10		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:24	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:24	1
Thallium	0.36	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:24	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1800		20	20	mg/L			10/19/23 12:01	20
Fluoride (SW846 9056A)	1.3		0.10	0.10	mg/L			10/19/23 11:01	2
Sulfate (SW846 9056A)	31		2.0	2.0	mg/L			10/19/23 11:01	2
Total Dissolved Solids (SM 2540C)	2800		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Date Collected: 10/10/23 13:40

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:19	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:26	1
Arsenic	1.3	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:26	1
Barium	310		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:26	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:26	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:26	1
Calcium	42000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:26	1
Chromium	2.2	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:26	1
Cobalt	1.1		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:26	1
Iron	2800		100	47	ug/L		10/16/23 14:00	10/18/23 16:26	1
Lead	0.94	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:26	1
Lithium	67		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:26	1
Molybdenum	17		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:26	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:26	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:26	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	2000		20	20	mg/L			10/19/23 12:42	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 12:21	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			10/19/23 12:21	2
Total Dissolved Solids (SM 2540C)	2900		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Date Collected: 10/10/23 10:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:23	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:29	1
Arsenic	0.94	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:29	1
Barium	85		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:29	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:29	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:29	1
Calcium	23000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:29	1
Chromium	1.7	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:29	1
Cobalt	0.99	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:29	1
Iron	2200		100	47	ug/L		10/16/23 14:00	10/18/23 16:29	1
Lead	0.47	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:29	1
Lithium	75		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:29	1
Molybdenum	11		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:29	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:29	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:29	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1600		10	10	mg/L			10/19/23 16:03	10
Fluoride (SW846 9056A)	1.1		0.10	0.10	mg/L			10/19/23 15:03	2
Sulfate (SW846 9056A)	40		2.0	2.0	mg/L			10/19/23 15:03	2
Total Dissolved Solids (SM 2540C)	2500		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Date Collected: 10/10/23 12:48

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:28	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:36	1
Arsenic	0.82	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:36	1
Barium	260		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:36	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:36	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:36	1
Calcium	35000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:36	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:36	1
Cobalt	0.28	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:36	1
Iron	910		100	47	ug/L		10/16/23 14:00	10/18/23 16:36	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:36	1
Lithium	61		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:36	1
Molybdenum	12		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:36	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:36	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:36	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1800		10	10	mg/L			10/19/23 16:43	10
Fluoride (SW846 9056A)	1.1		0.10	0.10	mg/L			10/19/23 16:23	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			10/19/23 16:23	2
Total Dissolved Solids (SM 2540C)	2700		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Date Collected: 10/10/23 00:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:32	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:39	1
Arsenic	1.2	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:39	1
Barium	280		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:39	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:39	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:39	1
Calcium	39000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:39	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:39	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:39	1
Iron	660		100	47	ug/L		10/16/23 14:00	10/18/23 16:39	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:39	1
Lithium	52		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:39	1
Molybdenum	14		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:39	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:39	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:39	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		10	10	mg/L			10/19/23 17:24	10
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 17:03	2
Sulfate (SW846 9056A)	6.3		2.0	2.0	mg/L			10/19/23 17:03	2
Total Dissolved Solids (SM 2540C)	2500		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

Date Collected: 10/09/23 12:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		10/16/23 14:00	10/18/23 05:37	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:41	1
Arsenic	5.0	U	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:41	1
Barium	5.0	U	5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:41	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:41	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:41	1
Calcium	1000	U	1000	250	ug/L		10/16/23 14:00	10/18/23 16:41	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:41	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:41	1
Iron	100	U	100	47	ug/L		10/16/23 14:00	10/18/23 16:41	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:41	1
Lithium	8.0	U	8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:41	1
Molybdenum	5.0	U	5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:41	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:41	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:41	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1.0	U	1.0	1.0	mg/L			10/19/23 04:38	1
Fluoride (SW846 9056A)	0.050	U	0.050	0.050	mg/L			10/19/23 04:38	1
Sulfate (SW846 9056A)	1.0	U	1.0	1.0	mg/L			10/19/23 04:38	1
Total Dissolved Solids (SM 2540C)	10	U	10	10	mg/L			10/16/23 14:12	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 240-590931/1-A
Matrix: Water
Analysis Batch: 591127

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		10/16/23 14:00	10/18/23 04:31	1

Lab Sample ID: LCS 240-590931/2-A
Matrix: Water
Analysis Batch: 591127

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000	1000		ug/L		100	80 - 120

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591127

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1700		1000	2710		ug/L		101	75 - 125

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591127

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Boron	1700		1000	2630		ug/L		93	75 - 125	3	20

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-590931/1-A
Matrix: Water
Analysis Batch: 591382

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 15:59	1
Arsenic	5.0	U	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 15:59	1
Barium	5.0	U	5.0	2.2	ug/L		10/16/23 14:00	10/18/23 15:59	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 15:59	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 15:59	1
Calcium	1000	U	1000	250	ug/L		10/16/23 14:00	10/18/23 15:59	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 15:59	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 15:59	1
Iron	100	U	100	47	ug/L		10/16/23 14:00	10/18/23 15:59	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 15:59	1
Lithium	8.0	U	8.0	1.7	ug/L		10/16/23 14:00	10/18/23 15:59	1
Molybdenum	5.0	U	5.0	1.1	ug/L		10/16/23 14:00	10/18/23 15:59	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 15:59	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 15:59	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 240-590931/3-A
Matrix: Water
Analysis Batch: 591382

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Antimony	100	101		ug/L		101	80 - 120	
Arsenic	1000	941		ug/L		94	80 - 120	
Barium	1000	940		ug/L		94	80 - 120	
Beryllium	500	489		ug/L		98	80 - 120	
Cadmium	500	482		ug/L		96	80 - 120	
Calcium	25000	22000		ug/L		88	80 - 120	
Chromium	500	494		ug/L		99	80 - 120	
Cobalt	500	478		ug/L		96	80 - 120	
Iron	5000	4530		ug/L		91	80 - 120	
Lead	500	484		ug/L		97	80 - 120	
Lithium	500	487		ug/L		97	80 - 120	
Molybdenum	500	475		ug/L		95	80 - 120	
Selenium	1000	955		ug/L		95	80 - 120	
Thallium	1000	954		ug/L		95	80 - 120	

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	
Antimony	0.62	J	100	99.6		ug/L		99	80 - 120	
Arsenic	0.84	J	1000	966		ug/L		97	80 - 120	
Barium	260		1000	1190		ug/L		93	80 - 120	
Beryllium	1.0	U	500	475		ug/L		95	80 - 120	
Cadmium	1.0	U	500	464		ug/L		93	80 - 120	
Calcium	34000		25000	57000		ug/L		90	80 - 120	
Chromium	2.3	J	500	473		ug/L		94	80 - 120	
Cobalt	1.1		500	481		ug/L		96	80 - 120	
Iron	2600		5000	7200		ug/L		93	80 - 120	
Lead	1.0		500	454		ug/L		91	80 - 120	
Lithium	55		500	548		ug/L		99	80 - 120	
Molybdenum	12		500	498		ug/L		97	80 - 120	
Selenium	5.0	U	1000	927		ug/L		93	80 - 120	
Thallium	0.57	J	1000	889		ug/L		89	80 - 120	

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	
									Limits		RPD	Limit
Antimony	0.62	J	100	105		ug/L		104	80 - 120	5	20	
Arsenic	0.84	J	1000	953		ug/L		95	80 - 120	1	20	
Barium	260		1000	1180		ug/L		92	80 - 120	1	20	
Beryllium	1.0	U	500	470		ug/L		94	80 - 120	1	20	
Cadmium	1.0	U	500	457		ug/L		91	80 - 120	1	20	
Calcium	34000		25000	56100		ug/L		87	80 - 120	2	20	
Chromium	2.3	J	500	468		ug/L		93	80 - 120	1	20	
Cobalt	1.1		500	478		ug/L		95	80 - 120	1	20	
Iron	2600		5000	7120		ug/L		91	80 - 120	1	20	

Eurofins Cleveland

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
Lead	1.0		500	446		ug/L		89	80 - 120	2	20	
Lithium	55		500	520		ug/L		93	80 - 120	5	20	
Molybdenum	12		500	493		ug/L		96	80 - 120	1	20	
Selenium	5.0	U	1000	899		ug/L		90	80 - 120	3	20	
Thallium	0.57	J	1000	873		ug/L		87	80 - 120	2	20	

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-590935/1-A
Matrix: Water
Analysis Batch: 591320

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 590935

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:48	1

Lab Sample ID: LCS 240-590935/2-A
Matrix: Water
Analysis Batch: 591320

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Spike	LCS		Unit	D	%Rec	%Rec	Limits
		Result	Qualifier					
Mercury	5.00	4.87		ug/L		97	80 - 120	

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591320

Client Sample ID: MW-16-05
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec	
	Result	Qualifier		Result	Qualifier				Limits	RPD
Mercury	0.20	U	1.00	1.10		ug/L		110	80 - 120	

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591320

Client Sample ID: MW-16-05
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
Mercury	0.20	U	1.00	1.05		ug/L		105	80 - 120	5	20	

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-591317/3
Matrix: Water
Analysis Batch: 591317

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0	1.0	mg/L		10/19/23 03:58	1	
Fluoride	0.050	U	0.050	0.050	mg/L		10/19/23 03:58	1	
Sulfate	1.0	U	1.0	1.0	mg/L		10/19/23 03:58	1	

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 9056A - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 240-591317/4
Matrix: Water
Analysis Batch: 591317

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	52.4		mg/L		105	90 - 110
Fluoride	2.50	2.74		mg/L		109	90 - 110
Sulfate	50.0	54.0		mg/L		108	90 - 110

Lab Sample ID: 240-193587-8 MS
Matrix: Water
Analysis Batch: 591317

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	1.0	U	50.0	51.9		mg/L		104	80 - 120
Fluoride	0.050	U	2.50	2.74		mg/L		110	80 - 120
Sulfate	1.0	U	50.0	53.3		mg/L		107	80 - 120

Lab Sample ID: 240-193587-8 MSD
Matrix: Water
Analysis Batch: 591317

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1.0	U	50.0	53.9		mg/L		108	80 - 120	4	15
Fluoride	0.050	U	2.50	2.86		mg/L		114	80 - 120	4	15
Sulfate	1.0	U	50.0	55.3		mg/L		111	80 - 120	4	15

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 240-590873/1
Matrix: Water
Analysis Batch: 590873

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10	U	10	10	mg/L			10/16/23 08:25	1

Lab Sample ID: LCS 240-590873/2
Matrix: Water
Analysis Batch: 590873

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	336	310		mg/L		92	80 - 120

Lab Sample ID: MB 240-590981/1
Matrix: Water
Analysis Batch: 590981

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10	U	10	10	mg/L			10/16/23 14:12	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 240-590981/2

Matrix: Water

Analysis Batch: 590981

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	336	317		mg/L		94	80 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Metals

Prep Batch: 590931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	3005A	
240-193587-2	MW-16-06	Total Recoverable	Water	3005A	
240-193587-3	MW-16-07	Total Recoverable	Water	3005A	
240-193587-4	MW-16-08	Total Recoverable	Water	3005A	
240-193587-5	MW-16-10	Total Recoverable	Water	3005A	
240-193587-6	MW-16-11A	Total Recoverable	Water	3005A	
240-193587-7	DUP-02	Total Recoverable	Water	3005A	
240-193587-8	EB-01	Total Recoverable	Water	3005A	
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-590931/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-590931/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-193587-1 MS	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MS	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	3005A	

Prep Batch: 590935

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	7470A	
240-193587-2	MW-16-06	Total/NA	Water	7470A	
240-193587-3	MW-16-07	Total/NA	Water	7470A	
240-193587-4	MW-16-08	Total/NA	Water	7470A	
240-193587-5	MW-16-10	Total/NA	Water	7470A	
240-193587-6	MW-16-11A	Total/NA	Water	7470A	
240-193587-7	DUP-02	Total/NA	Water	7470A	
240-193587-8	EB-01	Total/NA	Water	7470A	
MB 240-590935/1-A	Method Blank	Total/NA	Water	7470A	
LCS 240-590935/2-A	Lab Control Sample	Total/NA	Water	7470A	
240-193587-1 MS	MW-16-05	Total/NA	Water	7470A	
240-193587-1 MSD	MW-16-05	Total/NA	Water	7470A	

Analysis Batch: 591127

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	6010D	590931
240-193587-2	MW-16-06	Total Recoverable	Water	6010D	590931
240-193587-3	MW-16-07	Total Recoverable	Water	6010D	590931
240-193587-4	MW-16-08	Total Recoverable	Water	6010D	590931
240-193587-5	MW-16-10	Total Recoverable	Water	6010D	590931
240-193587-6	MW-16-11A	Total Recoverable	Water	6010D	590931
240-193587-7	DUP-02	Total Recoverable	Water	6010D	590931
240-193587-8	EB-01	Total Recoverable	Water	6010D	590931
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	6010D	590931
LCS 240-590931/2-A	Lab Control Sample	Total Recoverable	Water	6010D	590931
240-193587-1 MS	MW-16-05	Total Recoverable	Water	6010D	590931
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	6010D	590931

Analysis Batch: 591320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	7470A	590935
240-193587-2	MW-16-06	Total/NA	Water	7470A	590935
240-193587-3	MW-16-07	Total/NA	Water	7470A	590935

Eurofins Cleveland

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Metals (Continued)

Analysis Batch: 591320 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-4	MW-16-08	Total/NA	Water	7470A	590935
240-193587-5	MW-16-10	Total/NA	Water	7470A	590935
240-193587-6	MW-16-11A	Total/NA	Water	7470A	590935
240-193587-7	DUP-02	Total/NA	Water	7470A	590935
240-193587-8	EB-01	Total/NA	Water	7470A	590935
MB 240-590935/1-A	Method Blank	Total/NA	Water	7470A	590935
LCS 240-590935/2-A	Lab Control Sample	Total/NA	Water	7470A	590935
240-193587-1 MS	MW-16-05	Total/NA	Water	7470A	590935
240-193587-1 MSD	MW-16-05	Total/NA	Water	7470A	590935

Analysis Batch: 591382

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	6020B	590931
240-193587-2	MW-16-06	Total Recoverable	Water	6020B	590931
240-193587-3	MW-16-07	Total Recoverable	Water	6020B	590931
240-193587-4	MW-16-08	Total Recoverable	Water	6020B	590931
240-193587-5	MW-16-10	Total Recoverable	Water	6020B	590931
240-193587-6	MW-16-11A	Total Recoverable	Water	6020B	590931
240-193587-7	DUP-02	Total Recoverable	Water	6020B	590931
240-193587-8	EB-01	Total Recoverable	Water	6020B	590931
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	6020B	590931
LCS 240-590931/3-A	Lab Control Sample	Total Recoverable	Water	6020B	590931
240-193587-1 MS	MW-16-05	Total Recoverable	Water	6020B	590931
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	6020B	590931

General Chemistry

Analysis Batch: 590873

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-5	MW-16-10	Total/NA	Water	SM 2540C	
240-193587-6	MW-16-11A	Total/NA	Water	SM 2540C	
240-193587-7	DUP-02	Total/NA	Water	SM 2540C	
MB 240-590873/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-590873/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 590981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	SM 2540C	
240-193587-2	MW-16-06	Total/NA	Water	SM 2540C	
240-193587-3	MW-16-07	Total/NA	Water	SM 2540C	
240-193587-4	MW-16-08	Total/NA	Water	SM 2540C	
240-193587-8	EB-01	Total/NA	Water	SM 2540C	
MB 240-590981/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-590981/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 591317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	9056A	
240-193587-1	MW-16-05	Total/NA	Water	9056A	
240-193587-2	MW-16-06	Total/NA	Water	9056A	
240-193587-2	MW-16-06	Total/NA	Water	9056A	

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

General Chemistry (Continued)

Analysis Batch: 591317 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-3	MW-16-07	Total/NA	Water	9056A	
240-193587-3	MW-16-07	Total/NA	Water	9056A	
240-193587-4	MW-16-08	Total/NA	Water	9056A	
240-193587-4	MW-16-08	Total/NA	Water	9056A	
240-193587-5	MW-16-10	Total/NA	Water	9056A	
240-193587-5	MW-16-10	Total/NA	Water	9056A	
240-193587-6	MW-16-11A	Total/NA	Water	9056A	
240-193587-6	MW-16-11A	Total/NA	Water	9056A	
240-193587-7	DUP-02	Total/NA	Water	9056A	
240-193587-7	DUP-02	Total/NA	Water	9056A	
240-193587-8	EB-01	Total/NA	Water	9056A	
MB 240-591317/3	Method Blank	Total/NA	Water	9056A	
LCS 240-591317/4	Lab Control Sample	Total/NA	Water	9056A	
240-193587-8 MS	EB-01	Total/NA	Water	9056A	
240-193587-8 MSD	EB-01	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Date Collected: 10/10/23 11:45

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 04:40
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:09
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 13:52
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 09:40
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 10:00
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Date Collected: 10/10/23 15:31

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:10
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:21
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 13:58
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 10:21
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 10:41
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Date Collected: 10/10/23 14:47

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:14
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:24
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:01
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 11:01
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 12:01
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Date Collected: 10/10/23 13:40

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:19
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:26
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:07
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 12:21
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 12:42
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Date Collected: 10/10/23 10:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:23
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:29
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:09
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 15:03
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 16:03
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Date Collected: 10/10/23 12:48

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:28
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:36
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:11
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 16:23
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 16:43
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Date Collected: 10/10/23 00:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:32
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:39
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:13
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 17:03
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 17:24
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

Date Collected: 10/09/23 12:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:37
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:41
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:15
Total/NA	Analysis	9056A		1	591317	JWW	EET CLE	10/19/23 04:38
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23


* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Client Information		Lab PM: Brooks, Kris M		COC No: 240-112843-40152 1	
Client Contact: Jacob Krenz		E-Mail: Kris.Brooks@et.eurofins.com		Page: Page 1 of 1	
Company: TRC Environmental Corporation		PWSID:		Job #: MI	
Address: 1540 Eisenhower Place		Due Date Requested:		Analysis Requested:	
City: Ann Arbor		TAT Requested (days):		Preservation Codes:	
State, Zip: MI, 48108-7080		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNiO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 X - Trizma Y - other (specify)	
Phone: 313-971-7080 (Tel) 313-971-9022 (Fax)		PO #: 199489		Other:	
Email: JKrenz@trccompanies.com		WO #: 518728 0003		Total Number of Containers:	
Project Name: CCR DTE Belle River Power		Project #: 24015463		Special Instructions/Note:	
Site: Michigan		SSOW#:		Cu, Ni, Ag, V, Zn on separate chain of custody	

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil, BT=tissue, AA=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	6010 Bb, 6020 Ca, Fe, Sb, As, Ba, Be, Cd, Da, Cr, Pb, Li, Mo, Ni, Se, Ti, Zn, 7470 Hg	9056A_28D - Chloride, Fluoride and Sulfate	9315_Ra226 - Radium-226	9320_Ra228 - Radium-228
MW-16-05	10/10/23	1145	G	Water	N	N	X	X	X	X
MW-16-06	10/10/23	1531	G	Water	N	N	X	X	X	X
MW-16-07	10/10/23	1447	G	Water	N	N	X	X	X	X
MW-16-08	10/10/23	1340	G	Water	N	N	X	X	X	X
MW-16-10	10/10/23	1000	G	Water	N	N	X	X	X	X
MW-16-11A	10/10/23	1248	G	Water	N	N	X	X	X	X
DUP-02	10/10/23	-	G	Water	N	N	X	X	X	X
EB-01	10/19/23	1200	G	Water	N	N	X	X	X	X
				Water						

Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested I, II, III, IV, Other (specify) TRC EDD		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Special Instructions/OC Requirements Empty Kit Relinquished by: <i>TRC EDD</i>		Method of Shipment Received by: <i>Wally Mace</i> Date/Time: <i>10/10/23</i> Relinquished by: <i>Wally Mace</i> Date/Time: <i>10/13/23 0800</i> Relinquished by: <i>Jon Alford</i> Date/Time: <i>10/13/23 0800</i>	
Relinquished by: <i>Wally Mace</i> Date/Time: <i>10/10/23 1900</i> Relinquished by: <i>Wally Mace</i> Date/Time: <i>10/10/23 1310</i> Relinquished by: <i>Wally Mace</i> Date/Time: <i>10/10/23 1310</i>		Company: <i>TRC</i> Company: <i>TRC</i> Company: <i>TRC</i>	
Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks:	



Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login #: 193587

Client Tre Corporation Site Name _____ Cooler unpacked by: L Osborne
Cooler Received on 10/12/23 Opened on 10/13/23
FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 21 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11. Sufficient quantity received to perform indicated analyses? Yes No
- 12. Are these work share samples and all listed on the COC? Yes No
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC316719
- 14. Were VOAs on the COC? Yes No NA
- 15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
- 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Eurofins - Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
EC	Client	Box	Other	IR GUN #: 21	1.3	1.1	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #: 21	0.5	0.3	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #: 21	0.8	0.6	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	

See Temperature Excursion Form



Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
MW-16-05	240-193587-C-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-05	240-193587-D-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-05	240-193587-E-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-C-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-D-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-E-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-C-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-D-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-E-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-C-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-D-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-E-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-C-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-D-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-E-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-C-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-D-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-E-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-C-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-D-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-E-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-C-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-D-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-E-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 12/15/2023 2:06:50 PM

JOB DESCRIPTION

CCR DTE Belle River Diversion Basin

JOB NUMBER

240-196761-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/15/2023 2:06:50 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
QC Sample Results	13
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Qualifiers

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Job ID: 240-196761-1

Laboratory: Eurofins Cleveland

Narrative

Job Narrative 240-196761-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 12/9/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.2°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Method	Method Description	Protocol	Laboratory
6020B	Metals (ICP/MS)	SW846	EET CLE
9056A	Anions, Ion Chromatography	SW846	EET CLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-196761-1	MW-16-06	Water	12/06/23 11:45	12/09/23 08:00
240-196761-2	DUP-01	Water	12/06/23 00:00	12/09/23 08:00
240-196761-7	MW-16-07	Water	12/06/23 13:05	12/09/23 08:00
240-196761-8	DUP-06	Water	12/06/23 00:00	12/09/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lithium	52		8.0	ug/L	1		6020B	Total Recoverable

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lithium	51		8.0	ug/L	1		6020B	Total Recoverable

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.94		0.10	mg/L	2		9056A	Total/NA

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.97		0.10	mg/L	2		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Date Collected: 12/06/23 11:45

Matrix: Water

Date Received: 12/09/23 08:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	52		8.0	ug/L		12/12/23 14:00	12/13/23 15:32	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	51		8.0	ug/L		12/12/23 14:00	12/13/23 15:35	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Date Collected: 12/06/23 13:05

Matrix: Water

Date Received: 12/09/23 08:00

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SW846 9056A)	0.94		0.10	mg/L			12/15/23 10:56	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SW846 9056A)	0.97		0.10	mg/L			12/15/23 11:18	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-597343/1-A
 Matrix: Water
 Analysis Batch: 597604

Client Sample ID: Method Blank
 Prep Type: Total Recoverable
 Prep Batch: 597343

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	8.0	U	8.0	ug/L		12/12/23 14:00	12/13/23 14:48	1

Lab Sample ID: LCS 240-597343/2-A
 Matrix: Water
 Analysis Batch: 597604

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 597343

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lithium	500	468		ug/L		94	80 - 120

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-597685/3
 Matrix: Water
 Analysis Batch: 597685

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.050	U	0.050	mg/L			12/15/23 08:24	1

Lab Sample ID: LCS 240-597685/4
 Matrix: Water
 Analysis Batch: 597685

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	2.50	2.34		mg/L		94	90 - 110

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Metals

Prep Batch: 597343

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-1	MW-16-06	Total Recoverable	Water	3005A	
240-196761-2	DUP-01	Total Recoverable	Water	3005A	
MB 240-597343/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-597343/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 597604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-1	MW-16-06	Total Recoverable	Water	6020B	597343
240-196761-2	DUP-01	Total Recoverable	Water	6020B	597343
MB 240-597343/1-A	Method Blank	Total Recoverable	Water	6020B	597343
LCS 240-597343/2-A	Lab Control Sample	Total Recoverable	Water	6020B	597343

General Chemistry

Analysis Batch: 597685

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-7	MW-16-07	Total/NA	Water	9056A	
240-196761-8	DUP-06	Total/NA	Water	9056A	
MB 240-597685/3	Method Blank	Total/NA	Water	9056A	
LCS 240-597685/4	Lab Control Sample	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Date Collected: 12/06/23 11:45

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			597343	TQ6W	EET CLE	12/12/23 14:00
Total Recoverable	Analysis	6020B		1	597604	DSH	EET CLE	12/13/23 15:32

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			597343	TQ6W	EET CLE	12/12/23 14:00
Total Recoverable	Analysis	6020B		1	597604	DSH	EET CLE	12/13/23 15:35

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Date Collected: 12/06/23 13:05

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		2	597685	JWW	EET CLE	12/15/23 10:56

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		2	597685	JWW	EET CLE	12/15/23 11:18

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Eurofins Cleveland
 180 S. Van Buren Avenue
 Barberton, OH 44203
 Phone: 330-497-9396 Fax: 330-497-0772

MICHIGAN 190

Chain of Custody Record 2-1/3-2

MICHIGAN 190



Environment Testing

Client Information		Lab PM:		Carrier Tracking No(s):		COC No:	
Company: TRC Environmental Corporation.		Brooks, Kris M		240-114842-40723.1		240-114842-40723.1	
Address: 1540 Eisenhower Place		E-Mail: Kris.Brooks@et.eurofins.com		State of Origin:		Page: 1 of 1	
City: Ann Arbor		PWSID:		Job #:		Preservation Codes:	
State, Zip: MI, 48108-7080		TAT Requested (days):		Analysis Requested		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Y - Trizma Z - other (specify)	
Phone: 313-971-7080 (Tel) 313-971-9022 (Fax)		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Barcode: 240-196761 Chain of Custody		Other:	
PO #: 199489		Project Name: CCR DTE Belle River Diversion Basin		Total Number of containers		Special Instructions/Note:	
Email: vbuening@trccompanies.com		Project #: 24016463		Perform MS/MSD (Yes or No)			
Site: Michigan		SSOW#:		Field Filtered Sample (Yes or No)			
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastewat, BI=tissue, AA/Ab)	9065A_28D - Fluoride	6020B - Metals - LI	Preservation Code:
MW-16-06	12-6-23	1145	G	Water	N	D	
DUP-01				Water	X	X	
DUP-02				Water	X	X	
DUP-03				Water	X	X	
DUP-04				Water	X	X	
DUP-05				Water	X	X	
MW-16-07		1705		Water	X	X	
DUP-06				Water	X	X	

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: Date: Time: Method of Shipment:

Relinquished by: Date/Time: Company: Received by: Date/Time: Company:

Relinquished by: Date/Time: Company: Received by: Date/Time: Company:

Custody Seal No.: Yes No
 Cooler Temperature(s) °C and Other Remarks:



Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login # : _____

Client TRC Site Name _____ Cooler unpacked by: M. Lou
Cooler Received on 12.9.23 Opened on 12.9.23
FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____
Eurofins Cooler # 22 Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

1. Cooler temperature upon receipt _____ °C Observed Cooler Temp. 2.1 °C Corrected Cooler Temp. 3.2 °C
IR GUN # 22 (CF) _____ °C See Multiple Cooler Form

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
- Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
- Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11. Sufficient quantity received to perform indicated analyses? Yes No
- 12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC316719
- 14. Were VOAs on the COC? Yes No NA
- 15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
- 17. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____
Time preserved: _____ Preservative(s) added/Lot number(s): _____ were further preserved in the laboratory.
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>	<u>Lot Number</u>
MW-16-06	240-196761-A-1	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-01	240-196761-A-2	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-02	240-196761-A-3	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-03	240-196761-A-4	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-04	240-196761-A-5	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-05	240-196761-A-6	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____



Appendix C

Data Quality Reviews

Laboratory Data Quality Review

Groundwater Monitoring Event April 2023 (Detection Monitoring)

DTE Electric Company Belle River Power Plant (DTE BRPP)

Groundwater samples were collected by TRC for the April 2023 sampling event for the Diversion Basin at the DTE BRPP. Samples were analyzed for anions, total metals, and total dissolved solids by Eurofins-Test America Laboratories, Inc. (Eurofins-TA), located in Barberton, Ohio. The laboratory analytical results are reported in laboratory report 240-184643-1.

During the April 2023 sampling event, a groundwater sample was collected from each of the following wells:

Diversion Basin:

- MW-16-05
- MW-16-06
- MW-16-07
- MW-16-08
- MW-16-10
- MW-16-11A

Each sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Chloride, Fluoride, Sulfate)	SW846 9056A
Total Boron	SW846 3005A/6010D
Total Calcium and Iron	SW846 3005A/6020B
Total Dissolved Solids	SM 2540C

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

Data Quality Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative;
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;

- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

Review Summary

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation are noted below.

- Appendix III constituents will be utilized for the purposes of a detection monitoring program.
- Data are usable for the purposes of the detection monitoring program.

QA/QC Sample Summary

- There was one equipment blank submitted with this dataset (EB-01). No target analytes were detected in the sample.
- Boron was detected in the method blank at 61.9 J µg/L. There is no adverse impact on the data usability due to this issue since boron concentrations were > 10x the method blank concentration in all groundwater samples in this data set and since boron was nondetect in the equipment blank sample.
- The equipment blank sample (EB-01) was analyzed one day outside of the 7-day holding time for TDS; therefore, the nondetect result for TDS in this sample should be considered estimated, as summarized in the attached table, Attachment A.
- LCS recoveries for all target analytes were within laboratory control limits.
- MS/MSD analyses were performed on sample MW-16-05 for boron, sample MW-16-06 calcium and iron, and sample EB-01 for anions; the percent recoveries (%Rs) and relative percent differences (RPDs) were within acceptance criteria.
- Laboratory duplicate analysis was performed for TDS on sample MW-16-05. The RPD met the acceptance criteria.
- DUP-01 corresponds with MW-16-11A; RPDs between the parent and duplicate sample were within the QC limits.
- The nondetect RL for sulfate (5 mg/L) was above the QAPP requested RL (1 mg/L) in samples MW-16-05, MW-16-06, MW-16-08, MW-16-11A, and DUP-01 due to 5-fold dilutions performed on these samples, likely as a result of elevated chloride concentrations.

Attachment A

Summary of Data Non-Conformances for Groundwater Analytical Data
Belle River Power Plant CCR Diversion Basin
China Township, Michigan

Samples	Collection Date	Analyte	Non-Conformance/Issue
EB-01	4/26/2023	Total Dissolved Solids	Holding time exceedance; potential uncertainty exists.

Laboratory Data Quality Review Groundwater Monitoring Event October 2023 (Detection Monitoring) DTE Electric Company Belle River Power Plant (DTE BRPP)

Groundwater samples were collected by TRC for the October 2023 sampling event for the Diversion Basin at the DTE BRPP. Samples were analyzed for anions, total metals, and total dissolved solids by Eurofins Environment Testing, located in Barberton, Ohio. Samples were analyzed for radium by Eurofins Environment Testing, located in Earth City, Missouri. The laboratory analytical results are reported in laboratory reports 240-193587-1 (Revision 1), 240-193587-2, and 240-193590-1 (Revision 1).

During the October 2023 sampling event, a groundwater sample was collected from each of the following wells:

Diversion Basin:

- MW-16-05
- MW-16-06
- MW-16-07
- MW-16-08
- MW-16-10
- MW-16-11A

Each sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Chloride, Fluoride, Sulfate)	SW846 9056A
Total Boron	SW846 3005A/6010D
Total Metals	SW846 3005A/6020B/7470A
Total Dissolved Solids	SM 2540C
Radium (Radium-226, Radium-228, Combined Radium)	SW846 9315/9320

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

Data Quality Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020) and the Department of Energy Evaluation of Radiochemical Data Usability (USDOE, 1997). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative;
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;

- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Percent recoveries for carriers, where applicable, for radiochemistry only. Carriers are used to assess the chemical yield for the preparation and/or instrument efficiency;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

Review Summary

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation are noted below.

- The reviewed Appendix III and IV constituents plus additional metals will be utilized for the purposes of a detection monitoring program.
- Data are usable for the purposes of the detection monitoring program.

QA/QC Sample Summary

- TDS was analyzed slightly after the 7th day of collection for sample EB-01. However, there is no impact on data usability since the sample was analyzed for TDS on the 7th day after collection.
- There was one equipment blank submitted with this dataset (EB-01). No target analytes were detected in the sample.
- Target analytes were not detected in the method blanks with the following exception.
 - Radium-228 was detected in method blank 160-632481/1-A at 0.4793 +/- 0.299 pCi/L. The detected radium-228 results for the groundwater samples associated with this method blank are potentially false positives, as summarized in the attached table, Attachment A.
- LCS recoveries for all target analytes were within laboratory control limits.
- MS/MSD analyses were performed on sample MW-16-05 for boron and select metals, sample MW-16-06 for copper, nickel, silver, vanadium, and zinc, and sample EB-01 for

anions; the percent recoveries (%Rs) and relative percent differences (RPDs) were within acceptance criteria.

- Laboratory duplicate analyses were performed on sample EB-01 for radium-226 and radium-228; all criteria were met.
- Samples DUP-02 and MW-16-06 were submitted as the field duplicate pair with this data set; all criteria were met.
- Carrier recoveries were within 40-110%.
- The nondetect RL for sulfate (2 mg/L) was above the QAPP-specified RL (1 mg/L) in samples MW-16-08 and MW-16-11A due to the 2-fold dilutions performed on these samples as a result of elevated chloride concentrations.
- The nondetect RL for chromium (5 mg/L) was above the QAPP-specified RL (2 mg/L) in all groundwater and blank samples in this data set.

Attachment A

Summary of Data Non-Conformances for Groundwater Monitoring Event Analytical Data
Belle River Power Plant CCR Diversion Basin
China Township, Michigan

Samples	Collection Date	Analyte	Non-Conformance/Issue
MW-16-05	10/10/2023	Radium-228	Method blank contamination; potential false positive.
MW-16-06	10/10/2023		
MW-16-07	10/10/2023		
MW-16-08	10/10/2023		
MW-16-10	10/10/2023		
MW-16-11A	10/10/2023		
DUP-02	10/10/2023		

**Laboratory Data Quality Review
Groundwater Monitoring Event December 2023
(Detection Monitoring Verification)
DTE Electric Company Belle River Power Plant (DTE BRPP)**

Groundwater samples were collected by TRC for the December 2023 verification sampling event for the Diversion Basin at the DTE BRPP. Samples were analyzed for fluoride and/or total lithium by Eurofins Environment Testing, located in Barberton, Ohio. The laboratory analytical results are reported in laboratory report 240-196761-1.

During the December 2023 verification sampling event, a groundwater sample was collected from each of the following wells:

Diversion Basin:

- MW-16-06
- MW-16-07

Each sample was analyzed for one or more of the following constituents:

Analyte Group	Method
Fluoride	SW846 9056A
Lithium	SW846 6020B

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

Data Quality Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative;
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks, when collected. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;
- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;

- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

Review Summary

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation are noted below.

- The reviewed Appendix III and IV constituents will be utilized for the purposes of a detection monitoring program.
- Data are usable for the purposes of the detection monitoring program.

QA/QC Sample Summary

- A field blank and equipment blank were not collected with this data set.
- No target analytes were detected in the associated method blanks.
- LCS recoveries for all target analytes were within laboratory control limits.
- MS/MSD and laboratory duplicate analyses were not performed on a sample from this data set.
- Samples DUP-01/MW-16-06 and DUP-06/MW-16-07 were submitted as the field duplicate pairs with this data set. All criteria were met.

Appendix D

Groundwater Protection Standards Calculation and Comparison

Technical Memorandum

Date: January 31, 2024

To: Chris Scieszka, DTE Electric Company

From: Vincent Buening, C.P.G., TRC
Sarah Holmstrom, L.P.G, TRC
Kristin Lowery, E.I.T., TRC

Project No.: 518728.0003.0000 Phase 1 Task 1

Subject: Groundwater Protection Standard Calculation and First Semiannual Closure Sampling Event Comparison – DTE Electric Company, Belle River Power Plant Diversion Basin CCR Unit

DTE Electric Company (DTE Electric) is pursuing closure by removal for the Belle River Power Plant (BRPP) Diversion Basin (DB) coal combustion residual (CCR) unit. Closure by removal activities related to the DB began May of 2023. DTE Electric completed removal of CCR from the DB including a cemented ash layer and underlying soft clay material in July of 2023. After CCR removal was completed, the DB was repurposed as a non-CCR wastewater basin.

Although the BRPP DB has remained in detection monitoring per § 257.94 throughout its operation, the closure must demonstrate that groundwater concentrations do not exceed the Appendix IV constituent GWPS established under §257.95(h) after the closure of the CCR impoundment pursuant to 257.102(c). TRC calculated background statistical limits and developed GWPS for the Appendix IV parameters for the BRPP DB CCR unit in accordance with §257.95(h) as presented in this memorandum. The first of two groundwater sampling events for Appendix IV constituents to demonstrate that the GWPS are met for closure of the BRPP DB CCR unit in accordance with §257.102(c) was conducted in October of 2023.

GWPSs are set as either specific regulatory standards identified in the CCR Rule or background groundwater concentrations, whichever is higher, for the Appendix IV constituents. Per the CCR Rule §257.95(h)¹, the EPA maximum contaminant levels (MCLs) will be the GWPSs for those constituents that have established MCLs. For Appendix IV constituents that do not have established MCLs, the GWPSs are based upon the EPA Regional Screening Levels (RSLs). For constituents that have statistically derived background levels higher than the MCL and/or RSL, the GWPS becomes equal to the background level.

¹ As amended per Phase One, Part One of the CCR Rule (83 FR 36435).

Technical Memorandum

This memorandum presents the background statistical limits and GWPS derived for the Appendix IV parameters for the BRPP DB CCR unit using the aforementioned approach pursuant to §257.95(h). In addition, the first semiannual Appendix IV groundwater data collected in the fourth quarter of 2023 are presented in this memorandum.

Background Data

Per 40 CFR §257.94, a minimum of eight rounds of background sampling for the Appendix IV constituents were completed at the BRPP DB from August 2016 through September 2017, as part of the baseline monitoring period for existing CCR surface impoundments. The Appendix IV constituents consist of the following:

Antimony	Beryllium	Cobalt	Lithium	Radium-226/228
Arsenic	Cadmium	Fluoride	Mercury	Selenium
Barium	Chromium	Lead	Molybdenum	Thallium

Since fluoride is in both the Appendix III and Appendix IV constituent lists, additional fluoride data were collected under the detection monitoring program subsequent to September 2017 and were also used in the development of the GWPS. All of the Appendix IV data used in this analysis (August 2016 through December 2020) and details on how the data were collected are included in the annual reports prepared in accordance with the CCR Rule through January 2021.

The background data for the BRPP DB were evaluated in accordance with the *Groundwater Statistical Evaluation Plan* (Stats Plan) (TRC, October 2017). Per the Stats Plan, the BRPP DB CCR unit uses an intra-well statistical approach. For intra-well methods, the background data set is comprised of the historical data established at each individual monitoring well, which accounts for natural spatial variability that occurs in background encountered across the site. Background data were evaluated utilizing ChemStat™ statistical software. ChemStat™ is a software tool that is commercially available for performing statistical evaluation consistent with procedures outlined in U.S. EPA's *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities* (Unified Guidance; UG). Within the ChemStat™ statistical program (and the UG), tolerance limits were selected to perform the statistical calculation for background limits. Use of tolerance limits is a streamlined approach that offers adequate statistical power and is an acceptable approach under the CCR Rule. As such, upper tolerance limits (UTLs) were calculated for each of the CCR Appendix IV parameters, and, given that intra-well methods have been established for this site, a background UTL was calculated for each monitoring well and used to compare to the respective MCL or RSL. The following narrative describes the methods employed and the results obtained for the UTL calculations and the resulting GWPSs. The ChemStat™ output files are included as an attachment.

The set of background wells utilized for BRPP DB includes MW-16-05, MW-16-06, MW-16-07, MW-16-08, MW-16-10, and MW-16-11/A². The background data evaluation included the following steps:

² Monitoring well MW-16-11 was decommissioned and replaced by monitoring well MW-16-11A in May 2017 to repair a damaged casing. For the purposes of statistical evaluation, the data sets for the original and replacement well have been combined and referred to as "MW-16-11A"

Technical Memorandum

- Review of data quality checklists for the baseline/background data sets for CCR Appendix IV constituents;
- Graphical representation of the baseline data as time versus concentration (T v. C) by well/constituent pair;
- Outlier testing of individual data points that appear from the graphical representations as potential outliers;
- Evaluation of percentage of non-detects for each baseline/background well-constituent (w/c) pair;
- Distribution of the data;
- Calculation of the UTLs for each cumulative baseline/background data set; and
- Establishment of GWPS as the higher of the MCL/RSL or the UTL for each Appendix IV constituent.

The results of these evaluations are presented and discussed below.

Data Quality

Data from each sampling round were evaluated for completeness, overall quality and usability, method-specified sample holding times, precision and accuracy, and potential sample contamination. The review was completed using the following quality control (QC) information which at a minimum included chain-of-custody forms, investigative sample results including blind field duplicates, and, as provided by the laboratory, method blanks, laboratory control spikes, laboratory duplicates. The data were found to be complete and usable for the purposes of the CCR monitoring program.

Time versus Concentration Graphs

The time versus concentration (T v. C) graphs (Attachment A) indicated potential or suspect outliers for arsenic, chromium, cobalt, and lead at MW-16-07 on 8/3/2016, radium 226/228 at MW-16-11A on 8/2/2016, and chromium, cobalt, and lead at MW-16-11A on 9/22/2016. In addition, multiple sampling events were performed within a two to three-week timeframe during the background data collection in order to verify results and/or collect an adequate number of data points within the constraints of the limited CCR Rule implementation timeline. In order to maximize temporal independence within the background data set, several data points were removed from the MW-16-10 and MW-16-11A data sets as noted on Table 1. Data for the additional sampling events conducted in August 2017 for MW-16-10 were similar to the July and September results. Data for the additional sampling event conducted in June 2017 for MW-16-11A were similar to the May and July results. Thus, the June 2017 and August 2017 data were removed to avoid potential biasing of the two data sets for that time-frame.

While variations in results are present, the graphs show consistent baseline data and do not suggest that data sets, as a whole, likely have overall trending or seasonality. However, due to limitations on CCR Rule implementation timelines, the data sets, with the exception of fluoride, are of relatively short duration for making such observations regarding overall trending or seasonality.

Outlier Testing

Outlier removal from the background data set is summarized in Table 1. Probability plots of data residuals (Attachment A) were used to further evaluate the potential outliers for MW-16-07 that were

Technical Memorandum

identified in the T v. C graphs. In general, probability plots of the data residuals for MW-16-07 show that arsenic, chromium, cobalt, and lead data collected on 8/3/2016 were from a different distribution than the remaining data. Prior to outlier removal, many of the parameters exhibited a non-normal distribution. Subsequent to outlier removal, the data sets for the majority of the parameters exhibited a normal distribution. As such, data collected from monitoring well MW-16-07 on 8/3/2016 were removed from the data set.

After the removal of the data collected on 6/6/2017 from the background data set for MW-16-11A, probability plots of the data residuals for MW-16-11A show the radium 226/228 data collected on 8/2/2016, and the chromium, cobalt, and lead data collected on 9/22/2016 were from a different distribution than the remaining data. Prior to outlier removal, many of the parameters exhibited a non-normal distribution. Subsequent to outlier removal, the data sets for the majority of the parameters exhibited a normal distribution. As such, these data points were removed from the data set.

Distribution of the Data Sets

ChemStat™ was utilized to evaluate each data set for normality. If the skewness coefficient was calculated to be between negative one and one, then the data were assumed to be approximately normally distributed. If the skewness coefficient was calculated as greater than one (or less than negative one) then the calculation was performed on the natural log (Ln) of the data. If the Ln of the data still determined that the data appeared to be skewed, then the Shapiro-Wilk test of normality (Shapiro-Wilk) was performed. The Shapiro-Wilk statistic was calculated on both non-transformed data and the Ln-transformed data. If the Shapiro-Wilk statistic indicated that normal distributional assumptions were not valid, then the parameter was considered a candidate for non-parametric statistical evaluation. The data distributions are summarized in Table 2.

Tolerance Limits

Table 2 presents the calculated UTLs for the background/baseline data sets. As discussed above, the BRPP DB CCR unit uses intra-well statistical methods; therefore, UTLs were calculated for each individual monitoring well. For normal and lognormal distributions, UTLs are calculated for 95 percent confidence using parametric methods. For nonnormal background datasets, a nonparametric UTL is utilized, resulting in the highest value from the background dataset as the UTL. The achieved confidence levels for nonparametric tolerance limits depend entirely on the number of background data points, which are shown in the ChemStat™ outputs. The intra-well tolerance limits for each parameter were compared to the MCL/RSL and the higher value was established as the GWPS for that well.

Groundwater Protection Standards

The resulting GWPSs were established as the higher of the MCL/RSL or the UTL for each Appendix IV constituent at each monitoring well. The GWPSs are summarized in Table 3.

Data Comparison to Groundwater Protection Standards

Concurrent with the October 2023 semiannual detection monitoring event, groundwater was also monitored for the first of two semiannual groundwater sampling events for Appendix IV parameters to demonstrate that the GWPS are met to demonstrate closure by removal of the CCR unit in accordance

Technical Memorandum

with §257.102(c). Groundwater samples were collected in accordance with the *Hydrogeological Monitoring Plan for the DTE Electric Company Belle River Power Plant Bottom Ash Basins and Diversion Basin Coal Combustion Residual Units, 4505 King Road, China Township, Michigan* (BRPP HMP) (TRC, August 25, 2020; Revised December 2020) from all six monitoring wells and submitted to Eurofins Environment Testing (Eurofins) for analysis of the aforementioned Appendix IV metals and inorganic indicator constituents. Groundwater analytical results from the October 2023 monitoring event are summarized on Table 4. The laboratory analytical reports are included in Attachment B. The data were found to be complete and usable for the purposes of the CCR monitoring program. Data quality reviews are summarized in Attachment C.

The Appendix IV groundwater data were compared to the calculated GWPSs for each individual well (i.e., monitoring data from MW-16-05, and so forth). Comparison of the October 2023 Appendix IV results to the GWPS is also shown on Table 4.

All Appendix IV groundwater results from the first post CCR-removal sampling event were all below their respective GWPS with the exception of lithium at one location. The initial post-CCR removal groundwater monitoring results collected on October 10, 2023 showed lithium was detected at a concentration slightly above the GWPS at MW-16-06. In order to confirm the initial post-CCR removal concentration, a resample and duplicate were collected from MW-16-06 on December 6, 2023. The resample concentration was both below the GWPS, which did not confirm the initial October 2023 result. The average of the initial sample (56 ug/L) and the resample (52 ug/L) results in a lithium concentration of 54 ug/L. Applying the average of the initial and resample demonstrates that the groundwater lithium concentrations remain below the GWPS of 55 ug/L for this sampling event (see Table 4 and Attachment B).

Attachments

Table 1	Summary of Outlier Evaluation and Data Removal
Table 2	Summary of Descriptive Statistics and Tolerance Limit Calculations
Table 3	Summary of Groundwater Protection Standards
Table 4	Summary of October and December 2023 Data Compared to Groundwater Protection Standards
Attachment A	ChemStat™ Outputs
Attachment B	Appendix IV Laboratory Reports
Attachment C	Appendix IV Data Quality Reviews

Tables

Table 1
 Summary of Outlier Evaluation and Data Removal
 DTE Electric Company – Belle River Power Plant Diversion Basin

Parameter	Units	Monitoring Well	Sample Date	Data Outlier	Basis for Removal of Outlier
Antimony	ug/L	MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 1.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 1.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	2.4	Removed to maintain temporal independence.
Arsenic	ug/L	MW-16-07	08/03/16	28	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-10	04/18/17	< 5.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 5.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 5.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 5.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 5.0	Removed to maintain temporal independence.
Barium	ug/L	MW-16-10	04/18/17	75	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	65	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	115	Removed to maintain temporal independence.
		MW-16-10	08/30/17	99.5	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	260	Removed to maintain temporal independence.
Beryllium	ug/L	MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 1.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 1.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 1.0	Removed to maintain temporal independence.
Cadmium	ug/L	MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 1.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 1.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 1.0	Removed to maintain temporal independence.
Chromium	ug/L	MW-16-07	08/03/16	53	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-10	04/18/17	< 2.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 2.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	7.35	Removed to maintain temporal independence.
		MW-16-10	08/30/17	8.7	Removed to maintain temporal independence.
		MW-16-11A	09/22/16	39	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-11A	06/06/17	3	Removed to maintain temporal independence.

Notes:

ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 1
 Summary of Outlier Evaluation and Data Removal
 DTE Electric Company – Belle River Power Plant Diversion Basin

Parameter	Units	Monitoring Well	Sample Date	Data Outlier	Basis for Removal of Outlier
Cobalt	ug/L	MW-16-07	08/03/16	21	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	3.6	Removed to maintain temporal independence.
		MW-16-10	08/30/17	2.95	Removed to maintain temporal independence.
		MW-16-11A	09/22/16	14	Anomalously high value, failed Dixon's Test for outliers at 1% significance
Fluoride	mg/L	MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 1.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	1.1	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 1.0	Removed to maintain temporal independence.
Lead	ug/L	MW-16-07	08/03/16	23	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	2.45	Removed to maintain temporal independence.
		MW-16-10	08/30/17	1.7	Removed to maintain temporal independence.
		MW-16-11A	09/22/16	26	Anomalously high value, failed Dixon's Test for outliers at 1% significance
Lithium	ug/L	MW-16-10	04/18/17	120	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	130	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	86	Removed to maintain temporal independence.
		MW-16-10	08/30/17	73	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	34	Removed to maintain temporal independence.
Mercury	ug/L	MW-16-10	04/18/17	< 0.20	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 0.20	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 0.20	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 0.20	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 0.20	Removed to maintain temporal independence.

Notes:

ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 1
 Summary of Outlier Evaluation and Data Removal
 DTE Electric Company – Belle River Power Plant Diversion Basin

Parameter	Units	Monitoring Well	Sample Date	Data Outlier	Basis for Removal of Outlier
Molybdenum	ug/L	MW-16-10	04/18/17	23	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	21	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	18	Removed to maintain temporal independence.
		MW-16-10	08/30/17	15.5	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	17	Removed to maintain temporal independence.
Radium 226/228	pCi/L	MW-16-10	04/18/17	0.900	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	1.32	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	1.48	Removed to maintain temporal independence.
		MW-16-10	08/30/17	1.375	Removed to maintain temporal independence.
		MW-16-11A	08/02/16	6.94	Anomalously high value, failed Dixon's Test for outliers at 1% significance
		MW-16-11A	06/06/17	1.45	Removed to maintain temporal independence.
Selenium	ug/L	MW-16-10	04/18/17	< 5.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 5.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 5.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 5.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 5.0	Removed to maintain temporal independence.
Thallium	ug/L	MW-16-10	04/18/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	06/06/17	< 1.0	Anomalous concentrations observed for multiple parameters.
		MW-16-10	08/09/17	< 1.0	Removed to maintain temporal independence.
		MW-16-10	08/30/17	< 1.0	Removed to maintain temporal independence.
		MW-16-11A	06/06/17	< 1.0	Removed to maintain temporal independence.

Notes:

ug/L = micrograms per liter


mg/L = milligrams per liter

pCi/L = picocuries per liter

Table 2
 Summary of Descriptive Statistics and Tolerance Limit Calculations
 DTE Electric Company – Belle River Power Plant Diversion Pond

Monitoring Well	Skewness Test		Shapiro-Wilks Test (5% Critical Value)		Outliers Removed	Tolerance Limit Test	95% Tolerance Limit
	Un-Transformed Data	Natural Log Transformed Data	Un-Transformed Data	Natural Log Transformed Data			
Antimony (ug/L)							
MW-16-05		100% Non-Detect			N	PQL	2.0
MW-16-06		100% Non-Detect			N	PQL	2.0
MW-16-07		100% Non-Detect			N	PQL	2.0
MW-16-08		> 50% Non-Detect			N	Non-Parametric	2.1
MW-16-10		> 50% Non-Detect			Y	Non-Parametric	2.1
MW-16-11/A		> 50% Non-Detect			Y	Non-Parametric	3.2
Arsenic (ug/L)							
MW-16-05		> 50% Non-Detect			N	Non-Parametric	14
MW-16-06		> 50% Non-Detect			N	Non-Parametric	7.5
MW-16-07	-1 < 0.373835 < 1	--	--	--	Y	Parametric	19
MW-16-08	-1 < 0.897249 < 1	--	--	--	N	Parametric	30
MW-16-10		> 50% Non-Detect			Y	Non-Parametric	11
MW-16-11/A	-1 < 0.148067 < 1	--	--	--	Y	Parametric	24
Barium (ug/L)							
MW-16-05	1 < 1.01157	-1 < 0.95611 < 1	--	--	N	Parametric	370
MW-16-06	-1 < 0.516938 < 1	--	--	--	N	Parametric	330
MW-16-07	1 < 1.44883	1 < 1.21299	0.829 > 0.8055999	0.829 < 0.847205	N	Parametric	500
MW-16-08	-1 < 0.431717 < 1	--	--	--	N	Parametric	490
MW-16-10	-1 < 0.134164 < 1	--	--	--	Y	Parametric	200
MW-16-11/A	-1 < -0.0523964 < 1	--	--	--	Y	Parametric	620
Beryllium (ug/L)							
MW-16-05		100% Non-Detect			N	PQL	1.0
MW-16-06		100% Non-Detect			N	PQL	1.0
MW-16-07		> 50% Non-Detect			N	Non-Parametric	1.7
MW-16-08		> 50% Non-Detect			N	Non-Parametric	1.6
MW-16-10		100% Non-Detect			Y	PQL	1.0
MW-16-11/A		> 50% Non-Detect			Y	Non-Parametric	1.6

Notes:




PQL = Practical Quantitation Limit
 ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 2
 Summary of Descriptive Statistics and Tolerance Limit Calculations
 DTE Electric Company – Belle River Power Plant Diversion Pond

Monitoring Well	Skewness Test		Shapiro-Wilks Test (5% Critical Value)		Outliers Removed	Tolerance Limit Test	95% Tolerance Limit
	Un-Transformed Data	Natural Log Transformed Data	Un-Transformed Data	Natural Log Transformed Data			
Cadmium (ug/L)							
MW-16-05	100% Non-Detect				N	PQL	1.0
MW-16-06	100% Non-Detect				N	PQL	1.0
MW-16-07	> 50% Non-Detect				N	Non-Parametric	1.3
MW-16-08	> 50% Non-Detect				N	Non-Parametric	1.5
MW-16-10	100% Non-Detect				Y	PQL	1.0
MW-16-11/A	100% Non-Detect				Y	PQL	1.0
Chromium (ug/L)							
MW-16-05	1 < 1.71747	-1 < 0.673789 < 1	--	--	N	Parametric	47
MW-16-06	> 50% Non-Detect				N	Non-Parametric	14
MW-16-07	-1 < 0.320197 < 1	--	--	--	Y	Parametric	27
MW-16-08	-1 < 0.995955 < 1	--	--	--	N	Parametric	55
MW-16-10	-1 < 0.236403 < 1	--	--	--	Y	Parametric	32
MW-16-11/A	-1 < -0.755706 < 1	--	--	--	Y	Parametric	18
Cobalt (ug/L)							
MW-16-05	1 < 1.66974	-1 < 0.486789 < 1	--	--	N	Parametric	21
MW-16-06	> 50% Non-detect				N	Non-Parametric	4.7
MW-16-07	-1 < 0.377399 < 1	--	--	--	Y	Parametric	13
MW-16-08	-1 < 0.710724 < 1	--	--	--	N	Parametric	22
MW-16-10	-1 < 0.989395 < 1	--	--	--	Y	Parametric	17
MW-16-11/A	-1 < 0.168083 < 1	--	--	--	Y	Parametric	7.1
Fluoride (mg/L)							
MW-16-05	-2.36014 < -1	-2.90896 < -1	0.887 > 0.696028	0.887 > 0.582757	N	Non-Parametric	1.3
MW-16-06	-2.19557 < -1	-2.80843 < -1	0.887 > 0.739569	0.887 > 0.617868	N	Non-Parametric	1.3
MW-16-07	-1.77484 < -1	-2.0008 < -1	0.887 > 0.68499	0.887 > 0.609979	N	Non-Parametric	1.2
MW-16-08	-1 < 0.229585 < 1	--	--	--	N	Parametric	1.3
MW-16-10	-1 < 0.281128 < 1	--	--	--	Y	Parametric	2.1
MW-16-11/A	-1 < 0.411854 < 1	--	--	--	Y	Parametric	1.9

Notes:




PQL = Practical Quantitation Limit
 ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 2
 Summary of Descriptive Statistics and Tolerance Limit Calculations
 DTE Electric Company – Belle River Power Plant Diversion Pond

Monitoring Well	Skewness Test		Shapiro-Wilks Test (5% Critical Value)		Outliers Removed	Tolerance Limit Test	95% Tolerance Limit
	Un-Transformed Data	Natural Log Transformed Data	Un-Transformed Data	Natural Log Transformed Data			
Lead (ug/L)							
MW-16-05	1 < 1.81739	-1 < 0.489817 < 1	--	--	N	Parametric	23
MW-16-06	> 50% Non-Detect				N	Non-Parametric	4.4
MW-16-07	-1 < 0.114555 < 1	--	--	--	Y	Parametric	12
MW-16-08	-1 < 0.878446 < 1	--	--	--	N	Parametric	22
MW-16-10	1 < 1.1556	-1 < -0.336561 < 1	--	--	Y	Parametric	35
MW-16-11/A	-1 < 0.741547 < 1	--	--	--	Y	Parametric	7.7
Lithium (ug/L)							
MW-16-05	-1 < 0.20306 < 1	--	--	--	N	Parametric	67
MW-16-06	-1 < 0.493967 < 1	--	--	--	N	Parametric	55
MW-16-07	-1 < 0.351593 < 1	--	--	--	N	Parametric	92
MW-16-08	-1 < 0.949387 < 1	--	--	--	N	Parametric	110
MW-16-10	-1 < -0.119962 < 1	--	--	--	Y	Parametric	120
MW-16-11/A	1 < 1.67414	1 < 1.10921	0.818 > 0.764918	0.818 < 0.87926	Y	Parametric	150
Mercury (ug/L)							
MW-16-05	100% Non-Detect				N	PQL	0.20
MW-16-06	100% Non-Detect				N	PQL	0.20
MW-16-07	100% Non-Detect				N	PQL	0.20
MW-16-08	100% Non-Detect				N	PQL	0.20
MW-16-10	100% Non-Detect				Y	PQL	0.20
MW-16-11/A	100% Non-Detect				Y	PQL	0.20
Molybdenum (ug/L)							
MW-16-05	1 < 2.11944	1 < 1.8128	0.829 > 0.650199	0.829 > 0.746132	N	Non-Parametric	43
MW-16-06	1 < 1.79557	1 < 1.57811	0.829 > 0.688295	0.829 > 0.73398	N	Non-Parametric	30
MW-16-07	1 < 1.90393	1 < 1.32689	0.829 > 0.697642	0.829 < 0.832132	N	Parametric	100
MW-16-08	-1 < 0.851996 < 1	--	--	--	N	Parametric	67
MW-16-10	1 < 1.25926	-1 < 0.873361 < 1	--	--	Y	Parametric	50
MW-16-11/A	1 < 1.04371	-1 < 0.974189 < 1	--	--	Y	Parametric	49

Notes:




PQL = Practical Quantitation Limit
 ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 2
 Summary of Descriptive Statistics and Tolerance Limit Calculations
 DTE Electric Company – Belle River Power Plant Diversion Pond

Monitoring Well	Skewness Test		Shapiro-Wilks Test (5% Critical Value)		Outliers Removed	Tolerance Limit Test	95% Tolerance Limit
	Un-Transformed Data	Natural Log Transformed Data	Un-Transformed Data	Natural Log Transformed Data			
Radium 226/228 (pCi/L)							
MW-16-05	1 < 1.7901	1 < 1.07063	0.829 > 0.760667	0.829 < 0.907933	N	Parametric	5.49
MW-16-06	-1 < 0.713621 < 1	--	--	--	N	Parametric	2.60
MW-16-07	-1 < 0.761539 < 1	--	--	--	N	Parametric	5.80
MW-16-08	1 < 1.49391	-1 < -0.879177 < 1	--	--	N	Parametric	7.57
MW-16-10	-1 < -0.170195 < 1	--	--	--	Y	Parametric	3.15
MW-16-11/A	-1 < 0.818505 < 1	--	--	--	Y	Parametric	2.58
Selenium (ug/L)							
MW-16-05		100% Non-Detect			N	PQL	5.0
MW-16-06		100% Non-Detect			N	PQL	5.0
MW-16-07		> 50% Non-Detect			N	Non-Parametric	5.3
MW-16-08		100% Non-Detect			N	PQL	5.0
MW-16-10		100% Non-Detect			Y	PQL	5.0
MW-16-11/A		100% Non-Detect			Y	PQL	5.0
Thallium (ug/L)							
MW-16-05		> 50% Non-detect			N	Non-Parametric	1.1
MW-16-06		100% Non-Detect			N	PQL	1.0
MW-16-07		> 50% Non-detect			N	Non-Parametric	2.3
MW-16-08		> 50% Non-detect			N	Non-Parametric	1.3
MW-16-10		100% Non-Detect			Y	PQL	1.0
MW-16-11/A		100% Non-Detect			Y	PQL	1.0

Notes:



PQL = Practical Quantitation Limit
 ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 3
 Summary of Groundwater Protection Standards
 DTE Electric Company – Belle River Power Plant Diversion Pond

Constituent	Unit	GWPS Selection	MCL/RSL	MW-16-05		MW-16-06		MW-16-07		MW-16-08		MW-16-10		MW-16-11/A	
				UTL	GWPS	UTL	GWPS	UTL	GWPS	UTL	GWPS	UTL	GWPS	UTL	GWPS
Antimony	ug/L	MCL	6	2.0	6.0	2.0	6.0	2.0	6.0	2.1	6.0	2.1	6.0	3.2	6.0
Arsenic	ug/L	Background or MCL	10	14	14	7.5	10	19	19	30	30	11	11	24	24
Barium	ug/L	MCL	2000	370	2,000	330	2,000	500	2,000	490	2,000	200	2,000	620	2,000
Beryllium	ug/L	MCL	4	1.0	4.0	1.0	4.0	1.7	4.0	1.6	4.0	1.0	4.0	1.6	4.0
Cadmium	ug/L	MCL	5	1.0	5.0	1.0	5.0	1.3	5.0	1.5	5.0	1.0	5.0	1.0	5.0
Chromium	ug/L	MCL	100	47	100	14	100	27	100	55	100	32	100	18	100
Cobalt	ug/L	Background or RSL	6	21	21	4.7	6.0	13	13	22	22	17	17	7.1	7.1
Fluoride	mg/L	MCL	4	1.3	4.0	1.3	4.0	1.2	4.0	1.3	4.0	2.1	4.0	1.9	4.0
Lead	ug/L	Background or RSL	15	23	23	4.4	15	12	15	22	22	35	35	7.7	15
Lithium	ug/L	Background	40	67	67	55	55	92	92	110	110	120	120	150	150
Mercury	ug/L	MCL	2	0.20	2.0	0.20	2.0	0.20	2.0	0.20	2.0	0.20	2.0	0.20	2.0
Molybdenum	ug/L	RSL	100	43	100	30	100	100	100	67	100	50	100	49	100
Radium-226/228	pCi/L	Background or MCL	5	5.49	5.49	2.60	5.00	5.80	5.80	7.57	7.57	3.15	5.00	2.58	5.00
Selenium	ug/L	MCL	50	5.0	50	5.0	50	5.3	50	5.0	50	5.0	50	5.0	50
Thallium	ug/L	Background or MCL	2	1.1	2.0	1.0	2.0	2.3	2.3	1.3	2.0	1.0	2.0	1.0	2.0

Notes:

MCL - Maximum Contaminant Level, EPA Drinking Water Standards and Health Advisories, April 2012.
 RSL - Regional Screening Level from 83 FR 36435.
 UTL - Upper Tolerance Limit (95%) of the background data set.
 GWPS - Groundwater Protection Standard. Appendix IV GWPS is the higher of the MCL/RSL and UTL.
 ug/L = micrograms per liter
 mg/L = milligrams per liter
 pCi/L = picocuries per liter

Table 4
 Summary of October and December 2023 Data Compared to Groundwater Protection Standards
 DTE Electric Company – Belle River Power Plant Diversion Basin

Constituent	Unit	Intrawell													
		MW-16-05		MW-16-06			MW-16-07		MW-16-08		MW-16-10		MW-16-11A		
		GWPS	10/10/2023	GWPS	10/10/2023	12/6/2023 ⁽¹⁾	GWPS	10/10/2023	GWPS	10/10/2023	GWPS	10/10/2023	GWPS	10/10/2023	
Antimony	ug/L	6.0	< 2	6.0	< 2	--	6.0	< 2	6.0	< 2	6.0	< 2	6.0	< 2	
Arsenic	ug/L	14	< 5	10	< 5	--	19	< 5	30	< 5	11	< 5	24	< 5	
Barium	ug/L	2,000	260	2,000	280	--	2,000	230	2,000	310	2,000	85	2,000	260	
Beryllium	ug/L	4.0	< 1	4.0	< 1	--	4.0	< 1	4.0	< 1	4.0	< 1	4.0	< 1	
Cadmium	ug/L	5.0	< 1	5.0	< 1	--	5.0	< 1	5.0	< 1	5.0	< 1	5.0	< 1	
Chromium	ug/L	100	< 5	100	< 5	--	100	< 5	100	< 5	100	< 5	100	< 5	
Cobalt	ug/L	21	1.1	6.0	< 1	--	13	1.9	22	1.1	17	< 1	7.1	< 1	
Fluoride	mg/L	4.0	1.2	4.0	1.2	--	4.0	1.3	4.0	1.2	4.0	1.1	4.0	1.1	
Lead	ug/L	23	1.0	15	< 1	--	15	1.8	22	< 1	35	< 1	15	< 1	
Lithium	ug/L	67	55	55	56	52	92	60	110	67	120	75	150	61	
Mercury	ug/L	2.0	< 0.2	2.0	< 0.2	--	2.0	< 0.2	2.0	< 0.2	2.0	< 0.2	2.0	< 0.2	
Molybdenum	ug/L	100	12	100	15	--	100	10	100	17	100	11	100	12	
Radium-226/228	pci/L	5.49	2.39	5.00	2.03	--	5.80	2.11	7.57	2.52	5.0	1.75	5.0	1.80	
Selenium	ug/L	50	< 5	50	< 5	--	50	< 5	50	< 5	50	< 5	50	< 5	
Thallium	ug/L	2.0	< 1	2.0	< 1	--	2.3	< 1	2.0	< 1	2.0	< 1	2.0	< 1	

UTL - Upper Tolerance Limit (95%) of the background data set.

GWPS - Groundwater Protection Standard. Appendix IV GWPS is the higher of the MCL/RSL and UTL.

ug/L = micrograms per liter

mg/L = milligrams per liter

pCi/L = picocuries per liter

-- = Not analyzed

(1) Results shown for verification sampling performed on 12/6/2023.


Bold font indicates an exceedance of the GWPS.

RESULT Shading and bold font indicates a confirmed exceedance of the GWPS.


Attachment A

ChemStat™ Outputs


Antimony Multi-Well Time-Series Graph




Arsenic Multi-Well Time-Series Graph




Barium Multi-Well Time-Series Graph




Beryllium Multi-Well Time-Series Graph




Cadmium Multi-Well Time-Series Graph




Chromium Multi-Well Time-Series Graph




Cobalt Multi-Well Time-Series Graph




Fluoride Multi-Well Time-Series Graph



Lead Multi-Well Time-Series Graph




Lithium Multi-Well Time-Series Graph




Mercury


Multi-Well Time-Series Graph




Molybdenum Multi-Well Time-Series Graph




Radium-226/228 Multi-Well Time-Series Graph




Selenium Multi-Well Time-Series Graph



Thallium Multi-Well Time-Series Graph



Arsenic
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0.833735
0.833735 < 0.912 -- Normality test fails at 95% level



Arsenic
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0.833735
0.833735 < 0.912 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Arsenic

Location: MW-16-07

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 9 Measurements...


1% Level of Significance

Iteration	Highest	Lowest	Critical	Outlier
1	0.666667	0	0.635	28
2	0.270588	0	0.683	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-07	8/3/2016	28	TRUE
	9/22/2016	8.1	FALSE
	11/9/2016	8.7	FALSE
	1/10/2017	ND<2.5 U	FALSE
	2/27/2017	6.8	FALSE
	4/18/2017	7.2	FALSE
	6/6/2017	ND<2.5 U	FALSE
	7/25/2017	11	FALSE
	9/14/2017	6.2	FALSE


with outliers removed



Arsenic
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0.965184
0.965184 > 0.905 - Normality test succeeds at 95% level

Chromium
Probability Plot of Residuals for MW-16-07

Correlation Coefficient = 0,807034
0,807034 < 0,912 -- Normality test fails at 95% level



Chromium
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,807034
0,807034 < 0,912 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Chromium

Location: MW-16-07

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 9 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.748899	0.116279	0.635	53
2	0.0877193	0.12605	0.683	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-07	8/3/2016	53	TRUE
	9/22/2016	19	FALSE
	11/9/2016	18	FALSE
	1/10/2017	6.1	FALSE
	2/27/2017	12	FALSE
	4/18/2017	11	FALSE
	6/6/2017	7.6	FALSE
	7/25/2017	14	FALSE
	9/14/2017	8	FALSE

Chromium
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,975283
0,975283 > 0,905 – Normality test succeeds at 95% level


with outliers removed



Chromium
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,975283
0,975283 > 0,905 – Normality test succeeds at 95% level

Chromium
Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0.793531
0.793531 < 0.905 -- Normality test fails at 95% level



Chromium
Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0.793531
0.793531 < 0.905 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Chromium

Location: MW-16-11A

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 8 Measurements...


1% Level of Significance

Iteration	Highest	Lowest	Critical	Outlier
1	0.807799	0.233333	0.683	39
2	0.116667	0.233333	0.637	None

Loc.	Date	Conc.	Outlier
MW-16-11A	8/2/2016	10	FALSE
	9/22/2016	39	TRUE
	11/7/2016	8.3	FALSE
	1/11/2017	8	FALSE
	5/18/2017 ~	8.95	FALSE
	6/30/2017 ~	ND<1 U	FALSE
	7/25/2017	6.6	FALSE
	9/12/2017	3.1	FALSE


Chromium
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,945335
0,945335 > 0,899 – Normality test succeeds at 95% level

with outliers removed



Chromium
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,945335
0,945335 > 0,899 – Normality test succeeds at 95% level

Cobalt
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,845361
0,845361 < 0,912 -- Normality test fails at 95% level



Cobalt
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,845361
0,845361 < 0,912 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Cobalt

Location: MW-16-07

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 9 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.694118	0.147541	0.635	21
2	0.115385	0.163636	0.683	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-07	8/3/2016	21	TRUE
	9/22/2016	7.2	FALSE
	11/9/2016	8.6	FALSE
	1/10/2017	3.1	FALSE
	2/27/2017	5.4	FALSE
	4/18/2017	5.2	FALSE
	6/6/2017	4.2	FALSE
	7/25/2017	9.2	FALSE
	9/14/2017	4	FALSE

Cobalt
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,971088
0,971088 > 0,905 – Normality test succeeds at 95% level


with outliers removed



Cobalt
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,971088
0,971088 > 0,905 – Normality test succeeds at 95% level

Cobalt
Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0,794749
0,794749 < 0,905 – Normality test fails at 95% level



Cobalt

Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0,794749
0,794749 < 0,905 – Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Cobalt

Location: MW-16-11A

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 8 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.785185	0	0.683	14
2	0.0344828	0	0.637	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-11A	8/2/2016	3	FALSE
	9/22/2016	14	TRUE
	11/7/2016	3.3	FALSE
	1/11/2017	3.4	FALSE
	5/18/2017 ~	2.6	FALSE
	6/30/2017 ~	ND<0.5 U	FALSE
	7/25/2017	2.1	FALSE
	9/12/2017	ND<0.5 U	FALSE


Cobalt
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,931783
0,931783 > 0,899 – Normality test succeeds at 95% level

with outliers removed



Cobalt
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,931783
0,931783 > 0,899 – Normality test succeeds at 95% level

Lead
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,803773
0,803773 < 0,912 -- Normality test fails at 95% level



Lead
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,803773
0,803773 < 0,912 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Lead

Location: MW-16-07

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 9 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.737113	0.163934	0.635	23
2	0.294118	0.217391	0.683	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-07	8/3/2016	23	TRUE
	9/22/2016	6.6	FALSE
	11/9/2016	7.2	FALSE
	1/10/2017	2.6	FALSE
	2/27/2017	5.3	FALSE
	4/18/2017	5.2	FALSE
	6/6/2017	3.6	FALSE
	7/25/2017	8.7	FALSE
	9/14/2017	5	FALSE


Lead
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,988629
0,988629 > 0,905 – Normality test succeeds at 95% level

with outliers removed



Lead
Probability Plot of Residuals for MW-16-07
Correlation Coefficient = 0,988629
0,988629 > 0,905 – Normality test succeeds at 95% level

Lead
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0.736608
0.736608 < 0.905 -- Normality test fails at 95% level



Lead
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0.736608
0.736608 < 0.905 -- Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Lead

Location: MW-16-11A

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 8 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.847251	0.202128	0.683	26
2	0.340426	0.202128	0.637	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-11A	8/2/2016	3.6	FALSE
	9/22/2016	26	TRUE
	11/7/2016	1.8	FALSE
	1/11/2017	5.2	FALSE
	5/18/2017 ~	2.5	FALSE
	6/30/2017 ~	1.45	FALSE
	7/25/2017	1.7	FALSE
	9/12/2017	ND<0.5 U	FALSE

Lead
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,96014
0,96014 > 0,899 – Normality test succeeds at 95% level


with outliers removed



Lead
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,96014
0,96014 > 0,899 – Normality test succeeds at 95% level

Radium-226/228
Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0,714919
0,714919 < 0,905 – Normality test fails at 95% level



anomalously high
concentration on
8/2/2016

Radium-226/228
Probability Plot of Residuals for MW-16-11A

Correlation Coefficient = 0,714919
0,714919 < 0,905 – Normality test fails at 95% level

Dixon's Test for Outliers

Parameter: Radium-226/228

Location: MW-16-11A

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

For 8 Measurements...

1% Level of Significance


Iteration	Highest	Lowest	Critical	Outlier
1	0.853832	0.0352941	0.683	6.94
2	0.505882	0.0352941	0.637	None

Loc.	Date	Conc.	Outlier
------	------	-------	---------

MW-16-11A	8/2/2016	6.94	TRUE
	9/22/2016	2.15	FALSE
	11/7/2016	1.72	FALSE
	1/11/2017	1.33	FALSE
	5/18/2017 ~	1.53	FALSE
	6/30/2017 ~	1.665	FALSE
	7/25/2017	1.58	FALSE
	9/12/2017	1.3	FALSE

Radium-226/228
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,949339
0,949339 > 0,899 – Normality test succeeds at 95% level

with outliers removed



Radium-226/228
Probability Plot of Residuals for MW-16-11A
Correlation Coefficient = 0,949339
0,949339 > 0,899 – Normality test succeeds at 95% level

Concentrations (ug/L)

Parameter: Antimony

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 46

Percent Non-Detects: 90.1961%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	9 (100%)	8/3/2016	ND<1 U	ND<2 U
			9/20/2016	ND<1 U	ND<2 U
			11/8/2016	ND<1 U	ND<2 U
			1/9/2017	ND<1 U	ND<2 U
			3/1/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017	ND<1 U	ND<2 U
			7/25/2017	ND<1 U	ND<2 U
			9/13/2017	ND<1 U	ND<2 U

MW-16-06	9	9 (100%)	8/3/2016 ~	ND<1 U	ND<2 U
			9/20/2016	ND<1 U	ND<2 U
			11/9/2016	ND<1 U	ND<2 U
			1/10/2017	ND<1 U	ND<2 U
			2/28/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017 ~	ND<1 U	ND<2 U
			7/25/2017	ND<1 U	ND<2 U
			9/14/2017 ~	ND<1 U	ND<2 U

MW-16-07	9	9 (100%)	8/3/2016	ND<1 U	ND<2 U
			9/22/2016	ND<1 U	ND<2 U
			11/9/2016	ND<1 U	ND<2 U
			1/10/2017	ND<1 U	ND<2 U
			2/27/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017	ND<1 U	ND<2 U
			7/25/2017	ND<1 U	ND<2 U
			9/14/2017	ND<1 U	ND<2 U

MW-16-08	9	8 (88.8889%)	8/3/2016	2.1	2.1
			9/19/2016	ND<1 U	ND<2 U
			11/8/2016	ND<1 U	ND<2 U
			1/10/2017	ND<1 U	ND<2 U
			2/28/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/7/2017	ND<1 U	ND<2 U
			7/25/2017	ND<1 U	ND<2 U
			9/12/2017	ND<1 U	ND<2 U

MW-16-10	7	6 (85.7143%)	8/2/2016	2.1	2.1
			9/19/2016	ND<1 U	ND<2 U
			11/8/2016	ND<1 U	ND<2 U
			1/11/2017	ND<1 U	ND<2 U
			2/28/2017	ND<1 U	ND<2 U
			7/26/2017	ND<1 U	ND<2 U
			9/12/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017	ND<1 U	ND<2 U
8/9/2017 ~	ND<1 U	ND<2 U			

			8/30/2017 ~	ND<1 U	ND<2 U
MW-16-11A	8	5 (62.5%)	8/2/2016	2.1	2.1
			9/22/2016	ND<1 U	ND<2 U
			11/7/2016	ND<1 U	ND<2 U
			1/11/2017	ND<1 U	ND<2 U
			5/18/2017 ~	3.2	3.2
			6/30/2017 ~	2	2
			7/25/2017	ND<1 U	ND<2 U
			9/12/2017	ND<1 U	ND<2 U
			6/6/2017	2.4	2.4

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Arsenic

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 50

Total Non-Detect: 27

Percent Non-Detects: 54%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	6 (66.6667%)	8/3/2016	14	14
			9/20/2016	5.6	5.6
			11/8/2016	5.1	5.1
			1/9/2017	ND<2.5 U	ND<5 U
			3/1/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/13/2017	ND<2.5 U	ND<5 U

MW-16-06	9	8 (88.8889%)	8/3/2016 ~	7.45	7.45
			9/20/2016	ND<2.5 U	ND<5 U
			11/9/2016	ND<2.5 U	ND<5 U
			1/10/2017	ND<2.5 U	ND<5 U
			2/28/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017 ~	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
9/14/2017 ~	ND<2.5 U	ND<5 U			

MW-16-07	8	2 (25%)	9/22/2016	8.1	8.1
			11/9/2016	8.7	8.7
			1/10/2017	ND<2.5 U	ND<5 U
			2/27/2017	6.8	6.8
			4/18/2017	7.2	7.2
			6/6/2017	ND<2.5 U	ND<5 U
			7/25/2017	11	11
			9/14/2017	6.2	6.2
			8/3/2016	28	28

MW-16-08	9	3 (33.3333%)	8/3/2016	21	21
			9/19/2016	15	15
			11/8/2016	12	12
			1/10/2017	9.2	9.2
			2/28/2017	ND<2.5 U	ND<5 U
			4/18/2017	7.2	7.2
			6/7/2017	ND<2.5 U	ND<5 U
			7/25/2017	5.4	5.4
			9/12/2017	ND<2.5 U	ND<5 U

MW-16-10	7	5 (71.4286%)	8/2/2016	11	11
			9/19/2016	5.5	5.5
			11/8/2016	ND<2.5 U	ND<5 U
			1/11/2017	ND<2.5 U	ND<5 U
			2/28/2017	ND<2.5 U	ND<5 U
			7/26/2017	ND<2.5 U	ND<5 U
			9/12/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U
8/9/2017 ~	ND<2.5 U	ND<5 U			

			8/30/2017 ~	ND<2.5 U	ND<5 U
MW-16-11A	8	3 (37.5%)	8/2/2016	9.7	9.7
			9/22/2016	17	17
			11/7/2016	ND<2.5 U	ND<5 U
			1/11/2017	9	9
			5/18/2017 ~	5.4	5.4
			6/30/2017 ~	5.25	5.25
			7/25/2017	ND<2.5 U	ND<5 U
			9/12/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 0

Percent Non-Detects: 0%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	0 (0%)	8/3/2016	340	340
			9/20/2016	330	330
			11/8/2016	280	280
			1/9/2017	280	280
			3/1/2017	270	270
			4/18/2017	280	280
			6/6/2017	280	280
			7/25/2017	290	290
			9/13/2017	300	300
MW-16-06	9	0 (0%)	8/3/2016 ~	270	270
			9/20/2016	300	300
			11/9/2016	260	260
			1/10/2017	270	270
			2/28/2017	270	270
			4/18/2017	260	260
			6/6/2017 ~	270	270
			7/25/2017	300	300
			9/14/2017 ~	300	300
MW-16-07	9	0 (0%)	8/3/2016	450	450
			9/22/2016	370	370
			11/9/2016	330	330
			1/10/2017	290	290
			2/27/2017	320	320
			4/18/2017	300	300
			6/6/2017	290	290
			7/25/2017	330	330
			9/14/2017	330	330
MW-16-08	9	0 (0%)	8/3/2016	390	390
			9/19/2016	430	430
			11/8/2016	330	330
			1/10/2017	320	320
			2/28/2017	290	290
			4/18/2017	310	310
			6/7/2017	300	300
			7/25/2017	370	370
			9/12/2017	380	380
MW-16-10	7	0 (0%)	8/2/2016	150	150
			9/19/2016	150	150
			11/8/2016	120	120
			1/11/2017	110	110
			2/28/2017	100	100
			7/26/2017	110	110
			9/12/2017	140	140
			4/18/2017	75	75
			6/6/2017	65	65
8/9/2017 ~	115	115			

			8/30/2017 ~	99.5	99.5
MW-16-11A	8	0 (0%)	8/2/2016	300	300
			9/22/2016	480	480
			11/7/2016	120	120
			1/11/2017	360	360
			5/18/2017 ~	280	280
			6/30/2017 ~	270	270
			7/25/2017	300	300
			9/12/2017	310	310
			6/6/2017	260	260

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Beryllium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 47

Percent Non-Detects: 92.1569%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	9 (100%)	8/3/2016	ND<0.5 U	ND<1 U
			9/20/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/9/2017	ND<0.5 U^	ND<1 U^
			3/1/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/13/2017	ND<0.5 U	ND<1 U

MW-16-06	9	9 (100%)	8/3/2016 ~	ND<0.5 U	ND<1 U
			9/20/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U^	ND<1 U^
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017 ~	ND<0.5 U	ND<1 U

MW-16-07	9	8 (88.8889%)	8/3/2016	1.7	1.7
			9/22/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U^	ND<1 U^
			2/27/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017	ND<0.5 U	ND<1 U

MW-16-08	9	7 (77.7778%)	8/3/2016	1.2	1.2
			9/19/2016	1.6	1.6
			11/8/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U^	ND<1 U^
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/7/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U

MW-16-10	7	7 (100%)	8/2/2016	ND<0.5 U	ND<1 U
			9/19/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			8/9/2017 ~	ND<0.5 U	ND<1 U

			8/30/2017 ~	ND<0.5 U	ND<1 U
MW-16-11A	8	7 (87.5%)	8/2/2016	ND<0.5 U	ND<1 U
			9/22/2016	1.6	1.6
			11/7/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			5/18/2017 ~	ND<0.5 U	ND<1 U
			6/30/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Cadmium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 49

Percent Non-Detects: 96.0784%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	9 (100%)	8/3/2016	ND<0.5 U	ND<1 U
			9/20/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/9/2017	ND<0.5 U	ND<1 U
			3/1/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/13/2017	ND<0.5 U	ND<1 U

MW-16-06	9	9 (100%)	8/3/2016 ~	ND<0.5 U	ND<1 U
			9/20/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017 ~	ND<0.5 U	ND<1 U

MW-16-07	9	8 (88.8889%)	8/3/2016	1.3	1.3
			9/22/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/27/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017	ND<0.5 U	ND<1 U

MW-16-08	9	8 (88.8889%)	8/3/2016	1.5	1.5
			9/19/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/7/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U

MW-16-10	7	7 (100%)	8/2/2016	ND<0.5 U	ND<1 U
			9/19/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
8/9/2017 ~	ND<0.5 U	ND<1 U			

			8/30/2017 ~	ND<0.5 U	ND<1 U
MW-16-11A	8	8 (100%)	8/2/2016	ND<0.5 U	ND<1 U
			9/22/2016	ND<0.5 U	ND<1 U
			11/7/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			5/18/2017 ~	ND<0.5 U	ND<1 U
			6/30/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 49

Total Non-Detect: 8

Percent Non-Detects: 16.3265%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	0 (0%)	8/3/2016	24	24
			9/20/2016	12	12
			11/8/2016	9.2	9.2
			1/9/2017	6.3	6.3
			3/1/2017	4.2	4.2
			4/18/2017	6.9	6.9
			6/6/2017	2.9	2.9
			7/25/2017	4.4	4.4
			9/13/2017	5.6	5.6
MW-16-06	9	6 (66.6667%)	8/3/2016 ~	13.5	13.5
			9/20/2016	4.3	4.3
			11/9/2016	2.2	2.2
			1/10/2017	ND<1 U	ND<2 U
			2/28/2017	ND<1 U	ND<2 U
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017 ~	ND<1 U	ND<2 U
			7/25/2017	ND<1 U	ND<2 U
			9/14/2017 ~	ND<1 U	ND<2 U
MW-16-07	8	0 (0%)	9/22/2016	19	19
			11/9/2016	18	18
			1/10/2017	6.1	6.1
			2/27/2017	12	12
			4/18/2017	11	11
			6/6/2017	7.6	7.6
			7/25/2017	14	14
			9/14/2017	8	8
			8/3/2016	53	53
MW-16-08	9	0 (0%)	8/3/2016	36	36
			9/19/2016	40	40
			11/8/2016	20	20
			1/10/2017	15	15
			2/28/2017	8	8
			4/18/2017	11	11
			6/7/2017	5.6	5.6
			7/25/2017	12	12
			9/12/2017	8.6	8.6
MW-16-10	7	1 (14.2857%)	8/2/2016	21	21
			9/19/2016	14	14
			11/8/2016	8.1	8.1
			1/11/2017	4.8	4.8
			2/28/2017	ND<1 U	ND<2 U
			7/26/2017	9.7	9.7
			9/12/2017	13	13
			4/18/2017	ND<1 U	ND<2 U
			6/6/2017	ND<1 U	ND<2 U
8/9/2017 ~	7.35	7.35			

			8/30/2017 ~	8.7	8.7
MW-16-11A	7	1 (14.2857%)	8/2/2016	10	10
			11/7/2016	8.3	8.3
			1/11/2017	8	8
			5/18/2017 ~	8.95	8.95
			6/30/2017 ~	ND<1 U	ND<2 U
			7/25/2017	6.6	6.6
			9/12/2017	3.1	3.1
			9/22/2016	39	39
			6/6/2017	3	3

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 49

Total Non-Detect: 10

Percent Non-Detects: 20.4082%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	0 (0%)	8/3/2016	10	10
			9/20/2016	4.5	4.5
			11/8/2016	4.1	4.1
			1/9/2017	3.3	3.3
			3/1/2017	1.5	1.5
			4/18/2017	2.8	2.8
			6/6/2017	1.2	1.2
			7/25/2017	1.5	1.5
			9/13/2017	2.4	2.4
MW-16-06	9	7 (77.7778%)	8/3/2016 ~	4.7	4.7
			9/20/2016	1.4	1.4
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017 ~	ND<0.5 U	ND<1 U
MW-16-07	8	0 (0%)	9/22/2016	7.2	7.2
			11/9/2016	8.6	8.6
			1/10/2017	3.1	3.1
			2/27/2017	5.4	5.4
			4/18/2017	5.2	5.2
			6/6/2017	4.2	4.2
			7/25/2017	9.2	9.2
			9/14/2017	4	4
			8/3/2016	21	21
MW-16-08	9	0 (0%)	8/3/2016	13	13
			9/19/2016	16	16
			11/8/2016	9.4	9.4
			1/10/2017	8.1	8.1
			2/28/2017	2.8	2.8
			4/18/2017	5.1	5.1
			6/7/2017	2.4	2.4
			7/25/2017	5.2	5.2
			9/12/2017	3.3	3.3
MW-16-10	7	1 (14.2857%)	8/2/2016	12	12
			9/19/2016	5.8	5.8
			11/8/2016	3.3	3.3
			1/11/2017	2.6	2.6
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	3.8	3.8
			9/12/2017	5.9	5.9
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
8/9/2017 ~	3.6	3.6			

			8/30/2017 ~	2.95	2.95
MW-16-11A	7	2 (28.5714%)	8/2/2016	3	3
			11/7/2016	3.3	3.3
			1/11/2017	3.4	3.4
			5/18/2017 ~	2.6	2.6
			6/30/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	2.1	2.1
			9/12/2017	ND<0.5 U	ND<1 U
			9/22/2016	14	14
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (mg/L)

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 93

Total Non-Detect: 13

Percent Non-Detects: 13.9785%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	16	1 (6.25%)	8/3/2016	0.96	0.96
			9/20/2016	1.1	1.1
			11/8/2016	ND<0.5 U	ND<1 U
			1/9/2017	1	1
			3/1/2017	1.1	1.1
			4/18/2017	1.1	1.1
			6/6/2017	1.2	1.2
			7/25/2017	1.1	1.1
			9/13/2017	1.3	1.3
			10/2/2017	1.2	1.2
			3/27/2018	1.2	1.2
			10/1/2018	1.2	1.2
			3/18/2019	1.1	1.1
			9/17/2019	1.1	1.1
			3/19/2020	1.2	1.2
			9/16/2020	1.2	1.2

MW-16-06	16	1 (6.25%)	8/3/2016 ~	0.95	0.95
			9/20/2016	1.1	1.1
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	1	1
			2/28/2017	1.1	1.1
			4/18/2017	1.1	1.1
			6/6/2017 ~	1.15	1.15
			7/25/2017	1.1	1.1
			9/14/2017 ~	1.3	1.3
			10/2/2017	1.2	1.2
			3/27/2018 ~	1.2	1.2
			10/2/2018	1.2	1.2
			3/20/2019	1.1	1.1
			9/17/2019	1	1
			3/19/2020	1.2	1.2
			9/15/2020	1.1	1.1

MW-16-07	16	2 (12.5%)	8/3/2016	0.94	0.94
			9/22/2016	1.1	1.1
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	0.97	0.97
			2/27/2017	1.1	1.1
			4/18/2017	1	1
			6/6/2017	1.1	1.1
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017	1.2	1.2
			10/3/2017	1.1	1.1
			3/27/2018	1.2	1.2
			10/2/2018	1.1	1.1
			3/20/2019	1	1
			9/17/2019	1.1	1.1
			3/19/2020	1.1	1.1
			9/15/2020	1.1	1.1

MW-16-08	16	0 (0%)	8/3/2016	1	1
			9/19/2016	1.1	1.1
			11/8/2016	1.1	1.1
			1/10/2017	1	1
			2/28/2017	1.1	1.1
			4/18/2017	1.1	1.1
			6/7/2017	1.2	1.2
			7/25/2017	1.1	1.1
			9/12/2017	1.3	1.3
			10/4/2017	1.2	1.2
			3/28/2018	1.2	1.2
			10/4/2018	1.1	1.1
			3/19/2019	1.1	1.1
			9/17/2019	1.1	1.1
			3/18/2020	1.2	1.2
			9/15/2020	1.2	1.2

MW-16-10	14	4 (28.5714%)	8/2/2016	0.81	0.81
			9/19/2016	0.98	0.98
			11/8/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	ND<0.5 U	ND<1 U
			9/12/2017	1.2	1.2
			10/4/2017	1.1	1.1
			3/28/2018	1.1	1.1
			10/3/2018	1	1
			3/19/2019	0.96	0.96
			9/17/2019	1	1
			3/18/2020	1.1	1.1
			9/15/2020	1.2	1.2
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			8/9/2017 ~	ND<0.5 U	ND<1 U
			8/30/2017 ~	1.1	1.1

MW-16-11A	15	5 (33.3333%)	8/2/2016	0.85	0.85
			9/22/2016	0.95	0.95
			11/7/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			5/18/2017 ~	ND<0.5 U	ND<1 U
			6/30/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 UF1	ND<1 UF1
			9/12/2017	1	1
			10/4/2017	1	1
			3/28/2018 ~	1.03333	1.03333
			10/4/2018	0.98	0.98
			3/19/2019	0.91	0.91
			9/17/2019	0.94	0.94
			3/18/2020	1	1
			9/15/2020	0.96	0.96
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 49

Total Non-Detect: 9

Percent Non-Detects: 18.3673%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	0 (0%)	8/3/2016	11	11
			9/20/2016	4.4	4.4
			11/8/2016	4.2	4.2
			1/9/2017	3.2	3.2
			3/1/2017	1.8	1.8
			4/18/2017	2.9	2.9
			6/6/2017	1.1	1.1
			7/25/2017	1.4	1.4
			9/13/2017	2.5	2.5
MW-16-06	9	7 (77.7778%)	8/3/2016 ~	4.4	4.4
			9/20/2016	1.3	1.3
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017 ~	ND<0.5 U	ND<1 U
MW-16-07	8	0 (0%)	9/22/2016	6.6	6.6
			11/9/2016	7.2	7.2
			1/10/2017	2.6	2.6
			2/27/2017	5.3	5.3
			4/18/2017	5.2	5.2
			6/6/2017	3.6	3.6
			7/25/2017	8.7	8.7
			9/14/2017	5	5
			8/3/2016	23	23
MW-16-08	9	0 (0%)	8/3/2016	16	16
			9/19/2016	14	14
			11/8/2016	8.5	8.5
			1/10/2017	6.4	6.4
			2/28/2017	2.9	2.9
			4/18/2017	5	5
			6/7/2017	1.8	1.8
			7/25/2017	4.7	4.7
			9/12/2017	3.5	3.5
MW-16-10	7	1 (14.2857%)	8/2/2016	7	7
			9/19/2016	3.3	3.3
			11/8/2016	1.7	1.7
			1/11/2017	1.6	1.6
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	1.7	1.7
			9/12/2017	3.4	3.4
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
8/9/2017 ~	2.45	2.45			

			8/30/2017 ~	1.7	1.7
MW-16-11A	7	1 (14.2857%)	8/2/2016	3.6	3.6
			11/7/2016	1.8	1.8
			1/11/2017	5.2	5.2
			5/18/2017 ~	2.5	2.5
			6/30/2017 ~	1.45	1.45
			7/25/2017	1.7	1.7
			9/12/2017	ND<0.5 U	ND<1 U
			9/22/2016	26	26
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 0

Percent Non-Detects: 0%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	0 (0%)	8/3/2016	55	55
			9/20/2016	59	59
			11/8/2016	55	55
			1/9/2017	49	49
			3/1/2017	53	53
			4/18/2017	62	62
			6/6/2017	54	54
			7/25/2017	58	58
			9/13/2017	51	51

MW-16-06	9	0 (0%)	8/3/2016 ~	33	33
			9/20/2016	41	41
			11/9/2016	34	34
			1/10/2017	35	35
			2/28/2017	37	37
			4/18/2017	42	42
			6/6/2017 ~	40.5	40.5
			7/25/2017	49	49
			9/14/2017 ~	42	42

MW-16-07	9	0 (0%)	8/3/2016	78	78
			9/22/2016	76	76
			11/9/2016	63	63
			1/10/2017	51	51
			2/27/2017	56	56
			4/18/2017	65	65
			6/6/2017	56	56
			7/25/2017	69	69
			9/14/2017	57	57

MW-16-08	9	0 (0%)	8/3/2016	77	77
			9/19/2016	96	96
			11/8/2016	75	75
			1/10/2017	66	66
			2/28/2017	62	62
			4/18/2017	79	79
			6/7/2017	64	64
			7/25/2017	76	76
			9/12/2017	65	65

MW-16-10	7	0 (0%)	8/2/2016	65	65
			9/19/2016	77	77
			11/8/2016	65	65
			1/11/2017	74	74
			2/28/2017	88	88
			7/26/2017	88	88
			9/12/2017	91	91
			4/18/2017	120	120
			6/6/2017	130	130
8/9/2017 ~	86	86			

			8/30/2017 ~	73	73
MW-16-11A	8	0 (0%)	8/2/2016	56	56
			9/22/2016	110	110
			11/7/2016	64	64
			1/11/2017	58	58
			5/18/2017 ~	42.5	42.5
			6/30/2017 ~	39	39
			7/25/2017	52	52
			9/12/2017	52	52
			6/6/2017	34	34

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Mercury

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 51

Percent Non-Detects: 100%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	9 (100%)	8/3/2016	ND<0.1 U	ND<0.2 U
			9/20/2016	ND<0.1 U	ND<0.2 U
			11/8/2016	ND<0.1 U	ND<0.2 U
			1/9/2017	ND<0.1 U	ND<0.2 U
			3/1/2017	ND<0.1 U	ND<0.2 U
			4/18/2017	ND<0.1 U	ND<0.2 U
			6/6/2017	ND<0.1 U	ND<0.2 U
			7/25/2017	ND<0.1 U	ND<0.2 U
			9/13/2017	ND<0.1 U	ND<0.2 U
MW-16-06	9	9 (100%)	8/3/2016 ~	ND<0.1 U	ND<0.2 U
			9/20/2016	ND<0.1 U	ND<0.2 U
			11/9/2016	ND<0.1 U	ND<0.2 U
			1/10/2017	ND<0.1 U	ND<0.2 U
			2/28/2017	ND<0.1 U	ND<0.2 U
			4/18/2017	ND<0.1 U	ND<0.2 U
			6/6/2017 ~	ND<0.1 U	ND<0.2 U
			7/25/2017	ND<0.1 U	ND<0.2 U
			9/14/2017 ~	ND<0.1 U	ND<0.2 U
MW-16-07	9	9 (100%)	8/3/2016	ND<0.1 U	ND<0.2 U
			9/22/2016	ND<0.1 U	ND<0.2 U
			11/9/2016	ND<0.1 U	ND<0.2 U
			1/10/2017	ND<0.1 U	ND<0.2 U
			2/27/2017	ND<0.1 U	ND<0.2 U
			4/18/2017	ND<0.1 U	ND<0.2 U
			6/6/2017	ND<0.1 U	ND<0.2 U
			7/25/2017	ND<0.1 U	ND<0.2 U
			9/14/2017	ND<0.1 U	ND<0.2 U
MW-16-08	9	9 (100%)	8/3/2016	ND<0.1 U	ND<0.2 U
			9/19/2016	ND<0.1 U	ND<0.2 U
			11/8/2016	ND<0.1 U	ND<0.2 U
			1/10/2017	ND<0.1 U	ND<0.2 U
			2/28/2017	ND<0.1 U	ND<0.2 U
			4/18/2017	ND<0.1 U	ND<0.2 U
			6/7/2017	ND<0.1 U	ND<0.2 U
			7/25/2017	ND<0.1 U	ND<0.2 U
			9/12/2017	ND<0.1 U	ND<0.2 U
MW-16-10	7	7 (100%)	8/2/2016	ND<0.1 U	ND<0.2 U
			9/19/2016	ND<0.1 U	ND<0.2 U
			11/8/2016	ND<0.1 U	ND<0.2 U
			1/11/2017	ND<0.1 U	ND<0.2 U
			2/28/2017	ND<0.1 U	ND<0.2 U
			7/26/2017	ND<0.1 U	ND<0.2 U
			9/12/2017	ND<0.1 U	ND<0.2 U
			4/18/2017	ND<0.1 U	ND<0.2 U
			6/6/2017	ND<0.1 U	ND<0.2 U
8/9/2017 ~	ND<0.1 U	ND<0.2 U			

			8/30/2017 ~	ND<0.1 U	ND<0.2 U
MW-16-11A	8	8 (100%)	8/2/2016	ND<0.1 U	ND<0.2 U
			9/22/2016	ND<0.1 U	ND<0.2 U
			11/7/2016	ND<0.1 U	ND<0.2 U
			1/11/2017	ND<0.1 U	ND<0.2 U
			5/18/2017 ~	ND<0.1 U	ND<0.2 U
			6/30/2017 ~	ND<0.1 U	ND<0.2 U
			7/25/2017	ND<0.1 U	ND<0.2 U
			9/12/2017	ND<0.1 U	ND<0.2 U
			6/6/2017	ND<0.1 U	ND<0.2 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Molybdenum

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 0

Percent Non-Detects: 0%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	0 (0%)	8/3/2016	43	43
			9/20/2016	23	23
			11/8/2016	25	25
			1/9/2017	21	21
			3/1/2017	20	20
			4/18/2017	23	23
			6/6/2017	18	18
			7/25/2017	20	20
			9/13/2017	20	20

MW-16-06	9	0 (0%)	8/3/2016 ~	30	30
			9/20/2016	22	22
			11/9/2016	20	20
			1/10/2017	17	17
			2/28/2017	18	18
			4/18/2017	17	17
			6/6/2017 ~	16.5	16.5
			7/25/2017	17	17
9/14/2017 ~	17	17			

MW-16-07	9	0 (0%)	8/3/2016	73	73
			9/22/2016	38	38
			11/9/2016	33	33
			1/10/2017	24	24
			2/27/2017	25	25
			4/18/2017	24	24
			6/6/2017	19	19
			7/25/2017	22	22
			9/14/2017	19	19

MW-16-08	9	0 (0%)	8/3/2016	58	58
			9/19/2016	46	46
			11/8/2016	44	44
			1/10/2017	37	37
			2/28/2017	35	35
			4/18/2017	39	39
			6/7/2017	32	32
			7/25/2017	30	30
			9/12/2017	28	28

MW-16-10	7	0 (0%)	8/2/2016	33	33
			9/19/2016	22	22
			11/8/2016	21	21
			1/11/2017	15	15
			2/28/2017	20	20
			7/26/2017	16	16
			9/12/2017	16	16
			4/18/2017	23	23
			6/6/2017	21	21
8/9/2017 ~	18	18			

			8/30/2017 ~	15.5	15.5
MW-16-11A	8	0 (0%)	8/2/2016	32	32
			9/22/2016	32	32
			11/7/2016	21	21
			1/11/2017	19	19
			5/18/2017 ~	18	18
			6/30/2017 ~	18	18
			7/25/2017	19	19
			9/12/2017	17	17
			6/6/2017	17	17

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (pci/L)

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 50

Total Non-Detect: 0

Percent Non-Detects: 0%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

There are 6 compliance locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

MW-16-05	9	0 (0%)	8/3/2016	1.81	1.81
			9/20/2016	3.99	3.99
			11/8/2016	1.67	1.67
			1/9/2017	2.26	2.26
			3/1/2017	1.41	1.41
			4/18/2017	1.06	1.06
			6/6/2017	1.77	1.77
			7/25/2017	1.51	1.51
			9/13/2017	1.3	1.3
MW-16-06	9	0 (0%)	8/3/2016 ~	1.56	1.56
			9/20/2016	1.53	1.53
			11/9/2016	2.15	2.15
			1/10/2017	1.9	1.9
			2/28/2017	1.31	1.31
			4/18/2017	0.99	0.99
			6/6/2017 ~	1.145	1.145
			7/25/2017	1.23	1.23
			9/14/2017 ~	1.14	1.14
MW-16-07	9	0 (0%)	8/3/2016	3.26	3.26
			9/22/2016	4.09	4.09
			11/9/2016	4.48	4.48
			1/10/2017	1.85	1.85
			2/27/2017	1.78	1.78
			4/18/2017	1.88	1.88
			6/6/2017	2.46	2.46
			7/25/2017	2.54	2.54
			9/14/2017	1.86	1.86
MW-16-08	9	0 (0%)	8/3/2016	2.84	2.84
			9/19/2016	1.82	1.82
			11/8/2016	5.14	5.14
			1/10/2017	2.58	2.58
			2/28/2017	1.91	1.91
			4/18/2017	1.47	1.47
			6/7/2017	1.8	1.8
			7/25/2017	3.05	3.05
			9/12/2017	1.65	1.65
MW-16-10	7	0 (0%)	8/2/2016	2.04	2.04
			9/19/2016	1.89	1.89
			11/8/2016	2.24	2.24
			1/11/2017	1.5	1.5
			2/28/2017	0.934	0.934
			7/26/2017	1.41	1.41
			9/12/2017	1.48	1.48
			4/18/2017	0.9	0.9
			6/6/2017	1.32	1.32
8/9/2017 ~	1.48	1.48			

			8/30/2017 ~	1.375	1.375
MW-16-11A	7	0 (0%)	9/22/2016	2.15	2.15
			11/7/2016	1.72	1.72
			1/11/2017	1.33	1.33
			5/18/2017 ~	1.53	1.53
			6/30/2017 ~	1.665	1.665
			7/25/2017	1.58	1.58
			9/12/2017	1.3	1.3
			8/2/2016	6.94	6.94
			6/6/2017	1.45	1.45

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Selenium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 50

Percent Non-Detects: 98.0392%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	9 (100%)	8/3/2016	ND<2.5 U	ND<5 U
			9/20/2016	ND<2.5 U	ND<5 U
			11/8/2016	ND<2.5 U	ND<5 U
			1/9/2017	ND<2.5 U	ND<5 U
			3/1/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/13/2017	ND<2.5 U	ND<5 U
MW-16-06	9	9 (100%)	8/3/2016 ~	ND<2.5 U	ND<5 U
			9/20/2016	ND<2.5 U	ND<5 U
			11/9/2016	ND<2.5 U	ND<5 U
			1/10/2017	ND<2.5 U	ND<5 U
			2/28/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017 ~	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/14/2017 ~	ND<2.5 U	ND<5 U
MW-16-07	9	8 (88.8889%)	8/3/2016	5.3	5.3
			9/22/2016	ND<2.5 U	ND<5 U
			11/9/2016	ND<2.5 U	ND<5 U
			1/10/2017	ND<2.5 U	ND<5 U
			2/27/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/14/2017	ND<2.5 U	ND<5 U
MW-16-08	9	9 (100%)	8/3/2016	ND<2.5 U	ND<5 U
			9/19/2016	ND<2.5 U	ND<5 U
			11/8/2016	ND<2.5 U	ND<5 U
			1/10/2017	ND<2.5 U	ND<5 U
			2/28/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/7/2017	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/12/2017	ND<2.5 U	ND<5 U
MW-16-10	7	7 (100%)	8/2/2016	ND<2.5 U	ND<5 U
			9/19/2016	ND<2.5 U	ND<5 U
			11/8/2016	ND<2.5 U	ND<5 U
			1/11/2017	ND<2.5 U	ND<5 U
			2/28/2017	ND<2.5 U	ND<5 U
			7/26/2017	ND<2.5 U	ND<5 U
			9/12/2017	ND<2.5 U	ND<5 U
			4/18/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U
8/9/2017 ~	ND<2.5 U	ND<5 U			

			8/30/2017 ~	ND<2.5 U	ND<5 U
MW-16-11A	8	8 (100%)	8/2/2016	ND<2.5 U	ND<5 U
			9/22/2016	ND<2.5 U	ND<5 U
			11/7/2016	ND<2.5 U	ND<5 U
			1/11/2017	ND<2.5 U	ND<5 U
			5/18/2017 ~	ND<2.5 U	ND<5 U
			6/30/2017 ~	ND<2.5 U	ND<5 U
			7/25/2017	ND<2.5 U	ND<5 U
			9/12/2017	ND<2.5 U	ND<5 U
			6/6/2017	ND<2.5 U	ND<5 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Concentrations (ug/L)

Parameter: Thallium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Measurements: 51

Total Non-Detect: 46

Percent Non-Detects: 90.1961%

Total Background Measurements: 0

There are 0 background locations

Loc.	Meas.	ND	Date	Conc.	Original
There are 6 compliance locations					
Loc.	Meas.	ND	Date	Conc.	Original
MW-16-05	9	8 (88.8889%)	8/3/2016	1.1	1.1
			9/20/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/9/2017	ND<0.5 U	ND<1 U
			3/1/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/13/2017	ND<0.5 U	ND<1 U
MW-16-06	9	9 (100%)	8/3/2016 ~	ND<0.5 U	ND<1 U
			9/20/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/14/2017 ~	ND<0.5 U	ND<1 U
MW-16-07	9	7 (77.7778%)	8/3/2016	2.3	2.3
			9/22/2016	ND<0.5 U	ND<1 U
			11/9/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/27/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
			7/25/2017	1	1
			9/14/2017	ND<0.5 U	ND<1 U
MW-16-08	9	7 (77.7778%)	8/3/2016	1.3	1.3
			9/19/2016	1.2	1.2
			11/8/2016	ND<0.5 U	ND<1 U
			1/10/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/7/2017	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
MW-16-10	7	7 (100%)	8/2/2016	ND<0.5 U	ND<1 U
			9/19/2016	ND<0.5 U	ND<1 U
			11/8/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			2/28/2017	ND<0.5 U	ND<1 U
			7/26/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			4/18/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U
8/9/2017 ~	ND<0.5 U^	ND<1 U^			

			8/30/2017 ~	ND<0.5 U	ND<1 U
MW-16-11A	8	8 (100%)	8/2/2016	ND<0.5 U	ND<1 U
			9/22/2016	ND<0.5 U	ND<1 U
			11/7/2016	ND<0.5 U	ND<1 U
			1/11/2017	ND<0.5 U	ND<1 U
			5/18/2017 ~	ND<0.5 U	ND<1 U
			6/30/2017 ~	ND<0.5 U	ND<1 U
			7/25/2017	ND<0.5 U	ND<1 U
			9/12/2017	ND<0.5 U	ND<1 U
			6/6/2017	ND<0.5 U	ND<1 U

There are 0 unused locations

Loc.	Meas.	ND	Date	Conc.	Original
------	-------	----	------	-------	----------

Skewness Coefficient

Parameter: Arsenic

Original Data (Not Transformed)

Aitchison's Adjustment

Skewness > 1 indicates positively skewed data
Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	2.74444	4.81641	1.81691
MW-16-06	9	0.827778	2.48333	7.54422
MW-16-07	8	6	3.97887	0.373835
MW-16-08	9	7.75556	7.36802	0.897249
MW-16-10	7	2.35714	4.32738	1.70824
MW-16-11A	8	5.79375	6.00324	1.05752

All Locations

Obs.	Mean	Std. Dev.	Skewness
50	4.256	5.43931	1.36665

Skewness Coefficient

Parameter: Arsenic

Original Data (Not Transformed)

Cohen's Adjustment

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-11A	8	9.27	4.77357	0.148067
MW-16-05	9	8.23333	5.00033	-0.0637032
MW-16-06	9	-0.292	4.35522	2.64762
MW-16-07	8	6.88705	2.51055	0.613695
MW-16-08	9	7.66396	7.68485	0.813109
MW-16-10	7	8.25	3.88909	-0.52529

All Locations

Obs.	Mean	Std. Dev.	Skewness
50	4.03884	6.30378	0.931901

Skewness Coefficient

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	294.444	24.5515	1.01157
MW-16-06	9	277.778	17.1594	0.519638
MW-16-07	9	334.444	50.0278	1.44883
MW-16-08	9	346.667	47.697	0.431717
MW-16-10	7	125.714	20.702	0.134164
MW-16-11A	8	302.5	99.8213	-0.0523964

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	285.882	84.2894	-0.526493

Skewness Coefficient

Parameter: Barium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	5.68214	0.0804871	0.95611
MW-16-06	9	5.62516	0.0609499	0.49528
MW-16-07	9	5.80354	0.13808	1.21299
MW-16-08	9	5.84014	0.135293	0.297747
MW-16-10	7	4.82236	0.164934	0.0455551
MW-16-11A	8	5.65309	0.394627	-1.22778

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	5.59883	0.370072	-1.40006

Shapiro-Wilks Test of Normality

Parameter: Barium

Location: MW-16-07

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	290	450	160	0.5888	94.208
2	290	370	80	0.3244	25.952
3	300	330	30	0.1976	5.928
4	320	330	10	0.0947	0.947
5	330	330	0		
6	330	320	-10		
7	330	300	-30		
8	370	290	-80		
9	450	290	-160		

Sum of b values = 127.035

Sample Standard Deviation = 50.0278

W Statistic = 0.805999

5% Critical value of 0.829 exceeds 0.805999
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 is less than 0.805999
Data is normally distributed at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Barium

Location: MW-16-07

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	5.66988	6.10925	0.439367	0.5888	0.258699
2	5.66988	5.9135	0.243622	0.3244	0.079031
3	5.70378	5.79909	0.0953102	0.1976	0.0188333
4	5.76832	5.79909	0.0307717	0.0947	0.00291408
5	5.79909	5.79909	0		
6	5.79909	5.76832	-0.0307717		
7	5.79909	5.70378	-0.0953102		
8	5.9135	5.66988	-0.243622		
9	6.10925	5.66988	-0.439367		

Sum of b values = 0.359477

Sample Standard Deviation = 0.13808

W Statistic = 0.847205

5% Critical value of 0.829 is less than 0.847205

Data is normally distributed at 95% level of significance

1% Critical value of 0.764 is less than 0.847205

Data is normally distributed at 99% level of significance

Skewness Coefficient

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-11A	7	6.56429	3.30488	-0.755706
MW-16-05	9	8.38889	6.47446	1.71747
MW-16-06	9	2.88889	4.13021	2.17688
MW-16-07	8	11.9625	4.78329	0.320197
MW-16-08	9	17.3556	12.4719	0.995955
MW-16-10	7	10.2286	6.54948	0.236403

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	9.61122	8.25515	1.7573

Skewness Coefficient

Parameter: Chromium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	1.92871	0.631947	0.673789
MW-16-06	9	0.538862	0.929372	1.42792
MW-16-07	8	2.40907	0.412611	-0.0660623
MW-16-08	9	2.64588	0.670618	0.392812
MW-16-10	7	2.02588	1.00685	-1.22591
MW-16-11A	7	1.67263	0.83318	-1.3333

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	1.86088	1.01347	-0.631762

Skewness Coefficient

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	3.47778	2.70729	1.66974
MW-16-06	9	1.06667	1.39463	2.2839
MW-16-07	8	5.8625	2.23411	0.377399
MW-16-08	9	7.25556	4.77915	0.710724
MW-16-10	7	4.84286	3.66554	0.989395
MW-16-11A	7	2.2	1.24097	-0.583273

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	4.13061	3.56944	1.35901

Skewness Coefficient

Parameter: Cobalt

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	1.03443	0.665075	0.486789
MW-16-06	9	-0.329777	0.782029	1.82308
MW-16-07	8	1.70411	0.386072	0.0171255
MW-16-08	9	1.783	0.67782	0.0796129
MW-16-10	7	1.25843	0.994225	-0.980572
MW-16-11A	7	0.546781	0.862325	-0.838728

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	0.993026	1.02931	-0.459192

Skewness Coefficient

Parameter: Cobalt

Original Data (Not Transformed)

Aitchison's Adjustment

Skewness > 1 indicates positively skewed data
Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	3.47778	2.70729	1.66974
MW-16-06	9	0.677778	1.5778	2.21712
MW-16-07	8	5.8625	2.23411	0.377399
MW-16-08	9	7.25556	4.77915	0.710724
MW-16-10	7	4.77143	3.76772	1.05097
MW-16-11A	7	2.05714	1.4718	0.168083

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	4.02857	3.6795	1.38805

Skewness Coefficient

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	16	1.0975	0.180647	-2.36014
MW-16-06	16	1.08125	0.178769	-2.19557
MW-16-07	16	1.00687	0.210356	-1.77484
MW-16-08	16	1.13125	0.07932	0.229585
MW-16-10	14	0.889286	0.274071	-0.560684
MW-16-11A	15	0.808222	0.229616	-0.604672

All Locations

Obs.	Mean	Std. Dev.	Skewness
93	1.00692	0.225893	-1.39077

Skewness Coefficient

Parameter: Fluoride

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	16	0.0746366	0.218445	-2.90896
MW-16-06	16	0.0599271	0.21625	-2.80843
MW-16-07	16	-0.021969	0.270443	-2.0008
MW-16-08	16	0.121028	0.0699272	0.0589912
MW-16-10	14	-0.170983	0.356557	-0.720364
MW-16-11A	15	-0.257598	0.322028	-0.647146

All Locations

Obs.	Mean	Std. Dev.	Skewness
93	-0.0270942	0.283941	-1.6905

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-05

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	0.5	1.3	0.8	0.5056	0.40448
2	0.96	1.2	0.24	0.329	0.07896
3	1	1.2	0.2	0.2521	0.05042
4	1.1	1.2	0.1	0.1939	0.01939
5	1.1	1.2	0.1	0.1447	0.01447
6	1.1	1.2	0.1	0.1005	0.01005
7	1.1	1.2	0.1	0.0593	0.00593
8	1.1	1.1	0	0.0196	0
9	1.1	1.1	0		
10	1.2	1.1	-0.1		
11	1.2	1.1	-0.1		
12	1.2	1.1	-0.1		
13	1.2	1.1	-0.1		
14	1.2	1	-0.2		
15	1.2	0.96	-0.24		
16	1.3	0.5	-0.8		

Sum of b values = 0.5837

Sample Standard Deviation = 0.180647

W Statistic = 0.696028

5% Critical value of 0.887 exceeds 0.696028

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.696028

Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-05

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	-0.693147	0.262364	0.955511	0.5056	0.483107
2	-0.040822	0.182322	0.223144	0.329	0.0734142
3	0	0.182322	0.182322	0.2521	0.0459633
4	0.0953102	0.182322	0.0870114	0.1939	0.0168715
5	0.0953102	0.182322	0.0870114	0.1447	0.0125905
6	0.0953102	0.182322	0.0870114	0.1005	0.00874464
7	0.0953102	0.182322	0.0870114	0.0593	0.00515977
8	0.0953102	0.0953102	0	0.0196	0
9	0.0953102	0.0953102	0		
10	0.182322	0.0953102	-0.0870114		
11	0.182322	0.0953102	-0.0870114		
12	0.182322	0.0953102	-0.0870114		
13	0.182322	0.0953102	-0.0870114		
14	0.182322	0	-0.182322		
15	0.182322	-0.040822	-0.223144		
16	0.262364	-0.693147	-0.955511		

Sum of b values = 0.645851

Sample Standard Deviation = 0.218445

W Statistic = 0.582757

5% Critical value of 0.887 exceeds 0.582757

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.582757

Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-06

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	0.5	1.3	0.8	0.5056	0.40448
2	0.95	1.2	0.25	0.329	0.08225
3	1	1.2	0.2	0.2521	0.05042
4	1	1.2	0.2	0.1939	0.03878
5	1.1	1.2	0.1	0.1447	0.01447
6	1.1	1.15	0.05	0.1005	0.005025
7	1.1	1.1	0	0.0593	0
8	1.1	1.1	0	0.0196	0
9	1.1	1.1	0		
10	1.1	1.1	0		
11	1.15	1.1	-0.05		
12	1.2	1.1	-0.1		
13	1.2	1	-0.2		
14	1.2	1	-0.2		
15	1.2	0.95	-0.25		
16	1.3	0.5	-0.8		

Sum of b values = 0.595425

Sample Standard Deviation = 0.178769

W Statistic = 0.739569

5% Critical value of 0.887 exceeds 0.739569

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.739569

Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-06

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	-0.693147	0.262364	0.955511	0.5056	0.483107
2	-0.0512933	0.182322	0.233615	0.329	0.0768593
3	0	0.182322	0.182322	0.2521	0.0459633
4	0	0.182322	0.182322	0.1939	0.0353521
5	0.0953102	0.182322	0.0870114	0.1447	0.0125905
6	0.0953102	0.139762	0.0444518	0.1005	0.0044674
7	0.0953102	0.0953102	0	0.0593	0
8	0.0953102	0.0953102	0	0.0196	0
9	0.0953102	0.0953102	0		
10	0.0953102	0.0953102	0		
11	0.139762	0.0953102	-0.0444518		
12	0.182322	0.0953102	-0.0870114		
13	0.182322	0	-0.182322		
14	0.182322	0	-0.182322		
15	0.182322	-0.0512933	-0.233615		
16	0.262364	-0.693147	-0.955511		

Sum of b values = 0.658339

Sample Standard Deviation = 0.21625

W Statistic = 0.617868

5% Critical value of 0.887 exceeds 0.617868

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.617868

Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-07

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	0.5	1.2	0.7	0.5056	0.35392
2	0.5	1.2	0.7	0.329	0.2303
3	0.94	1.1	0.16	0.2521	0.040336
4	0.97	1.1	0.13	0.1939	0.025207
5	1	1.1	0.1	0.1447	0.01447
6	1	1.1	0.1	0.1005	0.01005
7	1.1	1.1	0	0.0593	0
8	1.1	1.1	0	0.0196	0
9	1.1	1.1	0		
10	1.1	1.1	0		
11	1.1	1	-0.1		
12	1.1	1	-0.1		
13	1.1	0.97	-0.13		
14	1.1	0.94	-0.16		
15	1.2	0.5	-0.7		
16	1.2	0.5	-0.7		

Sum of b values = 0.674283

Sample Standard Deviation = 0.210356

W Statistic = 0.68499

5% Critical value of 0.887 exceeds 0.68499

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.68499

Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Fluoride

Location: MW-16-07

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 8 for 16 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	-0.693147	0.182322	0.875469	0.5056	0.442637
2	-0.693147	0.182322	0.875469	0.329	0.288029
3	-0.0618754	0.0953102	0.157186	0.2521	0.0396265
4	-0.0304592	0.0953102	0.125769	0.1939	0.0243867
5	0	0.0953102	0.0953102	0.1447	0.0137914
6	0	0.0953102	0.0953102	0.1005	0.00957867
7	0.0953102	0.0953102	0	0.0593	0
8	0.0953102	0.0953102	0	0.0196	0
9	0.0953102	0.0953102	0		
10	0.0953102	0.0953102	0		
11	0.0953102	0	-0.0953102		
12	0.0953102	0	-0.0953102		
13	0.0953102	-0.0304592	-0.125769		
14	0.0953102	-0.0618754	-0.157186		
15	0.182322	-0.693147	-0.875469		
16	0.182322	-0.693147	-0.875469		

Sum of b values = 0.818049

Sample Standard Deviation = 0.270443

W Statistic = 0.609979

5% Critical value of 0.887 exceeds 0.609979

Evidence of non-normality at 95% level of significance

1% Critical value of 0.844 exceeds 0.609979

Evidence of non-normality at 99% level of significance

Skewness Coefficient

Parameter: Fluoride

Original Data (Not Transformed)

Aitchison's Adjustment

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	16	1.06625	0.296802	0.0673564
MW-16-06	16	1.05	0.293825	0.0800714
MW-16-07	16	0.944375	0.375499	0.0835742
MW-16-08	16	1.13125	0.07932	0.229585
MW-16-10	14	0.746429	0.49984	0.281128
MW-16-11A	15	0.641556	0.471515	0.411854

All Locations

Obs.	Mean	Std. Dev.	Skewness
93	0.937025	0.39121	0.116362

Skewness Coefficient

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	3.61111	2.99893	1.81739
MW-16-06	9	1.02222	1.294	2.29847
MW-16-07	8	5.525	1.9543	0.114555
MW-16-08	9	6.97778	4.97488	0.878446
MW-16-10	7	2.74286	2.13608	1.1556
MW-16-11A	7	2.39286	1.5627	0.741547

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	3.76837	3.41014	1.69528

Skewness Coefficient

Parameter: Lead

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data
Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	1.05315	0.690688	0.489817
MW-16-06	9	-0.34534	0.754472	1.86086
MW-16-07	8	1.64834	0.386411	-0.52269
MW-16-08	9	1.71892	0.717566	0.068632
MW-16-10	7	0.743103	0.827518	-0.336561
MW-16-11A	7	0.663245	0.748863	-0.563398

All Locations

Obs.	Mean	Std. Dev.	Skewness
49	0.915748	0.981552	-0.302976

Skewness Coefficient

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	55.1111	4.04489	0.20306
MW-16-06	9	39.2778	5.05662	0.493967
MW-16-07	9	63.4444	9.4222	0.351593
MW-16-08	9	73.3333	10.6536	0.949387
MW-16-10	7	78.2857	10.9805	-0.119962
MW-16-11A	8	59.1875	22.0583	1.67414

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	60.8235	16.841	0.579078

Skewness Coefficient

Parameter: Lithium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data
Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	4.00697	0.0731896	0.0789647
MW-16-06	9	3.66346	0.126602	0.278714
MW-16-07	9	4.14052	0.146804	0.200143
MW-16-08	9	4.28621	0.138705	0.696363
MW-16-10	7	4.35174	0.14266	-0.203025
MW-16-11A	8	4.03259	0.314509	1.10921

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	4.07054	0.278116	-0.112333

Shapiro-Wilks Test of Normality

Parameter: Lithium

Location: MW-16-11A

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 8 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	39	110	71	0.6052	42.9692
2	42.5	64	21.5	0.3164	6.8026
3	52	58	6	0.1743	1.0458
4	52	56	4	0.0561	0.2244
5	56	52	-4		
6	58	52	-6		
7	64	42.5	-21.5		
8	110	39	-71		

Sum of b values = 51.042

Sample Standard Deviation = 22.0583

W Statistic = 0.764918

5% Critical value of 0.818 exceeds 0.764918
Evidence of non-normality at 95% level of significance

1% Critical value of 0.749 is less than 0.764918
Data is normally distributed at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Lithium

Location: MW-16-11A

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 8 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	3.66356	4.70048	1.03692	0.6052	0.627543
2	3.7495	4.15888	0.409379	0.3164	0.129528
3	3.95124	4.06044	0.109199	0.1743	0.0190334
4	3.95124	4.02535	0.074108	0.0561	0.00415746
5	4.02535	3.95124	-0.074108		
6	4.06044	3.95124	-0.109199		
7	4.15888	3.7495	-0.409379		
8	4.70048	3.66356	-1.03692		

Sum of b values = 0.780262

Sample Standard Deviation = 0.314509

W Statistic = 0.87926

5% Critical value of 0.818 is less than 0.87926
Data is normally distributed at 95% level of significance

1% Critical value of 0.749 is less than 0.87926
Data is normally distributed at 99% level of significance

Skewness Coefficient

Parameter: Molybdenum

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	23.6667	7.54983	2.11944
MW-16-06	9	19.3889	4.37163	1.79557
MW-16-07	9	30.7778	17.0278	1.90393
MW-16-08	9	38.7778	9.39119	0.851996
MW-16-10	7	20.4286	6.18755	1.25926
MW-16-11A	8	22	6.27922	1.04371

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	26.1275	11.4904	1.96117

Skewness Coefficient

Parameter: Molybdenum

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	3.13035	0.256218	1.8128
MW-16-06	9	2.94606	0.195269	1.57811
MW-16-07	9	3.33105	0.42687	1.32689
MW-16-08	9	3.63358	0.230075	0.47356
MW-16-10	7	2.983	0.271862	0.873361
MW-16-11A	8	3.05985	0.257785	0.974189

All Locations

Obs.	Mean	Std. Dev.	Skewness
51	3.19077	0.362574	0.990304

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-05

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	18	43	25	0.5888	14.72
2	20	25	5	0.3244	1.622
3	20	23	3	0.1976	0.5928
4	20	23	3	0.0947	0.2841
5	21	21	0		
6	23	20	-3		
7	23	20	-3		
8	25	20	-5		
9	43	18	-25		

Sum of b values = 17.2189

Sample Standard Deviation = 7.54983

W Statistic = 0.650199

5% Critical value of 0.829 exceeds 0.650199
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.650199
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-05

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	2.89037	3.7612	0.870828	0.5888	0.512744
2	2.99573	3.21888	0.223144	0.3244	0.0723878
3	2.99573	3.13549	0.139762	0.1976	0.027617
4	2.99573	3.13549	0.139762	0.0947	0.0132355
5	3.04452	3.04452	0		
6	3.13549	2.99573	-0.139762		
7	3.13549	2.99573	-0.139762		
8	3.21888	2.99573	-0.223144		
9	3.7612	2.89037	-0.870828		

Sum of b values = 0.625984

Sample Standard Deviation = 0.256218

W Statistic = 0.746132

5% Critical value of 0.829 exceeds 0.746132
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.746132
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-06

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	16.5	30	13.5	0.5888	7.9488
2	17	22	5	0.3244	1.622
3	17	20	3	0.1976	0.5928
4	17	18	1	0.0947	0.0947
5	17	17	0		
6	18	17	-1		
7	20	17	-3		
8	22	17	-5		
9	30	16.5	-13.5		

Sum of b values = 10.2583

Sample Standard Deviation = 4.37163

W Statistic = 0.688295

5% Critical value of 0.829 exceeds 0.688295
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.688295
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-06

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	2.80336	3.4012	0.597837	0.5888	0.352006
2	2.83321	3.09104	0.257829	0.3244	0.0836398
3	2.83321	2.99573	0.162519	0.1976	0.0321137
4	2.83321	2.89037	0.0571584	0.0947	0.0054129
5	2.83321	2.83321	0		
6	2.89037	2.83321	-0.0571584		
7	2.99573	2.83321	-0.162519		
8	3.09104	2.83321	-0.257829		
9	3.4012	2.80336	-0.597837		

Sum of b values = 0.473173

Sample Standard Deviation = 0.195269

W Statistic = 0.73398

5% Critical value of 0.829 exceeds 0.73398
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.73398
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-07

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	19	73	54	0.5888	31.7952
2	19	38	19	0.3244	6.1636
3	22	33	11	0.1976	2.1736
4	24	25	1	0.0947	0.0947
5	24	24	0		
6	25	24	-1		
7	33	22	-11		
8	38	19	-19		
9	73	19	-54		

Sum of b values = 40.2271

Sample Standard Deviation = 17.0278

W Statistic = 0.697642

5% Critical value of 0.829 exceeds 0.697642
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.697642
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Molybdenum

Location: MW-16-07

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	2.94444	4.29046	1.34602	0.5888	0.792537
2	2.94444	3.63759	0.693147	0.3244	0.224857
3	3.09104	3.49651	0.405465	0.1976	0.0801199
4	3.17805	3.21888	0.040822	0.0947	0.00386584
5	3.17805	3.17805	0		
6	3.21888	3.17805	-0.040822		
7	3.49651	3.09104	-0.405465		
8	3.63759	2.94444	-0.693147		
9	4.29046	2.94444	-1.34602		

Sum of b values = 1.10138

Sample Standard Deviation = 0.42687

W Statistic = 0.832132

5% Critical value of 0.829 is less than 0.832132
Data is normally distributed at 95% level of significance

1% Critical value of 0.764 is less than 0.832132
Data is normally distributed at 99% level of significance

Skewness Coefficient

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data
Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	1.86444	0.867613	1.7901
MW-16-06	9	1.43944	0.383849	0.713621
MW-16-07	9	2.68889	1.02732	0.761539
MW-16-08	9	2.47333	1.14409	1.49391
MW-16-10	7	1.642	0.443285	-0.170195
MW-16-11A	7	1.61071	0.285342	0.818505

All Locations

Obs.	Mean	Std. Dev.	Skewness
50	1.97928	0.892146	1.80807

Skewness Coefficient

Parameter: Radium-226/228

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

Skewness > 1 indicates positively skewed data

Skewness < -1 indicates negatively skewed data

Compliance Locations

Location	Obs.	Mean	Std. Dev.	Skewness
MW-16-05	9	0.550291	0.380046	1.07063
MW-16-06	9	0.334522	0.255133	0.411715
MW-16-07	9	0.929541	0.358243	0.519467
MW-16-08	9	0.829284	0.394328	0.879177
MW-16-10	7	0.46126	0.293093	-0.630276
MW-16-11A	7	0.463979	0.169948	0.513871

All Locations

Obs.	Mean	Std. Dev.	Skewness
50	0.605388	0.378112	0.807454

Shapiro-Wilks Test of Normality

Parameter: Radium-226/228

Location: MW-16-05

Normality Test of Parameter Concentrations

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	1.06	3.99	2.93	0.5888	1.72518
2	1.3	2.26	0.96	0.3244	0.311424
3	1.41	1.81	0.4	0.1976	0.07904
4	1.51	1.77	0.26	0.0947	0.024622
5	1.67	1.67	0		
6	1.77	1.51	-0.26		
7	1.81	1.41	-0.4		
8	2.26	1.3	-0.96		
9	3.99	1.06	-2.93		

Sum of b values = 2.14027

Sample Standard Deviation = 0.867613

W Statistic = 0.760667

5% Critical value of 0.829 exceeds 0.760667
Evidence of non-normality at 95% level of significance

1% Critical value of 0.764 exceeds 0.760667
Evidence of non-normality at 99% level of significance

Shapiro-Wilks Test of Normality

Parameter: Radium-226/228

Location: MW-16-05

Normality Test of Parameter Concentrations

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

K = 4 for 9 measurements

i	x(i)	x(n-i+1)	x(n-1+1)-x(i)	a(n-i+1)	b(i)
1	0.0582689	1.38379	1.32552	0.5888	0.780468
2	0.262364	0.815365	0.553001	0.3244	0.179393
3	0.34359	0.593327	0.249737	0.1976	0.0493481
4	0.41211	0.57098	0.15887	0.0947	0.015045
5	0.512824	0.512824	0		
6	0.57098	0.41211	-0.15887		
7	0.593327	0.34359	-0.249737		
8	0.815365	0.262364	-0.553001		
9	1.38379	0.0582689	-1.32552		

Sum of b values = 1.02425

Sample Standard Deviation = 0.380046

W Statistic = 0.907933

5% Critical value of 0.829 is less than 0.907933

Data is normally distributed at 95% level of significance

1% Critical value of 0.764 is less than 0.907933

Data is normally distributed at 99% level of significance

Non-Parametric Tolerance Interval MW-16-05

Parameter: Arsenic

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 66.6667%

Background measurements (n) = 9

Maximum Background Concentration = 14

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-05

Parameter: Barium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 5.68214

Background standard deviation = 0.0804871

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 5.9261

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-05

Parameter: Chromium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 1.92871

Background standard deviation = 0.631947

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 3.84414

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-05

Parameter: Cobalt

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 1.03443

Background standard deviation = 0.665075

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 3.05028

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-05

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 6.25%

Background measurements (n) = 16

Maximum Background Concentration = 1.3

Minimum Coverage = 82.9%

Average Coverage = 94.1176%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-05

Parameter: Lead

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 1.05315

Background standard deviation = 0.690688

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 3.14662

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-05

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 55.1111

Background standard deviation = 4.04489

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 67.3712

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-05

Parameter: Molybdenum

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 0%

Background measurements (n) = 9

Maximum Background Concentration = 43

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-05

Parameter: Radium-226/228

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 0.550291

Background standard deviation = 0.380046

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 1.70221

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-05

Parameter: Thallium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 1.1

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-06

Parameter: Arsenic

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 7.45

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
-----------------	-------------	--------------	--------------------

Parametric Tolerance Interval Analysis MW-16-06

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 277.778

Background standard deviation = 17.1594

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 329.788

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval MW-16-06

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 66.6667%

Background measurements (n) = 9

Maximum Background Concentration = 13.5

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval MW-16-06

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 77.7778%

Background measurements (n) = 9

Maximum Background Concentration = 4.7

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval MW-16-06

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 6.25%

Background measurements (n) = 16

Maximum Background Concentration = 1.3

Minimum Coverage = 82.9%

Average Coverage = 94.1176%

Location	Date	Value	Significant
-----------------	-------------	--------------	--------------------

Non-Parametric Tolerance Interval

MW-16-06

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 77.7778%

Background measurements (n) = 9

Maximum Background Concentration = 4.4

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-06

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 39.2778

Background standard deviation = 5.05662

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 54.6044

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-06

Parameter: Molybdenum

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 0%

Background measurements (n) = 9

Maximum Background Concentration = 30

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-06

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 1.43944

Background standard deviation = 0.383849

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 2.60289

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Arsenic

Original Data (Not Transformed)

Aitchison's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 6

Background standard deviation = 3.97887

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 18.6846

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Barium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 5.80354

Background standard deviation = 0.13808

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 6.22207

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-07

Parameter: **Beryllium**

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 1.7

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-07

Parameter: Cadmium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 1.3

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 11.9625

Background standard deviation = 4.78329

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 27.2116

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 5.8625

Background standard deviation = 2.23411

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 12.9848

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-07

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 12.5%

Background measurements (n) = 16

Maximum Background Concentration = 1.2

Minimum Coverage = 82.9%

Average Coverage = 94.1176%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 5.525

Background standard deviation = 1.9543

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 11.7553

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 63.4444

Background standard deviation = 9.4222

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 92.0031

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Molybdenum

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 3.33105

Background standard deviation = 0.42687

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 4.62489

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-07

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 2.68889

Background standard deviation = 1.02732

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 5.8027

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-07

Parameter: Selenium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 5.3

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-07

Parameter: Thallium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 77.7778%

Background measurements (n) = 9

Maximum Background Concentration = 2.3

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-08

Parameter: Antimony

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 2.1

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Arsenic

Original Data (Not Transformed)

Aitchison's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 7.75556

Background standard deviation = 7.36802

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 30.088

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 346.667

Background standard deviation = 47.697

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 491.236

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-08

Parameter: **Beryllium**

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 77.7778%

Background measurements (n) = 9

Maximum Background Concentration = 1.6

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-08

Parameter: Cadmium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 88.8889%

Background measurements (n) = 9

Maximum Background Concentration = 1.5

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
-----------------	-------------	--------------	--------------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 17.3556

Background standard deviation = 12.4719

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 55.1578

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 7.25556

Background standard deviation = 4.77915

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 21.7412

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Fluoride

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 16

Background mean = 1.13125

Background standard deviation = 0.07932

One-sided normal tolerance factor (K) at 95% confidence = 2.523

Upper tolerance limit = 1.33137

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 6.97778

Background standard deviation = 4.97488

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 22.0566

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 73.3333

Background standard deviation = 10.6536

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 105.625

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

Parameter: Molybdenum

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 38.7778

Background standard deviation = 9.39119

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 67.2425

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-08

Parameter: Radium-226/228

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 9

Background mean = 0.829284

Background standard deviation = 0.394328

One-sided normal tolerance factor (K) at 95% confidence = 3.031

Upper tolerance limit = 2.02449

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-08

Parameter: Thallium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 77.7778%

Background measurements (n) = 9

Maximum Background Concentration = 1.3

Minimum Coverage = 71.7%

Average Coverage = 90%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-10

Parameter: Antimony

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 85.7143%

Background measurements (n) = 7

Maximum Background Concentration = 2.1

Minimum Coverage = 65.2%

Average Coverage = 87.5%

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-10

Parameter: Arsenic

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 71.4286%

Background measurements (n) = 7

Maximum Background Concentration = 11

Minimum Coverage = 65.2%

Average Coverage = 87.5%

Location	Date	Value	Significant
-----------------	-------------	--------------	--------------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 125.714

Background standard deviation = 20.702

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 196.08

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 10.2286

Background standard deviation = 6.54948

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 32.4903

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Cobalt

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 4.84286

Background standard deviation = 3.66554

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 17.302

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Fluoride

Original Data (Not Transformed)

Aitchison's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 14

Background mean = 0.746429

Background standard deviation = 0.49984

One-sided normal tolerance factor (K) at 95% confidence = 2.614

Upper tolerance limit = 2.05301

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Lead

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 0.743103

Background standard deviation = 0.827518

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 3.55584

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Lithium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 78.2857

Background standard deviation = 10.9805

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 115.608

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Molybdenum

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 2.983

Background standard deviation = 0.271862

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 3.90706

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis

MW-16-10

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 1.642

Background standard deviation = 0.443285

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 3.14872

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval

MW-16-11/MW-16-11A

Parameter: Antimony

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 62.5%

Background measurements (n) = 8

Maximum Background Concentration = 3.2

Minimum Coverage = 68.8%

Average Coverage = 88.8889%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Arsenic

Original Data (Not Transformed)

Cohen's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 9.27

Background standard deviation = 4.77357

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 24.4882

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Barium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 302.5

Background standard deviation = 99.8213

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 620.73

Location	Date	Value	Significant
----------	------	-------	-------------

Non-Parametric Tolerance Interval MW-16-11/MW-16-11A

Parameter: Beryllium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

Total Percent Non-Detects = 87.5%

Background measurements (n) = 8

Maximum Background Concentration = 1.6

Minimum Coverage = 68.8%

Average Coverage = 88.8889%

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Chromium

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 6.56429

Background standard deviation = 3.30488

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 17.7976

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Cobalt

Original Data (Not Transformed)

Aitchison's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 2.05714

Background standard deviation = 1.4718

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 7.05979

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Fluoride

Original Data (Not Transformed)

Aitchison's Adjustment

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 15

Background mean = 0.641556

Background standard deviation = 0.471515

One-sided normal tolerance factor (K) at 95% confidence = 2.566

Upper tolerance limit = 1.85146

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Lead

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 2.39286

Background standard deviation = 1.5627

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 7.70447

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Lithium

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 4.03259

Background standard deviation = 0.314509

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 5.03524

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Molybdenum

Natural Logarithm Transformation

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 8

Background mean = 3.05985

Background standard deviation = 0.257785

One-sided normal tolerance factor (K) at 95% confidence = 3.188

Upper tolerance limit = 3.88167

Location	Date	Value	Significant
----------	------	-------	-------------

Parametric Tolerance Interval Analysis MW-16-11/MW-16-11A

Parameter: Radium-226/228

Original Data (Not Transformed)

Non-Detects Replaced with 1/2 DL

USEPA 1989 Guidance Tolerance Limit Formula (One-Tailed)

Background observations = 7

Background mean = 1.61071

Background standard deviation = 0.285342

One-sided normal tolerance factor (K) at 95% confidence = 3.399

Upper tolerance limit = 2.58059

Location	Date	Value	Significant
----------	------	-------	-------------

Attachment B

Appendix IV Laboratory Reports



ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 12/15/2023 2:06:50 PM

JOB DESCRIPTION

CCR DTE Belle River Diversion Basin

JOB NUMBER

240-196761-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/15/2023 2:06:50 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
QC Sample Results	13
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Qualifiers

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Job ID: 240-196761-1

Laboratory: Eurofins Cleveland

Narrative

**Job Narrative
240-196761-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 12/9/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.2°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Method	Method Description	Protocol	Laboratory
6020B	Metals (ICP/MS)	SW846	EET CLE
9056A	Anions, Ion Chromatography	SW846	EET CLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-196761-1	MW-16-06	Water	12/06/23 11:45	12/09/23 08:00
240-196761-2	DUP-01	Water	12/06/23 00:00	12/09/23 08:00
240-196761-7	MW-16-07	Water	12/06/23 13:05	12/09/23 08:00
240-196761-8	DUP-06	Water	12/06/23 00:00	12/09/23 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lithium	52		8.0	ug/L	1		6020B	Total Recoverable

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lithium	51		8.0	ug/L	1		6020B	Total Recoverable

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.94		0.10	mg/L	2		9056A	Total/NA

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.97		0.10	mg/L	2		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Date Collected: 12/06/23 11:45

Matrix: Water

Date Received: 12/09/23 08:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	52		8.0	ug/L		12/12/23 14:00	12/13/23 15:32	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	51		8.0	ug/L		12/12/23 14:00	12/13/23 15:35	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Date Collected: 12/06/23 13:05

Matrix: Water

Date Received: 12/09/23 08:00

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SW846 9056A)	0.94		0.10	mg/L			12/15/23 10:56	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SW846 9056A)	0.97		0.10	mg/L			12/15/23 11:18	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-597343/1-A
 Matrix: Water
 Analysis Batch: 597604

Client Sample ID: Method Blank
 Prep Type: Total Recoverable
 Prep Batch: 597343

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	8.0	U	8.0	ug/L		12/12/23 14:00	12/13/23 14:48	1

Lab Sample ID: LCS 240-597343/2-A
 Matrix: Water
 Analysis Batch: 597604

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 597343

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lithium	500	468		ug/L		94	80 - 120

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-597685/3
 Matrix: Water
 Analysis Batch: 597685

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	0.050	U	0.050	mg/L			12/15/23 08:24	1

Lab Sample ID: LCS 240-597685/4
 Matrix: Water
 Analysis Batch: 597685

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	2.50	2.34		mg/L		94	90 - 110

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Metals

Prep Batch: 597343

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-1	MW-16-06	Total Recoverable	Water	3005A	
240-196761-2	DUP-01	Total Recoverable	Water	3005A	
MB 240-597343/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-597343/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 597604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-1	MW-16-06	Total Recoverable	Water	6020B	597343
240-196761-2	DUP-01	Total Recoverable	Water	6020B	597343
MB 240-597343/1-A	Method Blank	Total Recoverable	Water	6020B	597343
LCS 240-597343/2-A	Lab Control Sample	Total Recoverable	Water	6020B	597343

General Chemistry

Analysis Batch: 597685

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-196761-7	MW-16-07	Total/NA	Water	9056A	
240-196761-8	DUP-06	Total/NA	Water	9056A	
MB 240-597685/3	Method Blank	Total/NA	Water	9056A	
LCS 240-597685/4	Lab Control Sample	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-196761-1

Date Collected: 12/06/23 11:45

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			597343	TQ6W	EET CLE	12/12/23 14:00
Total Recoverable	Analysis	6020B		1	597604	DSH	EET CLE	12/13/23 15:32

Client Sample ID: DUP-01

Lab Sample ID: 240-196761-2

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			597343	TQ6W	EET CLE	12/12/23 14:00
Total Recoverable	Analysis	6020B		1	597604	DSH	EET CLE	12/13/23 15:35

Client Sample ID: MW-16-07

Lab Sample ID: 240-196761-7

Date Collected: 12/06/23 13:05

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		2	597685	JWW	EET CLE	12/15/23 10:56

Client Sample ID: DUP-06

Lab Sample ID: 240-196761-8

Date Collected: 12/06/23 00:00

Matrix: Water

Date Received: 12/09/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		2	597685	JWW	EET CLE	12/15/23 11:18

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Diversion Basin

Job ID: 240-196761-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.




Eurofins Cleveland
 180 S. Van Buren Avenue
 Barberton, OH 44203
 Phone: 330-497-9396 Fax: 330-497-0772

**MICHIGAN
 190**

**Chain of Custody Record 2-1/3-2 MICHIGAN
 190**

eurofins
 Environment Testing

Client Information Company: TRC Environmental Corporation. Address: 1540 Eisenhower Place City: Ann Arbor State, Zip: MI, 48108-7080 Phone: 313-971-7080 (Tel) 313-971-9022 (Fax) Email: vbuening@trccompanies.com Project Name: CCR DTE Belle River Diversion Basin Site: Michigan		Lab PM: Brooks, Kris M E-Mail: Kris.Brooks@et.eurofins.com PWSID:	
Carrier Tracking No(s): 240-114842-40723.1 State of Origin:		COC No: 240-114842-40723.1 Page: Page 1 of 1 Job #:	
Analysis Requested			
Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: 199489 WO #: 518728-0003 Project #: 24016463 SSO#:		Perform MS/MSD (Yes or No) 9056A_28D - Fluoride 6020B - Metals - LI	
		Total Number of Containers: X	
Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Y - Trizma Z - other (specify)			
Special Instructions/Note: <p style="font-size: 2em; text-align: center;">1</p>			
Sample Identification MW-16-06 DUP-01 DUP-02 DUP-03 DUP-04 DUP-05 MW-16-07 DUP-06	Matrix (W=Water, S=solid, O=soil, B=BI-Tissue, A=Air) Water Water Water Water Water Water Water	Sample Type (C=Comp, G=grab) G 	Sample Time 1145 1305
Sample Date 12-6-23 	Field Filtered Sample (Yes or No) N 	Preservation Code: G 	Total Number of Containers: X X X X X X X X
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)			
Empty Kit Relinquished by: _____ Date: _____ Relinquished by: <i>Trc</i> Company: TRC Relinquished by: <i>TRC</i> Company: TRC Relinquished by: <i>TRC</i> Company: TRC			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Special Instructions/QC Requirements:			
Relinquished by: <i>Trc</i> Company: TRC Date/Time: 12-8-23/0933		Received by: <i>TRC</i> Company: TRC Date/Time: 12/8/23 9:30	
Relinquished by: <i>TRC</i> Company: TRC Date/Time: 12/8/23 9:30		Received by: <i>TRC</i> Company: TRC Date/Time: 12/8/23 9:30	
Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks:			



Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login # : _____

Client TRC

Site Name _____

Cooler unpacked by: _____

Cooler Received on 12.9.23

Opened on 12.9.23

FedEx: 1st Grd Exp UPS FAS Waypoint

Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time _____

Storage Location _____

Eurofins Cooler # 22 Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt _____

See Multiple Cooler Form

IR GUN # 22 (CF) 1 °C Observed Cooler Temp. 1 °C Corrected Cooler Temp. 3.2 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____

-Were the seals on the outside of the cooler(s) signed & dated? Yes No

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No NA

4. Did custody papers accompany the sample(s)? Yes No NA

5. Were the custody papers relinquished & signed in the appropriate place? Yes No NA

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA

7. Did all bottles arrive in good condition (Unbroken)? Yes No NA

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA

10. Were correct bottle(s) used for the test(s) indicated? Yes No NA

11. Sufficient quantity received to perform indicated analyses? Yes No NA

12. Are these work share samples and all listed on the COC? Yes No NA

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA

14. Were VOA's on the COC? Yes No NA

15. Were air bubbles >6 mm in any VOA vials? Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____

17. Was a LL Hg or Me Hg trip blank present? Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOA's Frozen: _____

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>	<u>Lot Number</u>
MW-16-06	240-196761-A-1	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-01	240-196761-A-2	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-02	240-196761-A-3	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-03	240-196761-A-4	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-04	240-196761-A-5	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____
DUP-05	240-196761-A-6	Plastic 250ml - with Nitric Acid	<2	_____	_____	_____





ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Vincent Buening
TRC Environmental Corporation.
1540 Eisenhower Place
Ann Arbor, Michigan 48108-7080

Generated 10/23/2023 7:23:22 PM

JOB DESCRIPTION

CCR DTE Belle River Power

JOB NUMBER

240-193587-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
10/23/2023 7:23:22 PM

Authorized for release by
Kris Brooks, Project Manager II
Kris.Brooks@et.eurofinsus.com
(330)966-9790



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	12
QC Sample Results	20
QC Association Summary	25
Lab Chronicle	28
Certification Summary	31
Chain of Custody	32

Definitions/Glossary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Job ID: 240-193587-1

Laboratory: Eurofins Cleveland

Narrative

**Job Narrative
240-193587-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/13/2023 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.3°C, 0.6°C and 1.1°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 9056A_28D: The following samples were diluted due to the nature of the sample matrix: MW-16-08 (240-193587-4) and MW-16-11A (240-193587-6). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	EET CLE
6020B	Metals (ICP/MS)	SW846	EET CLE
7470A	Mercury (CVAA)	SW846	EET CLE
9056A	Anions, Ion Chromatography	SW846	EET CLE
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CLE
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CLE
7470A	Preparation, Mercury	SW846	EET CLE

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-193587-1	MW-16-05	Water	10/10/23 11:45	10/13/23 08:00
240-193587-2	MW-16-06	Water	10/10/23 15:31	10/13/23 08:00
240-193587-3	MW-16-07	Water	10/10/23 14:47	10/13/23 08:00
240-193587-4	MW-16-08	Water	10/10/23 13:40	10/13/23 08:00
240-193587-5	MW-16-10	Water	10/10/23 10:00	10/13/23 08:00
240-193587-6	MW-16-11A	Water	10/10/23 12:48	10/13/23 08:00
240-193587-7	DUP-02	Water	10/10/23 00:00	10/13/23 08:00
240-193587-8	EB-01	Water	10/09/23 12:00	10/13/23 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1700		100	57	ug/L	1		6010D	Total Recoverable
Antimony	0.62	J	2.0	0.57	ug/L	1		6020B	Total Recoverable
Arsenic	0.84	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	260		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	34000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	2.3	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.1		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2600		100	47	ug/L	1		6020B	Total Recoverable
Lead	1.0		1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	55		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	12		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.57	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1500		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	4.8		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2400		40	40	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Antimony	0.58	J	2.0	0.57	ug/L	1		6020B	Total Recoverable
Arsenic	1.2	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	280		5.0	2.2	ug/L	1		6020B	Total Recoverable
Beryllium	0.62	J	1.0	0.62	ug/L	1		6020B	Total Recoverable
Calcium	40000		1000	250	ug/L	1		6020B	Total Recoverable
Cobalt	0.28	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	700		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.89	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	56		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	15		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.60	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1600		20	20	mg/L	20		9056A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-06 (Continued)

Lab Sample ID: 240-193587-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	6.0		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2600		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	2.3	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	230		5.0	2.2	ug/L	1		6020B	Total Recoverable
Cadmium	0.25	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Calcium	43000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	3.4	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.9		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	4400		100	47	ug/L	1		6020B	Total Recoverable
Lead	1.8		1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	60		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	10		5.0	1.1	ug/L	1		6020B	Total Recoverable
Thallium	0.36	J	1.0	0.20	ug/L	1		6020B	Total Recoverable
Chloride	1800		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.3		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	31		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2800		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	1.3	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	310		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	42000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	2.2	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	1.1		1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2800		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.94	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	67		8.0	1.7	ug/L	1		6020B	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08 (Continued)

Lab Sample ID: 240-193587-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Molybdenum	17		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	2000		20	20	mg/L	20		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2900		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	0.94	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	85		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	23000		1000	250	ug/L	1		6020B	Total Recoverable
Chromium	1.7	J	5.0	1.2	ug/L	1		6020B	Total Recoverable
Cobalt	0.99	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	2200		100	47	ug/L	1		6020B	Total Recoverable
Lead	0.47	J	1.0	0.45	ug/L	1		6020B	Total Recoverable
Lithium	75		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	11		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1600		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.1		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	40		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2500		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1800		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	0.82	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	260		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	35000		1000	250	ug/L	1		6020B	Total Recoverable
Cobalt	0.28	J	1.0	0.19	ug/L	1		6020B	Total Recoverable
Iron	910		100	47	ug/L	1		6020B	Total Recoverable
Lithium	61		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	12		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1800		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.1		0.10	0.10	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2700		50	50	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Boron	1900		100	57	ug/L	1		6010D	Total Recoverable
Arsenic	1.2	J	5.0	0.75	ug/L	1		6020B	Total Recoverable
Barium	280		5.0	2.2	ug/L	1		6020B	Total Recoverable
Calcium	39000		1000	250	ug/L	1		6020B	Total Recoverable
Iron	660		100	47	ug/L	1		6020B	Total Recoverable
Lithium	52		8.0	1.7	ug/L	1		6020B	Total Recoverable
Molybdenum	14		5.0	1.1	ug/L	1		6020B	Total Recoverable
Chloride	1700		10	10	mg/L	10		9056A	Total/NA
Fluoride	1.2		0.10	0.10	mg/L	2		9056A	Total/NA
Sulfate	6.3		2.0	2.0	mg/L	2		9056A	Total/NA
Total Dissolved Solids	2500		50	50	mg/L	1		SM 2540C	Total/NA

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Date Collected: 10/10/23 11:45

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1700		100	57	ug/L		10/16/23 14:00	10/18/23 04:40	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.62	J	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:09	1
Arsenic	0.84	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:09	1
Barium	260		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:09	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:09	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:09	1
Calcium	34000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:09	1
Chromium	2.3	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:09	1
Cobalt	1.1		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:09	1
Iron	2600		100	47	ug/L		10/16/23 14:00	10/18/23 16:09	1
Lead	1.0		1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:09	1
Lithium	55		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:09	1
Molybdenum	12		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:09	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:09	1
Thallium	0.57	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:09	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1500		20	20	mg/L			10/19/23 10:00	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 09:40	2
Sulfate (SW846 9056A)	4.8		2.0	2.0	mg/L			10/19/23 09:40	2
Total Dissolved Solids (SM 2540C)	2400		40	40	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Date Collected: 10/10/23 15:31

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:10	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.58	J	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:21	1
Arsenic	1.2	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:21	1
Barium	280		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:21	1
Beryllium	0.62	J	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:21	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:21	1
Calcium	40000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:21	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:21	1
Cobalt	0.28	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:21	1
Iron	700		100	47	ug/L		10/16/23 14:00	10/18/23 16:21	1
Lead	0.89	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:21	1
Lithium	56		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:21	1
Molybdenum	15		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:21	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:21	1
Thallium	0.60	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:21	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1600		20	20	mg/L			10/19/23 10:41	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 10:21	2
Sulfate (SW846 9056A)	6.0		2.0	2.0	mg/L			10/19/23 10:21	2
Total Dissolved Solids (SM 2540C)	2600		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Date Collected: 10/10/23 14:47

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:14	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:24	1
Arsenic	2.3	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:24	1
Barium	230		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:24	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:24	1
Cadmium	0.25	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:24	1
Calcium	43000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:24	1
Chromium	3.4	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:24	1
Cobalt	1.9		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:24	1
Iron	4400		100	47	ug/L		10/16/23 14:00	10/18/23 16:24	1
Lead	1.8		1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:24	1
Lithium	60		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:24	1
Molybdenum	10		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:24	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:24	1
Thallium	0.36	J	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:24	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1800		20	20	mg/L			10/19/23 12:01	20
Fluoride (SW846 9056A)	1.3		0.10	0.10	mg/L			10/19/23 11:01	2
Sulfate (SW846 9056A)	31		2.0	2.0	mg/L			10/19/23 11:01	2
Total Dissolved Solids (SM 2540C)	2800		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Date Collected: 10/10/23 13:40

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:19	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:26	1
Arsenic	1.3	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:26	1
Barium	310		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:26	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:26	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:26	1
Calcium	42000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:26	1
Chromium	2.2	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:26	1
Cobalt	1.1		1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:26	1
Iron	2800		100	47	ug/L		10/16/23 14:00	10/18/23 16:26	1
Lead	0.94	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:26	1
Lithium	67		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:26	1
Molybdenum	17		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:26	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:26	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:26	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	2000		20	20	mg/L			10/19/23 12:42	20
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 12:21	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			10/19/23 12:21	2
Total Dissolved Solids (SM 2540C)	2900		50	50	mg/L			10/16/23 14:12	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Date Collected: 10/10/23 10:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:23	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:29	1
Arsenic	0.94	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:29	1
Barium	85		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:29	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:29	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:29	1
Calcium	23000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:29	1
Chromium	1.7	J	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:29	1
Cobalt	0.99	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:29	1
Iron	2200		100	47	ug/L		10/16/23 14:00	10/18/23 16:29	1
Lead	0.47	J	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:29	1
Lithium	75		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:29	1
Molybdenum	11		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:29	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:29	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:29	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1600		10	10	mg/L			10/19/23 16:03	10
Fluoride (SW846 9056A)	1.1		0.10	0.10	mg/L			10/19/23 15:03	2
Sulfate (SW846 9056A)	40		2.0	2.0	mg/L			10/19/23 15:03	2
Total Dissolved Solids (SM 2540C)	2500		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Date Collected: 10/10/23 12:48

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1800		100	57	ug/L		10/16/23 14:00	10/18/23 05:28	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:36	1
Arsenic	0.82	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:36	1
Barium	260		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:36	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:36	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:36	1
Calcium	35000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:36	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:36	1
Cobalt	0.28	J	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:36	1
Iron	910		100	47	ug/L		10/16/23 14:00	10/18/23 16:36	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:36	1
Lithium	61		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:36	1
Molybdenum	12		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:36	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:36	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:36	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1800		10	10	mg/L			10/19/23 16:43	10
Fluoride (SW846 9056A)	1.1		0.10	0.10	mg/L			10/19/23 16:23	2
Sulfate (SW846 9056A)	2.0	U	2.0	2.0	mg/L			10/19/23 16:23	2
Total Dissolved Solids (SM 2540C)	2700		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Date Collected: 10/10/23 00:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1900		100	57	ug/L		10/16/23 14:00	10/18/23 05:32	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:39	1
Arsenic	1.2	J	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:39	1
Barium	280		5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:39	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:39	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:39	1
Calcium	39000		1000	250	ug/L		10/16/23 14:00	10/18/23 16:39	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:39	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:39	1
Iron	660		100	47	ug/L		10/16/23 14:00	10/18/23 16:39	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:39	1
Lithium	52		8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:39	1
Molybdenum	14		5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:39	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:39	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:39	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1700		10	10	mg/L			10/19/23 17:24	10
Fluoride (SW846 9056A)	1.2		0.10	0.10	mg/L			10/19/23 17:03	2
Sulfate (SW846 9056A)	6.3		2.0	2.0	mg/L			10/19/23 17:03	2
Total Dissolved Solids (SM 2540C)	2500		50	50	mg/L			10/16/23 08:25	1

Client Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

Date Collected: 10/09/23 12:00

Matrix: Water

Date Received: 10/13/23 08:00

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		10/16/23 14:00	10/18/23 05:37	1

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 16:41	1
Arsenic	5.0	U	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 16:41	1
Barium	5.0	U	5.0	2.2	ug/L		10/16/23 14:00	10/18/23 16:41	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 16:41	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:41	1
Calcium	1000	U	1000	250	ug/L		10/16/23 14:00	10/18/23 16:41	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 16:41	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 16:41	1
Iron	100	U	100	47	ug/L		10/16/23 14:00	10/18/23 16:41	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 16:41	1
Lithium	8.0	U	8.0	1.7	ug/L		10/16/23 14:00	10/18/23 16:41	1
Molybdenum	5.0	U	5.0	1.1	ug/L		10/16/23 14:00	10/18/23 16:41	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 16:41	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 16:41	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 14:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (SW846 9056A)	1.0	U	1.0	1.0	mg/L			10/19/23 04:38	1
Fluoride (SW846 9056A)	0.050	U	0.050	0.050	mg/L			10/19/23 04:38	1
Sulfate (SW846 9056A)	1.0	U	1.0	1.0	mg/L			10/19/23 04:38	1
Total Dissolved Solids (SM 2540C)	10	U	10	10	mg/L			10/16/23 14:12	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 240-590931/1-A
Matrix: Water
Analysis Batch: 591127

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	100	U	100	57	ug/L		10/16/23 14:00	10/18/23 04:31	1

Lab Sample ID: LCS 240-590931/2-A
Matrix: Water
Analysis Batch: 591127

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1000	1000		ug/L		100	80 - 120

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591127

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1700		1000	2710		ug/L		101	75 - 125

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591127

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Boron	1700		1000	2630		ug/L		93	75 - 125	3	20

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-590931/1-A
Matrix: Water
Analysis Batch: 591382

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	2.0	U	2.0	0.57	ug/L		10/16/23 14:00	10/18/23 15:59	1
Arsenic	5.0	U	5.0	0.75	ug/L		10/16/23 14:00	10/18/23 15:59	1
Barium	5.0	U	5.0	2.2	ug/L		10/16/23 14:00	10/18/23 15:59	1
Beryllium	1.0	U	1.0	0.62	ug/L		10/16/23 14:00	10/18/23 15:59	1
Cadmium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 15:59	1
Calcium	1000	U	1000	250	ug/L		10/16/23 14:00	10/18/23 15:59	1
Chromium	5.0	U	5.0	1.2	ug/L		10/16/23 14:00	10/18/23 15:59	1
Cobalt	1.0	U	1.0	0.19	ug/L		10/16/23 14:00	10/18/23 15:59	1
Iron	100	U	100	47	ug/L		10/16/23 14:00	10/18/23 15:59	1
Lead	1.0	U	1.0	0.45	ug/L		10/16/23 14:00	10/18/23 15:59	1
Lithium	8.0	U	8.0	1.7	ug/L		10/16/23 14:00	10/18/23 15:59	1
Molybdenum	5.0	U	5.0	1.1	ug/L		10/16/23 14:00	10/18/23 15:59	1
Selenium	5.0	U	5.0	0.89	ug/L		10/16/23 14:00	10/18/23 15:59	1
Thallium	1.0	U	1.0	0.20	ug/L		10/16/23 14:00	10/18/23 15:59	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 240-590931/3-A
Matrix: Water
Analysis Batch: 591382

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Antimony	100	101		ug/L		101	80 - 120	
Arsenic	1000	941		ug/L		94	80 - 120	
Barium	1000	940		ug/L		94	80 - 120	
Beryllium	500	489		ug/L		98	80 - 120	
Cadmium	500	482		ug/L		96	80 - 120	
Calcium	25000	22000		ug/L		88	80 - 120	
Chromium	500	494		ug/L		99	80 - 120	
Cobalt	500	478		ug/L		96	80 - 120	
Iron	5000	4530		ug/L		91	80 - 120	
Lead	500	484		ug/L		97	80 - 120	
Lithium	500	487		ug/L		97	80 - 120	
Molybdenum	500	475		ug/L		95	80 - 120	
Selenium	1000	955		ug/L		95	80 - 120	
Thallium	1000	954		ug/L		95	80 - 120	

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	
Antimony	0.62	J	100	99.6		ug/L		99	80 - 120	
Arsenic	0.84	J	1000	966		ug/L		97	80 - 120	
Barium	260		1000	1190		ug/L		93	80 - 120	
Beryllium	1.0	U	500	475		ug/L		95	80 - 120	
Cadmium	1.0	U	500	464		ug/L		93	80 - 120	
Calcium	34000		25000	57000		ug/L		90	80 - 120	
Chromium	2.3	J	500	473		ug/L		94	80 - 120	
Cobalt	1.1		500	481		ug/L		96	80 - 120	
Iron	2600		5000	7200		ug/L		93	80 - 120	
Lead	1.0		500	454		ug/L		91	80 - 120	
Lithium	55		500	548		ug/L		99	80 - 120	
Molybdenum	12		500	498		ug/L		97	80 - 120	
Selenium	5.0	U	1000	927		ug/L		93	80 - 120	
Thallium	0.57	J	1000	889		ug/L		89	80 - 120	

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits			
Antimony	0.62	J	100	105		ug/L		104	80 - 120	5	20	
Arsenic	0.84	J	1000	953		ug/L		95	80 - 120	1	20	
Barium	260		1000	1180		ug/L		92	80 - 120	1	20	
Beryllium	1.0	U	500	470		ug/L		94	80 - 120	1	20	
Cadmium	1.0	U	500	457		ug/L		91	80 - 120	1	20	
Calcium	34000		25000	56100		ug/L		87	80 - 120	2	20	
Chromium	2.3	J	500	468		ug/L		93	80 - 120	1	20	
Cobalt	1.1		500	478		ug/L		95	80 - 120	1	20	
Iron	2600		5000	7120		ug/L		91	80 - 120	1	20	

Eurofins Cleveland

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591382

Client Sample ID: MW-16-05
Prep Type: Total Recoverable
Prep Batch: 590931

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits		
Lead	1.0		500	446		ug/L		89	80 - 120	2	20
Lithium	55		500	520		ug/L		93	80 - 120	5	20
Molybdenum	12		500	493		ug/L		96	80 - 120	1	20
Selenium	5.0	U	1000	899		ug/L		90	80 - 120	3	20
Thallium	0.57	J	1000	873		ug/L		87	80 - 120	2	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-590935/1-A
Matrix: Water
Analysis Batch: 591320

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 590935

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Mercury	0.20	U	0.20	0.20	ug/L		10/16/23 14:00	10/18/23 13:48	1

Lab Sample ID: LCS 240-590935/2-A
Matrix: Water
Analysis Batch: 591320

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
Mercury	5.00	4.87		ug/L		97	80 - 120

Lab Sample ID: 240-193587-1 MS
Matrix: Water
Analysis Batch: 591320

Client Sample ID: MW-16-05
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Result	Qualifier				Limits
Mercury	0.20	U	1.00	1.10		ug/L		110	80 - 120

Lab Sample ID: 240-193587-1 MSD
Matrix: Water
Analysis Batch: 591320

Client Sample ID: MW-16-05
Prep Type: Total/NA
Prep Batch: 590935

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits		
Mercury	0.20	U	1.00	1.05		ug/L		105	80 - 120	5	20

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 240-591317/3
Matrix: Water
Analysis Batch: 591317

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0	1.0	mg/L		10/19/23 03:58	1	
Fluoride	0.050	U	0.050	0.050	mg/L		10/19/23 03:58	1	
Sulfate	1.0	U	1.0	1.0	mg/L		10/19/23 03:58	1	

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: 9056A - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 240-591317/4
Matrix: Water
Analysis Batch: 591317

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	52.4		mg/L		105	90 - 110
Fluoride	2.50	2.74		mg/L		109	90 - 110
Sulfate	50.0	54.0		mg/L		108	90 - 110

Lab Sample ID: 240-193587-8 MS
Matrix: Water
Analysis Batch: 591317

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	1.0	U	50.0	51.9		mg/L		104	80 - 120
Fluoride	0.050	U	2.50	2.74		mg/L		110	80 - 120
Sulfate	1.0	U	50.0	53.3		mg/L		107	80 - 120

Lab Sample ID: 240-193587-8 MSD
Matrix: Water
Analysis Batch: 591317

Client Sample ID: EB-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1.0	U	50.0	53.9		mg/L		108	80 - 120	4	15
Fluoride	0.050	U	2.50	2.86		mg/L		114	80 - 120	4	15
Sulfate	1.0	U	50.0	55.3		mg/L		111	80 - 120	4	15

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 240-590873/1
Matrix: Water
Analysis Batch: 590873

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10	U	10	10	mg/L			10/16/23 08:25	1

Lab Sample ID: LCS 240-590873/2
Matrix: Water
Analysis Batch: 590873

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	336	310		mg/L		92	80 - 120

Lab Sample ID: MB 240-590981/1
Matrix: Water
Analysis Batch: 590981

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10	U	10	10	mg/L			10/16/23 14:12	1

QC Sample Results

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 240-590981/2
Matrix: Water
Analysis Batch: 590981

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	336	317		mg/L		94	80 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Metals

Prep Batch: 590931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	3005A	
240-193587-2	MW-16-06	Total Recoverable	Water	3005A	
240-193587-3	MW-16-07	Total Recoverable	Water	3005A	
240-193587-4	MW-16-08	Total Recoverable	Water	3005A	
240-193587-5	MW-16-10	Total Recoverable	Water	3005A	
240-193587-6	MW-16-11A	Total Recoverable	Water	3005A	
240-193587-7	DUP-02	Total Recoverable	Water	3005A	
240-193587-8	EB-01	Total Recoverable	Water	3005A	
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 240-590931/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCS 240-590931/3-A	Lab Control Sample	Total Recoverable	Water	3005A	
240-193587-1 MS	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MS	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	3005A	
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	3005A	

Prep Batch: 590935

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	7470A	
240-193587-2	MW-16-06	Total/NA	Water	7470A	
240-193587-3	MW-16-07	Total/NA	Water	7470A	
240-193587-4	MW-16-08	Total/NA	Water	7470A	
240-193587-5	MW-16-10	Total/NA	Water	7470A	
240-193587-6	MW-16-11A	Total/NA	Water	7470A	
240-193587-7	DUP-02	Total/NA	Water	7470A	
240-193587-8	EB-01	Total/NA	Water	7470A	
MB 240-590935/1-A	Method Blank	Total/NA	Water	7470A	
LCS 240-590935/2-A	Lab Control Sample	Total/NA	Water	7470A	
240-193587-1 MS	MW-16-05	Total/NA	Water	7470A	
240-193587-1 MSD	MW-16-05	Total/NA	Water	7470A	

Analysis Batch: 591127

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	6010D	590931
240-193587-2	MW-16-06	Total Recoverable	Water	6010D	590931
240-193587-3	MW-16-07	Total Recoverable	Water	6010D	590931
240-193587-4	MW-16-08	Total Recoverable	Water	6010D	590931
240-193587-5	MW-16-10	Total Recoverable	Water	6010D	590931
240-193587-6	MW-16-11A	Total Recoverable	Water	6010D	590931
240-193587-7	DUP-02	Total Recoverable	Water	6010D	590931
240-193587-8	EB-01	Total Recoverable	Water	6010D	590931
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	6010D	590931
LCS 240-590931/2-A	Lab Control Sample	Total Recoverable	Water	6010D	590931
240-193587-1 MS	MW-16-05	Total Recoverable	Water	6010D	590931
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	6010D	590931

Analysis Batch: 591320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	7470A	590935
240-193587-2	MW-16-06	Total/NA	Water	7470A	590935
240-193587-3	MW-16-07	Total/NA	Water	7470A	590935

Eurofins Cleveland

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Metals (Continued)

Analysis Batch: 591320 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-4	MW-16-08	Total/NA	Water	7470A	590935
240-193587-5	MW-16-10	Total/NA	Water	7470A	590935
240-193587-6	MW-16-11A	Total/NA	Water	7470A	590935
240-193587-7	DUP-02	Total/NA	Water	7470A	590935
240-193587-8	EB-01	Total/NA	Water	7470A	590935
MB 240-590935/1-A	Method Blank	Total/NA	Water	7470A	590935
LCS 240-590935/2-A	Lab Control Sample	Total/NA	Water	7470A	590935
240-193587-1 MS	MW-16-05	Total/NA	Water	7470A	590935
240-193587-1 MSD	MW-16-05	Total/NA	Water	7470A	590935

Analysis Batch: 591382

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total Recoverable	Water	6020B	590931
240-193587-2	MW-16-06	Total Recoverable	Water	6020B	590931
240-193587-3	MW-16-07	Total Recoverable	Water	6020B	590931
240-193587-4	MW-16-08	Total Recoverable	Water	6020B	590931
240-193587-5	MW-16-10	Total Recoverable	Water	6020B	590931
240-193587-6	MW-16-11A	Total Recoverable	Water	6020B	590931
240-193587-7	DUP-02	Total Recoverable	Water	6020B	590931
240-193587-8	EB-01	Total Recoverable	Water	6020B	590931
MB 240-590931/1-A	Method Blank	Total Recoverable	Water	6020B	590931
LCS 240-590931/3-A	Lab Control Sample	Total Recoverable	Water	6020B	590931
240-193587-1 MS	MW-16-05	Total Recoverable	Water	6020B	590931
240-193587-1 MSD	MW-16-05	Total Recoverable	Water	6020B	590931

General Chemistry

Analysis Batch: 590873

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-5	MW-16-10	Total/NA	Water	SM 2540C	
240-193587-6	MW-16-11A	Total/NA	Water	SM 2540C	
240-193587-7	DUP-02	Total/NA	Water	SM 2540C	
MB 240-590873/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-590873/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 590981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	SM 2540C	
240-193587-2	MW-16-06	Total/NA	Water	SM 2540C	
240-193587-3	MW-16-07	Total/NA	Water	SM 2540C	
240-193587-4	MW-16-08	Total/NA	Water	SM 2540C	
240-193587-8	EB-01	Total/NA	Water	SM 2540C	
MB 240-590981/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 240-590981/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 591317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-1	MW-16-05	Total/NA	Water	9056A	
240-193587-1	MW-16-05	Total/NA	Water	9056A	
240-193587-2	MW-16-06	Total/NA	Water	9056A	
240-193587-2	MW-16-06	Total/NA	Water	9056A	

Eurofins Cleveland

QC Association Summary

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

General Chemistry (Continued)

Analysis Batch: 591317 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-193587-3	MW-16-07	Total/NA	Water	9056A	
240-193587-3	MW-16-07	Total/NA	Water	9056A	
240-193587-4	MW-16-08	Total/NA	Water	9056A	
240-193587-4	MW-16-08	Total/NA	Water	9056A	
240-193587-5	MW-16-10	Total/NA	Water	9056A	
240-193587-5	MW-16-10	Total/NA	Water	9056A	
240-193587-6	MW-16-11A	Total/NA	Water	9056A	
240-193587-6	MW-16-11A	Total/NA	Water	9056A	
240-193587-7	DUP-02	Total/NA	Water	9056A	
240-193587-7	DUP-02	Total/NA	Water	9056A	
240-193587-8	EB-01	Total/NA	Water	9056A	
MB 240-591317/3	Method Blank	Total/NA	Water	9056A	
LCS 240-591317/4	Lab Control Sample	Total/NA	Water	9056A	
240-193587-8 MS	EB-01	Total/NA	Water	9056A	
240-193587-8 MSD	EB-01	Total/NA	Water	9056A	

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-05

Lab Sample ID: 240-193587-1

Date Collected: 10/10/23 11:45

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 04:40
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:09
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 13:52
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 09:40
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 10:00
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-06

Lab Sample ID: 240-193587-2

Date Collected: 10/10/23 15:31

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:10
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:21
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 13:58
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 10:21
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 10:41
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-07

Lab Sample ID: 240-193587-3

Date Collected: 10/10/23 14:47

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:14
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:24
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:01
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 11:01
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 12:01
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: MW-16-08

Lab Sample ID: 240-193587-4

Date Collected: 10/10/23 13:40

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:19
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:26
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:07
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 12:21
Total/NA	Analysis	9056A		20	591317	JWW	EET CLE	10/19/23 12:42
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Client Sample ID: MW-16-10

Lab Sample ID: 240-193587-5

Date Collected: 10/10/23 10:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:23
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:29
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:09
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 15:03
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 16:03
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Client Sample ID: MW-16-11A

Lab Sample ID: 240-193587-6

Date Collected: 10/10/23 12:48

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:28
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:36
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:11
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 16:23
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 16:43
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Lab Chronicle

Client: TRC Environmental Corporation.
Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Client Sample ID: DUP-02

Lab Sample ID: 240-193587-7

Date Collected: 10/10/23 00:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:32
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:39
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:13
Total/NA	Analysis	9056A		2	591317	JWW	EET CLE	10/19/23 17:03
Total/NA	Analysis	9056A		10	591317	JWW	EET CLE	10/19/23 17:24
Total/NA	Analysis	SM 2540C		1	590873	QUY8	EET CLE	10/16/23 08:25

Client Sample ID: EB-01

Lab Sample ID: 240-193587-8

Date Collected: 10/09/23 12:00

Matrix: Water

Date Received: 10/13/23 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6010D		1	591127	KLC	EET CLE	10/18/23 05:37
Total Recoverable	Prep	3005A			590931	S4FJ	EET CLE	10/16/23 14:00
Total Recoverable	Analysis	6020B		1	591382	RKT	EET CLE	10/18/23 16:41
Total/NA	Prep	7470A			590935	S4FJ	EET CLE	10/16/23 14:00
Total/NA	Analysis	7470A		1	591320	GK	EET CLE	10/18/23 14:15
Total/NA	Analysis	9056A		1	591317	JWW	EET CLE	10/19/23 04:38
Total/NA	Analysis	SM 2540C		1	590981	QUY8	EET CLE	10/16/23 14:12

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: TRC Environmental Corporation.
 Project/Site: CCR DTE Belle River Power

Job ID: 240-193587-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-24
Georgia	State	4062	02-27-24
Illinois	NELAP	200004	07-31-24
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-28-24
Kentucky (WW)	State	KY98016	12-31-23
Michigan	State	9135	02-27-24
Minnesota	NELAP	039-999-348	12-31-23
Minnesota (Petrofund)	State	3506	08-01-23 *
New Jersey	NELAP	OH001	07-01-24
New York	NELAP	10975	04-02-24
Ohio	State	8303	02-27-24
Ohio VAP	State	ORELAP 4062	02-27-24
Oregon	NELAP	4062	02-27-24
Pennsylvania	NELAP	68-00340	08-31-24
Texas	NELAP	T104704517-22-19	08-31-24
Virginia	NELAP	460175	09-14-24
West Virginia DEP	State	210	12-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login #: 193587

Client Tre Corporation Site Name _____ Cooler unpacked by: L Osborne
Cooler Received on 10/12/23 Opened on 10/13/23
FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN # 21 (CF -0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
- 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
- 10. Were correct bottle(s) used for the test(s) indicated? Yes No
- 11. Sufficient quantity received to perform indicated analyses? Yes No
- 12. Are these work share samples and all listed on the COC? Yes No
- 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC316719
- 14. Were VOAs on the COC? Yes No NA
- 15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
- 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Eurofins - Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
EC	Client	Box	Other	IR GUN #: 21	1.3	1.1	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #: 21	0.5	0.3	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #: 21	0.8	0.6	Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	
EC	Client	Box	Other	IR GUN #:			Wet Ice	Blue Ice	Dry Ice
							Water	None	

See Temperature Excursion Form



Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>		<u>Preservative</u>	
			<u>pH</u>	<u>Temp</u>	<u>Added (mls)</u>	<u>Lot #</u>
MW-16-05	240-193587-C-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-05	240-193587-D-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-05	240-193587-E-1	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-C-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-D-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-06	240-193587-E-2	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-C-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-D-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-07	240-193587-E-3	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-C-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-D-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-08	240-193587-E-4	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-C-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-D-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-10	240-193587-E-5	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-C-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-D-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
MW-16-11A	240-193587-E-6	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-C-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-D-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
DUP-02	240-193587-E-7	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-C-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-D-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____
EB-01	240-193587-E-8	Plastic 1 liter - Nitric Acid	<2	_____	_____	_____

Attachment C

Appendix IV Data Quality Reviews

Laboratory Data Quality Review

Groundwater Monitoring Event October 2023 (Detection Monitoring)

DTE Electric Company Belle River Power Plant (DTE BRPP)

Groundwater samples were collected by TRC for the October 2023 sampling event for the Diversion Basin at the DTE BRPP. Samples were analyzed for anions, total metals, and total dissolved solids by Eurofins Environment Testing, located in Barberton, Ohio. Samples were analyzed for radium by Eurofins Environment Testing, located in Earth City, Missouri. The laboratory analytical results are reported in laboratory reports 240-193587-1 (Revision 1), 240-193587-2, and 240-193590-1 (Revision 1).

During the October 2023 sampling event, a groundwater sample was collected from each of the following wells:

Diversion Basin:

- MW-16-05
- MW-16-06
- MW-16-07
- MW-16-08
- MW-16-10
- MW-16-11A

Each sample was analyzed for the following constituents:

Analyte Group	Method
Anions (Chloride, Fluoride, Sulfate)	SW846 9056A
Total Boron	SW846 3005A/6010D
Total Metals	SW846 3005A/6020B/7470A
Total Dissolved Solids	SM 2540C
Radium (Radium-226, Radium-228, Combined Radium)	SW846 9315/9320

TRC reviewed the laboratory data to assess data usability. The following sections summarize the data review procedure and the results of the review.

Data Quality Review Procedure

The analytical data were reviewed using the USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (USEPA, 2020) and the Department of Energy Evaluation of Radiochemical Data Usability (USDOE, 1997). The following items were included in the evaluation of the data:

- Sample receipt, as noted in the cover page or case narrative;
- Technical holding times for analyses;
- Reporting limits (RLs) compared to project-required RLs;
- Data for method blanks, equipment blanks, and field blanks. Method blanks are used to assess potential contamination arising from laboratory sample preparation and/or analytical procedures. Field and equipment blanks are used to assess potential contamination arising from field procedures;

- Data for laboratory control samples (LCSs) and laboratory control sample duplicates (LCSDs), when performed. The LCSs and/or LCSDs are used to assess the accuracy of the analytical method using a clean matrix;
- Percent recoveries for matrix spike (MS) and matrix spike duplicates (MSD), when performed on project samples. Percent recoveries are calculated for each analyte spiked and used to assess bias due to sample matrix effects;
- Data for laboratory duplicates, when performed on project samples. The laboratory duplicates are replicate analyses of one sample and are used to assess the precision of the analytical method;
- Percent recoveries for carriers, where applicable, for radiochemistry only. Carriers are used to assess the chemical yield for the preparation and/or instrument efficiency;
- Data for blind field duplicates. Field duplicate samples are used to assess variability introduced by the sampling and analytical processes; and
- Overall usability of the data.

This data usability report addresses the following items:

- Usability of the data if quality control (QC) results suggest potential problems with all or some of the data;
- Actions regarding specific QC criteria exceedances.

Review Summary

The data quality objectives and laboratory completeness goals for the project were met, and the data are usable for their intended purpose. A summary of the data quality review, including non-conformances and issues identified in this evaluation are noted below.

- The reviewed Appendix III and IV constituents plus additional metals will be utilized for the purposes of a detection monitoring program.
- Data are usable for the purposes of the detection monitoring program.

QA/QC Sample Summary

- TDS was analyzed slightly after the 7th day of collection for sample EB-01. However, there is no impact on data usability since the sample was analyzed for TDS on the 7th day after collection.
- There was one equipment blank submitted with this dataset (EB-01). No target analytes were detected in the sample.
- Target analytes were not detected in the method blanks with the following exception.
 - Radium-228 was detected in method blank 160-632481/1-A at 0.4793 +/- 0.299 pCi/L. The detected radium-228 results for the groundwater samples associated with this method blank are potentially false positives, as summarized in the attached table, Attachment A.
- LCS recoveries for all target analytes were within laboratory control limits.
- MS/MSD analyses were performed on sample MW-16-05 for boron and select metals, sample MW-16-06 for copper, nickel, silver, vanadium, and zinc, and sample EB-01 for

anions; the percent recoveries (%Rs) and relative percent differences (RPDs) were within acceptance criteria.

- Laboratory duplicate analyses were performed on sample EB-01 for radium-226 and radium-228; all criteria were met.
- Samples DUP-02 and MW-16-06 were submitted as the field duplicate pair with this data set; all criteria were met.
- Carrier recoveries were within 40-110%.
- The nondetect RL for sulfate (2 mg/L) was above the QAPP-specified RL (1 mg/L) in samples MW-16-08 and MW-16-11A due to the 2-fold dilutions performed on these samples as a result of elevated chloride concentrations.
- The nondetect RL for chromium (5 mg/L) was above the QAPP-specified RL (2 mg/L) in all groundwater and blank samples in this data set.

Attachment A

Summary of Data Non-Conformances for Groundwater Monitoring Event Analytical Data
Belle River Power Plant CCR Diversion Basin
China Township, Michigan

Samples	Collection Date	Analyte	Non-Conformance/Issue
MW-16-05	10/10/2023	Radium-228	Method blank contamination; potential false positive.
MW-16-06	10/10/2023		
MW-16-07	10/10/2023		
MW-16-08	10/10/2023		
MW-16-10	10/10/2023		
MW-16-11A	10/10/2023		
DUP-02	10/10/2023		