



## DTE Weather-Adjusted Energy Factor

Weather-adjusted energy usage data is a customer's gas or electric usage for a given period of time that has been normalized. During a selected month, when the weather is hotter or colder than normal, normalized data can be used to determine what your energy usage would have been if the weather was "normal." This sheet provides a weather-adjusted factor to weather-normalize electric or gas consumption for a given month.

### Instructions for Using This Form (Both Electric & Gas)

Step 1 --- Customers with an advanced metering infrastructure meter can download usage history to Excel from DTE's [website](#).

Step 2 --- After downloading usage history, add all consumption for the desired calendar month.

Step 3 --- Using the appropriate customer designation, multiply the total consumption by the percentage factor from the table below to get weather-normalized consumption.

Electric Factor	Aug-2022	Sep-2022	Oct-2022	Nov-2022	Dec-2022	Jan-2023	Feb-2023	Mar-2023	Apr-2023	May-2023	Jun-2023	Jul-2023	Aug-2023
Factor (Residential)	98.2%	96.5%	103.0%	101.0%	98.9%	106.5%	106.2%	100.0%	100.0%	104.3%	111.0%	107.2%	117.6%
Factor (Commercial)	99.1%	99.0%	101.1%	99.4%	100.0%	102.4%	102.5%	101.0%	99.6%	101.0%	103.3%	101.7%	104.6%
Factor (Industrial)	99.8%	99.8%	100.3%	99.6%	99.9%	100.3%	100.4%	100.8%	100.1%	100.1%	100.8%	100.4%	101.2%

### Sample Calculation (Electric)

\*Your electric consumption for December 2022 was **600 kWh**

\*The December 2022 factor for residential customers was **98.9%**

\*Multiply **600 kWh** \* **98.9%** = **593 kWh**

\*Your consumption would have been approximately **593 kWh in this month if the weather was normal**

Gas Factor	Aug-2022	Sep-2022	Oct-2022	Nov-2022	Dec-2022	Jan-2023	Feb-2023	Mar-2023	Apr-2023	May-2023	Jun-2023	Jul-2023	Aug-2023
Factor (Residential)	101.5%	94.2%	94.7%	107.8%	102.3%	123.3%	118.8%	99.4%	107.6%	98.4%	100.3%	101.6%	97.8%
Factor (Commercial)	100.5%	93.7%	93.6%	106.9%	102.2%	126.4%	120.2%	98.3%	105.0%	101.4%	99.4%	99.7%	101.3%

### Sample Calculation (Gas)

\*Your gas consumption for December 2022 was **150 CCF**

\*The December 2022 factor for residential customers was **102.3%**

\*Multiply **150 CCF** \* **102.3%** = **153 CCF**

\*Your consumption would have been approximately **153 CCF in this month if the weather was normal**

\*For the months of June through September, if the percentage is within 4% of 100%, it is recommended to use **NO** normalization adjustment (i.e. leave it at 100%)